4.12 K1 — Remarks

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **K1** — Remarks	0 .. 12		210		
│ ├ **61** — Free-Form Message	1 .. 1	String	01	1 .. 30	
│ └ **61** — Free-Form Message	0 .. 1	String	02	1 .. 30	

Documentation

Definition To transmit information in a free-form format for comment or special instruction

Properties

Identifier K1

Name Remarks

Cardinality min: 0 max: 12

Syntax Type Related

External Category Segment

Position 210

Level 2

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
61 Free-Form Message	Free-form information	**Cardinality** **min:** 1 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 30 **External Category** Simple Data Element **Data Type** AN **Position** 01
61 Free-Form Message	Free-form information	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 30 **External Category** Simple Data Element **Data Type** AN **Position** 02

4.13 LX — Loop LX

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ ├ **LX** — Assigned Number	1 .. 1		010		
│ └ **L0** — Loop L0	0 .. 120		150		

Properties

Identifier LX

Name Loop LX

Cardinality min: 1 max: 999

Syntax Type Related

External Category Loop

Position 010

Level 2

4.14 LX — Assigned Number

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ ├ **LX** — Assigned Number	1 .. 1		010		
│ │ └ **554** — Assigned Number	1 .. 1	Integer	01	1 .. 6	

Documentation

Definition To reference a line number in a transaction set

Properties

Identifier LX

Name Assigned Number

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 010

Level 3

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
554 Assigned Number	Number assigned for differentiation within a transaction set	**Cardinality** min: 1 max: 1 **Primitive Type** Integer **Length** min: 1 max: 6 **Fraction Digits** 0 **Total Digits** 6 **External Category** Simple Data Element **Data Type** N0 **Position** 01

4.15 L0 — Loop L0

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **L0** — Loop L0	0 .. 120		150		
│ ├ **L0** — Line Item - Quantity and Weight	1 .. 1		150		
│ └ **L1** — Loop L1	0 .. 20		170		

Properties

Identifier L0

Name Loop L0

Cardinality min: 0 max: 120

Syntax Type Related

External Category Loop

Position 150

Level 3

4.16 L0 — Line Item - Quantity and Weight

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **L0** — Loop L0	0 .. 120		150		
│ ├ **L0** — Line Item - Quantity and Weight	1 .. 1		150		
│ │ ├ **221** — Billed/Rated-as Qualifier	0 .. 1	Token	03	2 .. 2	221
│ │ └ **380** — Quantity	0 .. 1	Decimal	13	1 .. 15	

Documentation

Definition To specify quantity, weight, volume, and type of service for a line item including applicable “quantity/rate-as” data

Properties

Identifier L0

Name Line Item - Quantity and Weight

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 150

Level 4

Notes

Usage 1 L008 is the number of handling units of the line item tendered to the carrier.

Usage 2 L013 can only be used if the code in L009 is PLT, SKD, or SLP.

Usage 3 L015 designates whether the carrier will be required to verify the number of units contained on a pallet, slip sheet or skid. Code “Y” indicates that the carrier will be required to verify. Code “N” indicates that the carrier will not be required to verify.

Constraint 1 P0203 Paired Multiple - If any are used, all must be used

Constraint 2 P0405 Paired Multiple - If any are used, all must be used

Constraint 3 P0607 Paired Multiple - If any are used, all must be used

Constraint 4 P0809 Paired Multiple - If any are used, all must be used

Constraint 5 C1104 Conditional - If the first element is present, then the others must be present

Constraint 6 P1315 Paired Multiple - If any are used, all must be used

Comment 1 L013 is used to convey the total number of boxes, cartons, or pieces contained on a pallet, skid, or slip sheet for the line item.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
221 Billed/Rated-as Qualifier	Code identifying the type of quantity or value on which the rate or item pricing is based **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 03 **Codelist Id** 221 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
380	Numeric value of quantity	**Cardinality** min: 0 max: 1

Quantity		**Primitive Type** Decimal **Length** **min:** 1 **max:** 15 **Total Digits** 15 **External Category** Simple Data Element **Data Type** R **Position** 13

4.17 L1 — Loop L1

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **L0** — Loop L0	0 .. 120		150		
│ └ **L1** — Loop L1	0 .. 20		170		
│ └ **L1** — Rate and Charges	1 .. 1		170		

Properties

Identifier L1

Name Loop L1

Cardinality min: 0 max: 20

Syntax Type Related

External Category Loop

Position 170

Level 4

4.18 L1 — Rate and Charges

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
310 — Freight Receipt and Invoice (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **L0** — Loop L0	0 .. 120		150		
│ └ **L1** — Loop L1	0 .. 20		170		
│ └ **L1** — Rate and Charges	1 .. 1		170		
│ ├ **60** — Freight Rate	0 .. 1	Decimal	02	1 .. 9	
│ ├ **122** — Rate/Value Qualifier	0 .. 1	Token	03	2 .. 2	122
│ ├ **58** — Charge	0 .. 1	Decimal	04	1 .. 12	
│ ├ **150** — Special Charge or Allowance Code	0 .. 1	Token	08	3 .. 3	150
│ ├ **276** — Special Charge Description	0 .. 1	String	12	2 .. 25	
│ ├ **220** — Billed/Rated-as Quantity	0 .. 1	Decimal	17	1 .. 11	
│ ├ **221** — Billed/Rated-as Qualifier	0 .. 1	Token	18	2 .. 2	221
│ ├ **954** — Percent	0 .. 1	Decimal	19	1 .. 10	
│ ├ **100** — Currency Code	0 .. 1	Token	20	3 .. 3	ISO_4217
│ └ **610** — Amount	0 .. 1	Decimal	21	1 .. 15	

Documentation

Definition To specify rate and charges detail relative to a line item including freight charges, advances, special charges, and entitlements

Properties

Identifier L1

Name Rate and Charges

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 170

Level 5

Notes

Usage 1 L119 is the percent used to determine the charge in L104.

Usage 2 L120, if used, indicates the currency for all monetary amounts in this L1 segment.

Usage 3 L121 is the origin rated as charge amount.

Constraint 1 P0203 Paired Multiple - If any are used, all must be used

Constraint 2 R040506 Required - At least one of those noted must be used

Constraint 3 P1415 Paired Multiple - If any are used, all must be used

Constraint 4 P1718 Paired Multiple - If any are used, all must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
60 Freight Rate	Rate that applies to the specific commodity	**Cardinality** min: 0 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 9 **Total Digits** 9 **External Category** Simple Data Element **Data Type** R **Position** 02
122 Rate/Value Qualifier	Code qualifying how to extend charges or interpret value	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2

	Selected Values All Values in Codelist	**External Category** Simple Data Element **Data Type** ID **Position** 03 **Codelist Id** 122 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
58 Charge	For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 12 **Fraction Digits** 2 **Total Digits** 12 **External Category** Simple Data Element **Data Type** N2 **Position** 04
150 Special Charge or Allowance Code	Code identifying type of special charge or allowance **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 3 **max:** 3 **External Category** Simple Data Element **Data Type** ID **Position** 08 **Codelist Id** 150 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
276 Special Charge Description	Identification of special charge; this data element is used whenever an applicable code cannot be found in data element 150	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 2 **max:** 25 **External Category** Simple Data Element **Data Type** AN **Position** 12
220 Billed/Rated-as Quantity	Basis for rating (miles, value, volume, etc.); Note: Weight may be defined by either data element 220 or 81	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 11 **Total Digits** 11 **External Category** Simple Data Element **Data Type** R **Position** 17
221 Billed/Rated-as Qualifier	Code identifying the type of quantity or value on which the rate or item pricing is based **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 18 **Codelist Id** 221 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
954 Percent	Percentage expressed as a decimal	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 10 **Total Digits** 10 **External Category** Simple Data Element **Data Type** R **Position** 19
100 Currency Code	Code (Standard ISO) for country in whose currency the charges are specified **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 3 **max:** 3 **External Category** Simple Data Element **Data Type** ID **Position** 20 **Codelist Id** ISO_4217

		Type System ISO_CodelistsAndSchemes **Version Mode** Latest **Version** 2015
610 Amount	Monetary amount	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 15 **Fraction Digits** 2 **Total Digits** 15 **External Category** Simple Data Element **Data Type** N2 **Position** 21