	All Values in Codelist	**External Category** Simple Data Element **Data Type** ID **Position** 10 **Codelist Id** 128 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
127 Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 30 **External Category** Simple Data Element **Data Type** AN **Position** 11
897 Vessel Code Qualifier	Code specifying vessel code source **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 1 **max:** 1 **External Category** Simple Data Element **Data Type** ID **Position** 12 **Codelist Id** 897 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
182 Vessel Name	Name of ship as documented in “Lloyd’s Register of Ships”	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 2 **max:** 28 **External Category** Simple Data Element **Data Type** AN **Position** 13

4.5 SG — Shipment Status

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
315 — Status Details (Ocean)	1 .. 1				
├ **SG** — Shipment Status	0 .. 15		050		
│ ├ **157** — Shipment Status Code	0 .. 1	Token	01	1 .. 2	157
│ └ **641** — Status Reason Code	0 .. 1	Token	02	3 .. 3	641

Documentation

Definition To convey the status of a shipment

Properties

Identifier SG

Name Shipment Status

Cardinality min: 0 max: 15

Syntax Type Related

External Category Segment

Position 050

Level 2

Notes

Constraint 1 R010203 Required - At least one of those noted must be used

Constraint 2 C0605 Conditional - If the first element is present, then the others must be present

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
157 Shipment Status Code	Code indicating the status of a shipment **Selected Values** **Code** AF **Name** Departed Pickup Location Shipment has been picked up **Code** AG **Name** Estimated Delivery Estimated date of delivery to the consignee or receiver **Code** D **Name** Completed Unloading at Delivery Location Shipment was delivered to the consignee or receiver **Code** X1 **Name** Arrived at Delivery Location The carrier has arrived at the shipment delivery location **Code** X3 **Name** Arrived at Pick-up Location **Code** X6 **Name** En Route to Delivery Location **Code** SD **Name** Shipment Delayed	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 157 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
641 Status Reason Code	Code indicating the status reason **Selected Values** **Code** B16 **Name** Road Conditions Shipment is being delayed due to road conditions **Code** A30 **Name** Mechanical Breakdown **Code** C01 **Name** Waiting for Customer Pick-up Consignee will pick up shipment at dock **Code** C06 **Name** Waiting Shipping Instructions	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 641 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

	Code C07 **Name** Waiting for Customer Specified Carrier **Code** P02 **Name** Waiting Inspection **Code** B08 **Name** Improper Unloading Facility or Equipment Shipment is on hold pending correct unloading facility or equipment **Code** B14 **Name** Missing Documents Shipment is being held because of missing documents **Code** A24 **Name** Accident Delay caused by shipment being contained in vehicle involved in accident **Code** A43 **Name** Weather or Natural Disaster Related Shipment delayed by natural disaster or severe weather **Code** A03 **Name** Incorrect Address Shipment has been returned to carrier's terminal; address correction is required **Code** A46 **Name** Recipient Unavailable -- Delivery Delayed **Code** C09 **Name** Cash Not Available from Consignee **Code** D02 **Name** Driver Not Available **Code** T03 **Name** Trailer Not Available **Code** T05 **Name** Trailer Class Not Available **Code** T06 **Name** Trailer Volume Not Available **Code** A15 **Name** Business On Strike **Code** C05 **Name** Customer Strike **Code** P06 **Name** Producer Strike **Code** A37 **Name** Damaged Rewrapped In Hub **Code** VAN **Name** Vandalism **Code** THT **Name** Theft	

4.6 R4 — Loop R4

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
315 — Status Details (Ocean)	1 .. 1				
├ **R4** — Loop R4	1 .. 20		060		
│ ├ **R4** — Port or Terminal	1 .. 1		060		
│ └ **DTM** — Date/Time Reference	0 .. 15		070		

Properties

Identifier R4

Name Loop R4

Cardinality min: 1 max: 20

Syntax Type Related

External Category Loop

Position 060

Level 2

4.7 R4 — Port or Terminal

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
315 — Status Details (Ocean)	1 .. 1				
├ **R4** — Loop R4	1 .. 20		060		
│ ├ **R4** — Port or Terminal	1 .. 1		060		
│ │ ├ **115** — Port or Terminal Function Code	1 .. 1	Token	01	1 .. 1	115
│ │ ├ **309** — Location Qualifier	0 .. 1	Token	02	1 .. 2	309
│ │ ├ **310** — Location Identifier	0 .. 1	String	03	1 .. 30	
│ │ ├ **114** — Port Name	0 .. 1	String	04	2 .. 24	
│ │ ├ **26** — Country Code	0 .. 1	Token	05	2 .. 3	ISO_3166-1
│ │ ├ **174** — Terminal Name	0 .. 1	String	06	2 .. 30	
│ │ ├ **113** — Pier Number	0 .. 1	String	07	1 .. 4	
│ │ └ **156** — State or Province Code	0 .. 1	Token	08	2 .. 2	

Documentation

Definition Contractual or operational port or point relevant to the movement of the cargo

Properties

Identifier R4

Name Port or Terminal

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 060

Level 3

Notes

Constraint 1 P0203 Paired Multiple - If any are used, all must be used

Comment 1 R4 is required for each port to be identified.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
115 Port or Terminal Function Code	Code defining function performed at the port or terminal with respect to a shipment **Selected Values** **Code** 5 **Name** Activity Location (Operational) Place at which the activity being reported is occurring	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 115 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
309 Location Qualifier	Code identifying type of location **Selected Values** **Code** UN **Name** United Nations Location Code (UNLOCODE) **Code** EA **Name** Event Location	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 309 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

310 Location Identifier	Code which identifies a specific location	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 03
114 Port Name	Free-form name for the place at which an offshore carrier originates or terminates (by transshipment or otherwise) its actual ocean carriage of property	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 2 max: 24 **External Category** Simple Data Element **Data Type** AN **Position** 04
26 Country Code	Code identifying the country **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 05 **Codelist Id** ISO_3166-1 **Type System** ISO_CodelistsAndSchemes **Version Mode** Latest **Version** 2013
174 Terminal Name	Free-form field for terminal name	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 2 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 06
113 Pier Number	Identifying number for the pier	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 4 **External Category** Simple Data Element **Data Type** AN **Position** 07
156 State or Province Code	Code (Standard State/Province) as defined by appropriate government agency	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 08

4.8 DTM — Date/Time Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
315 — Status Details (Ocean)	1 .. 1				
├ **R4** — Loop R4	1 .. 20		060		
│ └ **DTM** — Date/Time Reference	0 .. 15		070		
│ ├ **374** — Date/Time Qualifier	1 .. 1	Token	01	3 .. 3	374
│ ├ **373** — Date	0 .. 1	Date	02	8 .. 8	
│ ├ **337** — Time	0 .. 1	Time	03	4 .. 8	
│ └ **623** — Time Code	0 .. 1	Token	04	2 .. 2	623

Documentation

Definition To specify pertinent dates and times

Properties

Identifier DTM

Name Date/Time Reference

Cardinality min: 0 max: 15

Syntax Type Related

External Category Segment

Position 070

Level 3

Notes

Constraint 1 R020305 Required - At least one of those noted must be used

Constraint 2 C0403 Conditional - If the first element is present, then the others must be present

Constraint 3 P0506 Paired Multiple - If any are used, all must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
374 Date/Time Qualifier	Code specifying type of date or time, or both date and time **Selected Values** **Code** 140 **Name** Actual **Code** 371 **Name** Estimated Arrival Date **Code** 369 **Name** Estimated Departure Date	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 374 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
373 Date	Date expressed as CCYYMMDD	**Cardinality** min: 0 max: 1 **Primitive Type** Date **Length** min: 8 max: 8 **Date Time Format** CCYYMMDD **External Category** Simple Data Element **Data Type** DT **Position** 02
337 Time	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	**Cardinality** min: 0 max: 1 **Primitive Type** Time **Length** min: 4 max: 8 **Date Time Format** hhmm[ss[f[f]]] **External Category** Simple Data Element **Data Type** TM **Position** 03

623 Time Code	Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow **Selected Values** **Code** 01 **Name** Equivalent to ISO P01 **Code** 02 **Name** Equivalent to ISO P02 **Code** 03 **Name** Equivalent to ISO P03 **Code** 04 **Name** Equivalent to ISO P04 **Code** 05 **Name** Equivalent to ISO P05 **Code** 06 **Name** Equivalent to ISO P06 **Code** 07 **Name** Equivalent to ISO P07 **Code** 08 **Name** Equivalent to ISO P08 **Code** 09 **Name** Equivalent to ISO P09 **Code** 10 **Name** Equivalent to ISO P10 **Code** 11 **Name** Equivalent to ISO P11 **Code** 12 **Name** Equivalent to ISO P12 **Code** 13 **Name** Equivalent to ISO M12 **Code** 14 **Name** Equivalent to ISO M11 **Code** 15 **Name** Equivalent to ISO M10 **Code** 16 **Name** Equivalent to ISO M09 **Code** 17 **Name** Equivalent to ISO M08 **Code** 18 **Name** Equivalent to ISO M07 **Code** 19 **Name** Equivalent to ISO M06 **Code** 20 **Name** Equivalent to ISO M05 **Code** 21 **Name** Equivalent to ISO M04 **Code** 22 **Name** Equivalent to ISO M03 **Code** 23 **Name** Equivalent to ISO M02 **Code** 24 **Name** Equivalent to ISO M01 **Code** AD **Name** Alaska Daylight Time **Code** AS **Name** Alaska Standard Time **Code** CD **Name** Central Daylight Time **Code** ED **Name** Eastern Daylight Time **Code** ES **Name** Eastern Standard Time **Code** LT **Name** Local Time **Code** PD **Name** Pacific Daylight Time **Code** PS **Name** Pacific Standard Time **Code** UT **Name** Universal Time Coordinate **Code** MD **Name** Mountain Daylight Time **Code** MS **Name** Mountain Standard Time	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 04 **Codelist Id** 623 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

4.9 SE — Transaction Set Trailer

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
315 — Status Details (Ocean)	1 .. 1				
└ **SE** — Transaction Set Trailer	1 .. 1		090		
├ **96** — Number of Included Segments	1 .. 1	Integer	01	1 .. 10	
└ **329** — Transaction Set Control Number	1 .. 1	String	02	4 .. 9	

Documentation

Definition To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Properties

Identifier SE

Name Transaction Set Trailer

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 090

Level 2

Notes

Comment 1 SE is the last segment of each transaction set.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
96 Number of Included Segments	Total number of segments included in a transaction set including ST and SE segments	**Cardinality** min: 1 max: 1 **Primitive Type** Integer **Length** min: 1 max: 10 **Fraction Digits** 0 **Total Digits** 10 **External Category** Simple Data Element **Data Type** N0 **Position** 01
329 Transaction Set Control Number	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 4 max: 9 **External Category** Simple Data Element **Data Type** AN **Position** 02

5 COPYRIGHT STATEMENTS

5.1 Copyright Statement for MIG

See also: https://www.sap.com/corporate/en/legal/copyright.html

5.2 Copyright Statement for Type System ASC X12

Copyright (c) 2017, Accredited Standards Committee X12 Incorporated, Format (c) 2017 Washington Publishing Company. Exclusively published by the Washington Publishing Company. No part of this publication maybe distributed, posted, reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the copyright owner. See also: http://members.x12.org/policies-procedures/adp06-intellectual-property-rights-policy-statement.pdf

5.3 Copyright Statement for Type System UN/EDIFACT

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: http://www.unece.org/legal_notice/copyrightnotice.html

5.4 Copyright Statement for Type System ISO Codelists

Copyright (c) 2017, ISO All ISO content is copyright protected. The copyright is owned by ISO. Any use of the content, including copying of it in whole or in part, for example to another Internet site, is prohibited and would require written permission from ISO. All ISO publications are also protected by copyright. The copyright ownership of ISO is clearly indicated on every ISO publication. Any unauthorized use such as copying, scanning or distribution is prohibited. Requests for permission should be addressed to the ISO Central Secretariat or directly through the ISO member in your country. See more: https://www.iso.org/privacy-and-copyright.html

5.5 Copyright Statement for Type System UN/CEFACT

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: http://www.unece.org/legal_notice/copyrightnotice.html