4.4 CUR — Currency

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **CUR** — Currency	0 .. 1		040		
│ ├ **98** — Entity Identifier Code	1 .. 1	Token	01	2 .. 3	98
│ └ **100** — Currency Code	1 .. 1	Token	02	3 .. 3	ISO_4217

Documentation

Definition To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Properties

Identifier CUR

Name Currency

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 040

Level 2

Notes

Constraint 1 C0807 Conditional - If the first element is present, then the others must be present

Constraint 2 C0907 Conditional - If the first element is present, then the others must be present

Constraint 3 L101112 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 4 C1110 Conditional - If the first element is present, then the others must be present

Constraint 5 C1210 Conditional - If the first element is present, then the others must be present

Constraint 6 L131415 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 7 C1413 Conditional - If the first element is present, then the others must be present

Constraint 8 C1513 Conditional - If the first element is present, then the others must be present

Constraint 9 L161718 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 10 C1716 Conditional - If the first element is present, then the others must be present

Constraint 11 C1816 Conditional - If the first element is present, then the others must be present

Constraint 12 L192021 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 13 C2019 Conditional - If the first element is present, then the others must be present

Constraint 14 C2119 Conditional - If the first element is present, then the others must be present

Comment 1 See Figures Appendix for examples detailing the use of the CUR segment.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
98 Entity Identifier Code	Code identifying an organizational entity, a physical location, property or an individual **Selected Values** **Code** BY **Name** Buying Party (Purchaser)	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 98 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

100 Currency Code	Code (Standard ISO) for country in whose currency the charges are specified **Selected Values** All Values in Codelist	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** ISO_4217 **Type System** ISO_CodelistsAndSchemes **Version Mode** Latest **Version** 2015

4.5 REF — Reference Identification

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **REF** — Reference Identification	0 .. *		050		
│ ├ **128** — Reference Identification Qualifier	1 .. 1	Token	01	2 .. 3	128
│ └ **127** — Reference Identification	0 .. 1	String	02	1 .. 30	

Documentation

Definition To specify identifying information

Properties

Identifier REF

Name Reference Identification

Cardinality min: 0 max: *

Syntax Type Related

External Category Segment

Position 050

Level 2

Notes

Usage 1 REF04 contains data relating to the value cited in REF02.

Constraint 1 R0203 Required - At least one of those noted must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
128 Reference Identification Qualifier	Code qualifying the Reference Identification **Selected Values** **Code** 06 **Name** System Number **Code** OQ **Name** Order Number Qualifies a code that identifies the authorizing documentation for a household goods	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 128 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
127 Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 02

4.6 CTP — Pricing Information

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **CTP** — Pricing Information	0 .. *		090		
│ ├ **687** — Class of Trade Code	0 .. 1	Token	01	2 .. 2	687
│ ├ **236** — Price Identifier Code	0 .. 1	Token	02	3 .. 3	236
│ └ **212** — Unit Price	0 .. 1	Decimal	03	1 .. 17	

Documentation

Definition To specify pricing information

Properties

Identifier CTP

Name Pricing Information

Cardinality min: 0 max: *

Syntax Type Related

External Category Segment

Position 090

Level 2

Notes

Usage 1 CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given.

Usage 2 CTP08 is the rebate amount.

Constraint 1 P0405 Paired Multiple - If any are used, all must be used

Constraint 2 C0607 Conditional - If the first element is present, then the others must be present

Constraint 3 C0902 Conditional - If the first element is present, then the others must be present

Constraint 4 C1002 Conditional - If the first element is present, then the others must be present

Constraint 5 C1103 Conditional - If the first element is present, then the others must be present

Comment 1 See Figures Appendix for an example detailing the use of CTP03 and CTP04. See Figures Appendix for an example detailing the use of CTP03, CTP04 and CTP07.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
687 Class of Trade Code	Code indicating class of trade **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 687 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
236 Price Identifier Code	Code identifying pricing specification **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 02

		Codelist Id 236 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
212 Unit Price	Price per unit of product, service, commodity, etc.	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 17 **Total Digits** 17 **External Category** Simple Data Element **Data Type** R **Position** 03

4.7 DTM — Date/Time Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **DTM** — Date/Time Reference	0 .. 10		150		
│ ├ **374** — Date/Time Qualifier	1 .. 1	Token	01	3 .. 3	374
│ ├ **373** — Date	0 .. 1	Date	02	8 .. 8	
│ ├ **337** — Time	0 .. 1	Time	03	4 .. 8	
│ └ **623** — Time Code	0 .. 1	Token	04	2 .. 2	623

Documentation

Definition To specify pertinent dates and times

Properties

Identifier DTM

Name Date/Time Reference

Cardinality min: 0 max: 10

Syntax Type Related

External Category Segment

Position 150

Level 2

Notes

Constraint 1 R020305 Required - At least one of those noted must be used

Constraint 2 C0403 Conditional - If the first element is present, then the others must be present

Constraint 3 P0506 Paired Multiple - If any are used, all must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
374 Date/Time Qualifier	Code specifying type of date or time, or both date and time **Selected Values** **Code** 036 **Name** Expiration Date coverage expires	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 374 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
373 Date	Date expressed as CCYYMMDD	**Cardinality** min: 0 max: 1 **Primitive Type** Date **Length** min: 8 max: 8 **Date Time Format** CCYYMMDD **External Category** Simple Data Element **Data Type** DT **Position** 02
337 Time	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	**Cardinality** min: 0 max: 1 **Primitive Type** Time **Length** min: 4 max: 8 **Date Time Format** hhmm[ss[f[f]]] **External Category** Simple Data Element **Data Type** TM **Position** 03

623 Time Code	Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow **Selected Values** **Code** UT **Name** Universal Time Coordinate	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 04 **Codelist Id** 623 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

4.8 MEA — Measurements

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **MEA** — Measurements	0 .. 40		200		
│ ├ **737** — Measurement Reference ID Code	0 .. 1	Token	01	2 .. 2	737
│ ├ **738** — Measurement Qualifier	0 .. 1	Token	02	1 .. 3	738
│ ├ **739** — Measurement Value	0 .. 1	Decimal	03	1 .. 20	
│ └ **C001** — Composite Unit of Measure	0 .. 1		04		

Documentation

Definition To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

Properties

Identifier MEA

Name Measurements

Cardinality min: 0 max: 40

Syntax Type Related

External Category Segment

Position 200

Level 2

Notes

Usage 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Constraint 1 R03050608 Required - At least one of those noted must be used

Constraint 2 C0504 Conditional - If the first element is present, then the others must be present

Constraint 3 C0604 Conditional - If the first element is present, then the others must be present

Constraint 4 L07030506 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 5 E0803 Exclusion - No more than one may be used

Comment 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
737 Measurement Reference ID Code	Code identifying the broad category to which a measurement applies **Selected Values** **Code** PT **Name** Pretest Period The nominal period that a tested device is preconditioned **Code** WT **Name** Weights **Code** PD **Name** Physical Dimensions **Code** TE **Name** Temperature	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 737 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
738 Measurement Qualifier	Code identifying a specific product or process characteristic to which a measurement applies **Selected Values** **Code** LN **Name** Length **Code** G **Name** Gross Weight	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 02

	Code VOL **Name** Volume **Code** MX **Name** Maximum **Code** MI **Name** Minimum **Code** WD **Name** Width **Code** HT **Name** Height	**Codelist Id** 738 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
739 Measurement Value	The value of the measurement	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 20 **Total Digits** 20 **External Category** Simple Data Element **Data Type** R **Position** 03

4.9 C001 — Composite Unit of Measure

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **MEA** — Measurements	0 .. 40		200		
│ └ **C001** — Composite Unit of Measure	0 .. 1		04		
│ └ **355** — Unit or Basis for Measurement Code	1 .. 1	Token	01	2 .. 2	355

Documentation

Definition To identify a composite unit of measure (See Figures Appendix for examples of use)

Properties

Identifier C001

Name Composite Unit of Measure

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Structure

Position 04

Notes

Comment 1 If C001-02 is not used, its value is to be interpreted as 1.

Comment 2 If C001-03 is not used, its value is to be interpreted as 1.

Comment 3 If C001-05 is not used, its value is to be interpreted as 1.

Comment 4 If C001-06 is not used, its value is to be interpreted as 1.

Comment 5 If C001-08 is not used, its value is to be interpreted as 1.

Comment 6 If C001-09 is not used, its value is to be interpreted as 1.

Comment 7 If C001-11 is not used, its value is to be interpreted as 1.

Comment 8 If C001-12 is not used, its value is to be interpreted as 1.

Comment 9 If C001-14 is not used, its value is to be interpreted as 1.

Comment 10 If C001-15 is not used, its value is to be interpreted as 1.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
355 Unit or Basis for Measurement Code	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken **Selected Values** **Code** DK **Name** Kilometers **Code** MR **Name** Meter **Code** CM **Name** Centimeter **Code** MM **Name** Millimeter **Code** DH **Name** Miles **Code** FT **Name** Foot **Code** IN **Name** Inch **Code** YD **Name** Yard **Code** MT **Name** Metric Long Ton **Code** GR **Name** Gram **Code** KG **Name** Kilogram **Code** LB **Name** Pound **Code** OZ **Name** Ounce - Av **Code** NS **Name** Short Ton Two thousand pounds **Code** CE **Name** Centigrade, Celsius	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 355 **Type System** ASC_X12 **Version Mode** Current **Version** 004010