4.24 MEA — Measurements

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ ├ **MEA** — Measurements	0 .. 40		049		
│ │ ├ **737** — Measurement Reference ID Code	0 .. 1	Token	01	2 .. 2	737
│ │ ├ **738** — Measurement Qualifier	0 .. 1	Token	02	1 .. 3	738
│ │ ├ **739** — Measurement Value	0 .. 1	Decimal	03	1 .. 20	
│ │ └ **C001** — Composite Unit of Measure	0 .. 1		04		

Documentation

Definition To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

Properties

Identifier MEA

Name Measurements

Cardinality min: 0 max: 40

Syntax Type Related

External Category Segment

Position 049

Level 3

Notes

Usage 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Constraint 1 R03050608 Required - At least one of those noted must be used

Constraint 2 C0504 Conditional - If the first element is present, then the others must be present

Constraint 3 C0604 Conditional - If the first element is present, then the others must be present

Constraint 4 L07030506 List Conditional - If the first element is present, then at least one of the others must be present

Constraint 5 E0803 Exclusion - No more than one may be used

Comment 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
737 Measurement Reference ID Code	Code identifying the broad category to which a measurement applies **Selected Values** **Code** WT **Name** Weights **Code** PD **Name** Physical Dimensions **Code** TE **Name** Temperature	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 737 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
738 Measurement Qualifier	Code identifying a specific product or process characteristic to which a measurement applies **Selected Values**	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 3 **External Category** Simple Data Element

	Code LN **Name** Length **Code** G **Name** Gross Weight **Code** VOL **Name** Volume **Code** MI **Name** Minimum **Code** MX **Name** Maximum **Code** WD **Name** Width **Code** HT **Name** Height	**Data Type** ID **Position** 02 **Codelist Id** 738 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
739 Measurement Value	The value of the measurement	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 20 **Total Digits** 20 **External Category** Simple Data Element **Data Type** R **Position** 03

4.25 C001 — Composite Unit of Measure

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ ├ **MEA** — Measurements	0 .. 40		049		
│ │ └ **C001** — Composite Unit of Measure	0 .. 1		04		
│ │ └ **355** — Unit or Basis for Measurement Code	1 .. 1	Token	01	2 .. 2	355

Documentation

Definition To identify a composite unit of measure (See Figures Appendix for examples of use)

Properties

Identifier C001

Name Composite Unit of Measure

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Structure

Position 04

Notes

Comment 1 If C001-02 is not used, its value is to be interpreted as 1.

Comment 2 If C001-03 is not used, its value is to be interpreted as 1.

Comment 3 If C001-05 is not used, its value is to be interpreted as 1.

Comment 4 If C001-06 is not used, its value is to be interpreted as 1.

Comment 5 If C001-08 is not used, its value is to be interpreted as 1.

Comment 6 If C001-09 is not used, its value is to be interpreted as 1.

Comment 7 If C001-11 is not used, its value is to be interpreted as 1.

Comment 8 If C001-12 is not used, its value is to be interpreted as 1.

Comment 9 If C001-14 is not used, its value is to be interpreted as 1.

Comment 10 If C001-15 is not used, its value is to be interpreted as 1.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
355 Unit or Basis for Measurement Code	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken **Selected Values** **Code** DK **Name** Kilometers **Code** MR **Name** Meter **Code** CM **Name** Centimeter **Code** MM **Name** Millimeter **Code** DH **Name** Miles **Code** FT **Name** Foot **Code** IN **Name** Inch **Code** YD **Name** Yard **Code** MT **Name** Metric Long Ton **Code** GR **Name** Gram **Code** KG **Name** Kilogram **Code** LB **Name** Pound **Code** OZ **Name** Ounce - Av **Code** NS **Name** Short Ton	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 355 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

	Two thousand pounds **Code** NB **Name** Barge **Code** CC **Name** Cubic Centimeter **Code** 8C **Name** Cord **Code** CF **Name** Cubic Feet **Code** GA **Name** Gallon **Code** NL **Name** Load **Code** DM **Name** Decimeter **Code** CI **Name** Cubic Inches **Code** NC **Name** Car **Code** CH **Name** Container **Code** LT **Name** Liter **Code** CR **Name** Cubic Meter **Code** CE **Name** Centigrade, Celsius **Code** FA **Name** Fahrenheit **Code** KV **Name** Kelvin **Code** CY **Name** Cubic Yard **Code** LY **Name** Linear Yard **Code** LM **Name** Linear Meter **Code** LF **Name** Linear Foot **Code** C8 **Name** Cubic Decimeter **Code** MP **Name** Metric Ton **Code** LG **Name** Long Ton 2240 pounds as used in the U.K.	

4.26 PID — Loop PID

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ ├ **PID** — Loop PID	0 .. 1000		050		
│ │ └ **PID** — Product/Item Description	1 .. 1		050		

Properties

Identifier PID

Name Loop PID

Cardinality min: 0 max: 1000

Syntax Type Related

External Category Loop

Position 050

Level 3

4.27 PID — Product/Item Description

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ ├ **PID** — Loop PID	0 .. 1000		050		
│ │ └ **PID** — Product/Item Description	1 .. 1		050		
│ │ ├ **349** — Item Description Type	1 .. 1	Token	01	1 .. 1	349
│ │ ├ **750** — Product/Process Characteristic Code	0 .. 1	Token	02	2 .. 3	750
│ │ ├ **559** — Agency Qualifier Code	0 .. 1	Token	03	2 .. 2	559
│ │ ├ **751** — Product Description Code	0 .. 1	String	04	1 .. 12	
│ │ └ **352** — Description	0 .. 1	String	05	1 .. 80	

Documentation

Definition To describe a product or process in coded or free-form format

Properties

Identifier PID

Name Product/Item Description

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 050

Level 4

Notes

Usage 1 Use PID03 to indicate the organization that publishes the code list being referred to.

Usage 2 PID04 should be used for industry-specific product description codes.

Usage 3 PID08 describes the physical characteristics of the product identified in PID04. A “Y” indicates that the specified attribute applies to this item; an “N” indicates it does not apply. Any other value is indeterminate.

Usage 4 PID09 is used to identify the language being used in PID05.

Constraint 1 C0403 Conditional - If the first element is present, then the others must be present

Constraint 2 R0405 Required - At least one of those noted must be used

Constraint 3 C0703 Conditional - If the first element is present, then the others must be present

Constraint 4 C0804 Conditional - If the first element is present, then the others must be present

Constraint 5 C0905 Conditional - If the first element is present, then the others must be present

Comment 1 If PID01 equals “F”, then PID05 is used. If PID01 equals “S”, then PID04 is used. If PID01 equals “X”, then both PID04 and PID05 are used.

Comment 2 Use PID06 when necessary to refer to the product surface or layer being described in the segment.

Comment 3 PID07 specifies the individual code list of the agency specified in PID03.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
349 Item Description Type	Code indicating the format of a description **Selected Values** **Code** F **Name** Free-form	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element **Data Type** ID **Position** 01

		Codelist Id 349 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
750 Product/Process Characteristic Code	Code identifying the general class of a product or process characteristic **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 3 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 750 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
559 Agency Qualifier Code	Code identifying the agency assigning the code values **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 03 **Codelist Id** 559 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
751 Product Description Code	A code from an industry code list which provides specific data about a product characteristic	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 12 **External Category** Simple Data Element **Data Type** AN **Position** 04
352 Description	A free-form description to clarify the related data elements and their content	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 80 **External Category** Simple Data Element **Data Type** AN **Position** 05

4.28 REF — Reference Identification

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ ├ **REF** — Reference Identification	0 .. *		100		
│ │ ├ **128** — Reference Identification Qualifier	1 .. 1	Token	01	2 .. 3	128
│ │ ├ **127** — Reference Identification	0 .. 1	String	02	1 .. 30	
│ │ └ **352** — Description	0 .. 1	String	03	1 .. 80	

Documentation

Definition To specify identifying information

Properties

Identifier REF

Name Reference Identification

Cardinality min: 0 max: *

Syntax Type Related

External Category Segment

Position 100

Level 3

Notes

Usage 1 REF04 contains data relating to the value cited in REF02.

Constraint 1 R0203 Required - At least one of those noted must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
128 Reference Identification Qualifier	Code qualifying the Reference Identification **Selected Values** **Code** 55 **Name** Sequence Number	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 128 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
127 Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 02
352 Description	A free-form description to clarify the related data elements and their content	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 80 **External Category** Simple Data Element **Data Type** AN **Position** 03

4.29 TD4 — Carrier Details (Special Handling, or Hazardous Materials, or Both)

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
840 — Request for Quotation	1 .. 1				
├ **PO1** — Loop PO1	1 .. 100000		010		
│ └ **TD4** — Carrier Details (Special Handling, or Hazardous Materials, or Both)	0 .. 5		270		
│ ├ **152** — Special Handling Code	0 .. 1	Token	01	2 .. 3	152
│ ├ **208** — Hazardous Material Code Qualifier	0 .. 1	Token	02	1 .. 1	208
│ ├ **209** — Hazardous Material Class Code	0 .. 1	String	03	1 .. 4	
│ ├ **352** — Description	0 .. 1	String	04	1 .. 80	
│ └ **1073** — Yes/No Condition or Response Code	0 .. 1	Token	05	1 .. 1	1073

Documentation

Definition To specify transportation special handling requirements, or hazardous materials information, or both

Properties

Identifier TD4

Name Carrier Details (Special Handling, or Hazardous Materials, or Both)

Cardinality min: 0 max: 5

Syntax Type Related

External Category Segment

Position 270

Level 3

Notes

Usage 1 TD405 identifies if a Material Safety Data Sheet (MSDS) exists for this product. A “Y” indicates an MSDS exists for this product; an “N” indicates an MSDS does not exist for this product.

Constraint 1 R010204 Required - At least one of those noted must be used

Constraint 2 C0203 Conditional - If the first element is present, then the others must be present

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
152 Special Handling Code	Code specifying special transportation handling instructions **Selected Values** **Code** HM **Name** Endorsed as Hazardous Material	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 152 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
208 Hazardous Material Code Qualifier	Code which qualifies the Hazardous Material Class Code (209) **Selected Values** **Code** D **Name** Hazardous Materials ID, DOT **Code** U **Name** United Nations **Code** T **Name** International Air Transport Association Dangerous Goods Code List **Code** A **Name** International Civil Aviation Organization (ICAO) Code **Code** 9 **Name** Title 49, Code of Federal	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 208 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

	Regulations (CFR) **Code** I **Name** Intergovernmental Maritime Organization (IMO) Code	
209 Hazardous Material Class Code	Code specifying the kind of hazard for a material	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 4 **External Category** Simple Data Element **Data Type** AN **Position** 03
352 Description	A free-form description to clarify the related data elements and their content	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 80 **External Category** Simple Data Element **Data Type** AN **Position** 04
1073 Yes/No Condition or Response Code	Code indicating a Yes or No condition or response **Selected Values** **Code** Y **Name** Yes	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 1 **max:** 1 **External Category** Simple Data Element **Data Type** ID **Position** 05 **Codelist Id** 1073 **Type System** ASC_X12 **Version Mode** Current **Version** 004010