4.6 N1 — Name

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
864 — Text Message	1 .. 1				
├ **N1** — Loop N1	0 .. 200		040		
│ └ **N1** — Name	1 .. 1		040		
│ ├ **98** — Entity Identifier Code	1 .. 1	Token	01	2 .. 3	98
│ ├ **93** — Name	0 .. 1	String	02	1 .. 60	
│ ├ **66** — Identification Code Qualifier	0 .. 1	Token	03	1 .. 2	66
│ └ **67** — Identification Code	0 .. 1	String	04	2 .. 80	

Documentation

Definition To identify a party by type of organization, name, and code

Properties

Identifier N1

Name Name

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 040

Level 3

Notes

Constraint 1 R0203 Required - At least one of those noted must be used

Constraint 2 P0304 Paired Multiple - If any are used, all must be used

Comment 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the “ID Code” (N104) must provide a key to the table maintained by the transaction processing party.

Comment 2 N105 and N106 further define the type of entity in N101.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
98 Entity Identifier Code	Code identifying an organizational entity, a physical location, property or an individual **Selected Values** **Code** CA **Name** Carrier	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 98 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
93 Name	Free-form name	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 60 **External Category** Simple Data Element **Data Type** AN **Position** 02
66 Identification Code Qualifier	Code designating the system/method of code structure used for Identification Code (67) **Selected Values**	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 2 **External Category** Simple Data Element

	Code 92 **Name** Assigned by Buyer or Buyer's Agent	**Data Type** ID **Position** 03 **Codelist Id** 66 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
67 Identification Code	Code identifying a party or other code	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 2 **max:** 80 **External Category** Simple Data Element **Data Type** AN **Position** 04

4.7 MIT — Loop MIT

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
864 — Text Message	1 .. 1				
├ **MIT** — Loop MIT	1 .. *		010		
│ ├ **MIT** — Message Identification	1 .. 1		010		
│ └ **MSG** — Message Text	1 .. 100000		080		

Properties

Identifier MIT

Name Loop MIT

Cardinality min: 1 max: *

Syntax Type Related

External Category Loop

Position 010

Level 2

4.8 MIT — Message Identification

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
864 — Text Message	1 .. 1				
├ **MIT** — Loop MIT	1 .. *		010		
│ ├ **MIT** — Message Identification	1 .. 1		010		
│ │ └ **127** — Reference Identification	1 .. 1	String	01	1 .. 30	

Documentation

Definition To identify the beginning of a specific message and to allow the identification of a subject for the message

Properties

Identifier MIT

Name Message Identification

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 010

Level 3

Notes

Usage 1 MIT01 contains the message number.

Usage 2 MIT02 contains the message subject.

Comment 1 MIT03 default is 80 characters.

Comment 2 MIT04 default is 66 lines.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
127 Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 01

4.9 MSG — Message Text

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
864 — Text Message	1 .. 1				
├ **MIT** — Loop MIT	1 .. *		010		
│ └ **MSG** — Message Text	1 .. 100000		080		
│ └ **933** — Free-Form Message Text	1 .. 1	String	01	1 .. 264	

Documentation

Definition To provide a free-form format that allows the transmission of text information

Properties

Identifier MSG

Name Message Text

Cardinality min: 1 max: 100000

Syntax Type Related

External Category Segment

Position 080

Level 3

Notes

Usage 1 MSG03 is the number of lines to advance before printing.

Constraint 1 C0302 Conditional - If the first element is present, then the others must be present

Comment 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Comment 2 If MSG02 is “AA - Advance the specified number of lines before print” then MSG03 is required.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
933 Free-Form Message Text	Free-form message text	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 264 **External Category** Simple Data Element **Data Type** AN **Position** 01

4.10 SE — Transaction Set Trailer

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
864 — Text Message	1 .. 1				
└ **SE** — Transaction Set Trailer	1 .. 1		010		
├ **96** — Number of Included Segments	1 .. 1	Integer	01	1 .. 10	
└ **329** — Transaction Set Control Number	1 .. 1	String	02	4 .. 9	

Documentation

Definition To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Properties

Identifier SE

Name Transaction Set Trailer

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 010

Level 2

Notes

Comment 1 SE is the last segment of each transaction set.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
96 Number of Included Segments	Total number of segments included in a transaction set including ST and SE segments	**Cardinality** min: 1 max: 1 **Primitive Type** Integer **Length** min: 1 max: 10 **Fraction Digits** 0 **Total Digits** 10 **External Category** Simple Data Element **Data Type** N0 **Position** 01
329 Transaction Set Control Number	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 4 max: 9 **External Category** Simple Data Element **Data Type** AN **Position** 02

5 COPYRIGHT STATEMENTS

5.1 Copyright Statement for MIG

See also: https://www.sap.com/corporate/en/legal/copyright.html

5.2 Copyright Statement for Type System ASC X12

Copyright (c) 2017, Accredited Standards Committee X12 Incorporated, Format (c) 2017 Washington Publishing Company. Exclusively published by the Washington Publishing Company. No part of this publication maybe distributed, posted, reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the copyright owner. See also: http://members.x12.org/policies-procedures/adp06-intellectual-property-rights-policy-statement.pdf

5.3 Copyright Statement for Type System UN/EDIFACT

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: http://www.unece.org/legal_notice/copyrightnotice.html

5.4 Copyright Statement for Type System ISO Codelists

Copyright (c) 2017, ISO All ISO content is copyright protected. The copyright is owned by ISO. Any use of the content, including copying of it in whole or in part, for example to another Internet site, is prohibited and would require written permission from ISO. All ISO publications are also protected by copyright. The copyright ownership of ISO is clearly indicated on every ISO publication. Any unauthorized use such as copying, scanning or distribution is prohibited. Requests for permission should be addressed to the ISO Central Secretariat or directly through the ISO member in your country. See more: https://www.iso.org/privacy-and-copyright.html

5.5 Copyright Statement for Type System UN/CEFACT

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: http://www.unece.org/legal_notice/copyrightnotice.html

www.sap.com/contactsap

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see https://www.sap.com/about/legal/trademark.html for additional trademark information and notices.

