4.5 FTX [4451 = “AAP”] — Free text - Response (free text)

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **FTX** — Free text - Response (free text)	0 .. 1		0070		
│ ├ **4451** — Text subject qualifier	1 .. 1	String	010	1 .. 3	4451
│ └ **C108** — Text literal	0 .. 1		040		

Documentation

Definition A segment to specify free form or processable supplementary information, such as status of transport, remarks to be printed on the transport documents (where required), consignment remarks, insurance instructions, etc., or any other additional information.

Properties

Tag FTX

Name Free text - Response (free text)

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 0070

Level 2

Leaf Elements

Tag/Name	Description/Notes/Code Values	Properties
4451 Text subject qualifier	Code specifying subject of a free text. **Selected Values** **Code** AAP **Name** Response (free text) Free text of the response to a communication.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 4451 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.6 C108 — Text literal

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **FTX** — Free text - Response (free text)	0 .. 1		0070		
│ └ **C108** — Text literal	0 .. 1		040		
│ └ **4440** — Free text	1 .. 1	String	010	1 .. 1023	

Documentation

Definition Free text; one to five lines.

Properties

Tag C108

Name Text literal

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Tag/Name	Description/Notes/Code Values	Properties
4440 Free text	Free text field available to the message sender for information.	**Cardinality** **min:** 1 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 1023 **External Category** Data Element **Data Type** an **Position** 010

4.7 SG2 — Segment Group 2: RFF-DTM

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG2** — Segment Group 2: RFF-DTM	0 .. 1		0120		
│ └ **RFF** — Reference	1 .. 1		0130		

Documentation

Definition A group of segments containing a reference and constants which apply to the entire message.

Properties

Tag SG2

Name Segment Group 2: RFF-DTM

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment Group

Position 0120

Level 2

4.8 RFF — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG2** — Segment Group 2: RFF-DTM	0 .. 1		0120		
│ └ **RFF** — Reference	1 .. 1		0130		
│ └ **C506** — Reference - Consignee's shipment reference number	1 .. 1		010		

Documentation

Definition A segment to express a reference which applies to the entire message such as: the document/message number that is to be updated by this very message (according to data element 1225 Message Function, Coded in segment BGM), booking reference, order number, insurance contract, etc.

Properties

Tag RFF

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0130

Level 3

4.9 C506 [1153 = "AAO"] — Reference - Consignee's shipment reference number

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG2** — Segment Group 2: RFF-DTM	0 .. 1		0120		
│ └ **RFF** — Reference	1 .. 1		0130		
│ └ **C506** — Reference - Consignee's shipment reference number	1 .. 1		010		
│ ├ **1153** — Reference qualifier	1 .. 1	String	010	1 .. 3	1153
│ └ **1154** — Reference number	0 .. 1	String	020	1 .. 35	

Documentation

Definition Identification of a reference.

Properties

Tag C506

Name Reference - Consignee's shipment reference number

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Tag/Name	Description/Notes/Code Values	Properties
1153 Reference qualifier	Code giving specific meaning to a reference segment or a reference number. **Selected Values** **Code** AAO **Name** Consignee's shipment reference number [1362] Reference assigned by the consignee to a shipment.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1153 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
1154 Reference number	Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 020

4.10 SG8 — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG8** — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14	0 .. 999		0350		
│ ├ **GID** — Goods item details	1 .. 1		0360		
│ └ **SG12** — Segment Group 12: RFF-DTM	0 .. 1		0530		

Documentation

Definition A group of segments to describe the goods items for which transport is undertaken.

Properties

Tag SG8

Name Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14

Cardinality min: 0 max: 999

Syntax Type Related

External Category Segment Group

Position 0350

Level 2

4.11 GID — Goods item details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG8** — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14	0 .. 999		0350		
│ ├ **GID** — Goods item details	1 .. 1		0360		
│ │ └ **1496** — Goods item number	0 .. 1	String	010	1 .. 100	

Documentation

Definition A segment to identify a goods item for which transport is undertaken. A goods item can be identified by up to three levels of packaging.

Properties

Tag GID

Name Goods item details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0360

Level 3

Leaf Elements

Tag/Name	Description/Notes/Code Values	Properties
1496 Goods item number	Serial number differentiating each separate goods item entry of a consignment as contained in one document/declaration.	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 100 **Total Digits** 5 **External Category** Data Element **Data Type** n **Position** 010

4.12 SG12 — Segment Group 12: RFF-DTM

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG8** — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14	0 .. 999		0350		
│ └ **SG12** — Segment Group 12: RFF-DTM	0 .. 1		0530		
│ └ **RFF** — Reference	1 .. 1		0540		

Documentation

Definition A group of segments to identify references to a goods item.

Properties

Tag SG12

Name Segment Group 12: RFF-DTM

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment Group

Position 0530

Level 3

4.13 RFF — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG8** — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14	0 .. 999		0350		
│ └ **SG12** — Segment Group 12: RFF-DTM	0 .. 1		0530		
│ └ **RFF** — Reference	1 .. 1		0540		
│ └ **C506** — Reference - Unit load device (e.g. container) identification number	1 .. 1		010		

Documentation

Definition A segment to identify a reference to a goods item.

Properties

Tag RFF

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0540

Level 4

4.14 C506 [1153 = “AAQ”] — Reference - Unit load device (e.g. container) identification number

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMBC — Booking confirmation message	1 .. 1				
├ **SG8** — Segment Group 8: GID-HAN-TMP-RNG-TMD-LOC-FTX-SG9-GDS-SG10-SG11-SG12-SG13-SG14	0 .. 999		0350		
│ └ **SG12** — Segment Group 12: RFF-DTM	0 .. 1		0530		
│ └ **RFF** — Reference	1 .. 1		0540		
│ └ **C506** — Reference - Unit load device (e.g. container) identification number	1 .. 1		010		
│ ├ **1153** — Reference qualifier	1 .. 1	String	010	1 .. 3	1153
│ └ **1154** — Reference number	0 .. 1	String	020	1 .. 60	

Documentation

Definition Identification of a reference.

Properties

Tag C506

Name Reference - Unit load device (e.g. container) identification number

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Tag/Name	Description/Notes/Code Values	Properties
1153 Reference qualifier	Code giving specific meaning to a reference segment or a reference number. **Selected Values** **Code** AAQ **Name** Unit load device (e.g. container) identification number [8260] Marks (letters and/or numbers) which identify a unit load device e.g. freight container.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1153 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
1154 Reference number	Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 60 **External Category** Data Element **Data Type** an **Position** 020