4.13 C507 — Date/time/period

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **DTM** — Date/time/period - Delivery date/time, latest	0 .. 1		0050		
│ └ **C507** — Date/time/period	1 .. 1		010		
│ ├ **2005** — Date/time/period qualifier	1 .. 1	String	010	1 .. 3	2005
│ ├ **2380** — Date/time/period	1 .. 1	String	020	1 .. 35	
│ └ **2379** — Date/time/period format qualifier	1 .. 1	String	030	1 .. 3	2379

Documentation

Definition Date and/or time, or period relevant to the specified date/time/period type.

Properties

Identifier C507

Name Date/time/period

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
2005 Date/time/period qualifier	Code giving specific meaning to a date, time or period. **Selected Values** **Code** 63	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** 63 **Codelist Id** 2005 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
2380 Date/time/period	The value of a date, a date and time, a time or of a period in a specified representation.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 020
2379 Date/time/period format qualifier	Specification of the representation of a date, a date and time or of a period. **Selected Values** **Code** 102 **Code** 203	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 030 **Codelist Id** 2379 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.14 TSR — Transport service requirements

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **TSR** — Transport service requirements	0 .. 9		0060		
│ ├ **C537** — Transport priority	1 .. 1		030		
│ └ **C703** — Nature of cargo	0 .. 1		040		

Documentation

Definition A segment to identify the contract, conditions of carriage, services, and priority requirements for the transport.

Properties

Identifier TSR

Name Transport service requirements

Cardinality min: 0 max: 9

Syntax Type Related

External Category Segment

Position 0060

Level 2

Notes

Example 1 TSR+++6+HAZ'

4.15 C537 — Transport priority

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **TSR** — Transport service requirements	0 .. 9		0060		
│ ├ **C537** — Transport priority	1 .. 1		030		
│ │ └ **4219** — Transport priority, coded	1 .. 1	String	010	1 .. 3	4219_custom

Documentation

Definition To indicate the priority of requested transport service.

Properties

Identifier C537

Name Transport priority

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 030

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4219 Transport priority, coded	Coded priority of requested transport service. **Selected Values** **Code** 6 **Name** Standard transit time (default) **Code** 8 **Name** Fix delivery date **Code** 12 **Name** Fix delivery date before 10 am **Code** 13 **Name** Fix delivery date before 12 am **Code** 20 **Name** Fix delivery date & time **Code** 2 **Name** Delivery on next working day before 10 am **Code** 1 **Name** Delivery on next working day before 12 am **Code** 7 **Name** Delivery on next working day	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 4219_custom **Version Mode** Fixed

4.16 C703 — Nature of cargo

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **TSR** — Transport service requirements	0 .. 9		0060		
│ └ **C703** — Nature of cargo	0 .. 1		040		
│ └ **7085** — Nature of cargo, coded	1 .. 1	String	010	1 .. 3	7085_custom

Documentation

Definition Rough classification of a type of cargo.

Properties

Identifier C703

Name Nature of cargo

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7085 Nature of cargo, coded	Code indicating the type of cargo as a rough classification. Note: Association defined code. May be used in combination with 1131/3055. **Usage 1** Code HAZ is used when the IFTMIN message contains at least one DGS segment for a dangerous goods cargo item. **Selected Values** **Code** HAZ **Name** Dangerous goods This code is used when the IFTMIN message contains at least one DGS segment for a dangerous goods cargo item.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** HAZ **Codelist Id** 7085_custom **Version Mode** Fixed

4.17 MOA — Monetary amount

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **MOA** — Monetary amount	0 .. 3		0080		
│ └ **C516** — Monetary amount	1 .. 1		010		

Documentation

Definition A segment to indicate a monetary value for entire consignment, e.g. insured value, invoice amount, disbursements, etc.

Properties

Identifier MOA

Name Monetary amount

Cardinality min: 0 max: 3

Syntax Type Related

External Category Segment

Position 0080

Level 2

4.18 C516 — Monetary amount

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **MOA** — Monetary amount	0 .. 3		0080		
│ └ **C516** — Monetary amount	1 .. 1		010		
│ ├ **5025** — Monetary amount type qualifier	1 .. 1	String	010	1 .. 3	5025
│ ├ **5004** — Monetary amount	1 .. 1	Integer	020	1 .. 18	
│ └ **6345** — Currency, coded	1 .. 1	String	030	1 .. 3	ISO_4217

Documentation

Definition Amount of goods or services stated as a monetary amount in a specified currency.

Properties

Identifier C516

Name Monetary amount

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
5025 Monetary amount type qualifier	Indication of type of amount. **Selected Values** **Code** 123 **Name** Statistical value **Definition** [5218] Value declared for statistical purposes of those goods in a consignment which have the same statistical heading and country of origin. **Code** 157 **Name** Insurance value **Definition** (5010) Value for which the goods are insured. **Code** 40 **Name** Customs value **Definition** (5032) Value declared for Customs purposes on those goods in a consignment which are subject to the same Customs procedure, and have the same tariff/statistical heading, country information and duty regime. **Code** ZZZ **Name** Mutually defined **Definition** Mutually defined monetary amount.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 5025 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
5004 Monetary amount	Number of monetary units.	**Cardinality** min: 1 max: 1 **Primitive Type** Integer **Length** min: 1 max: 18 **Total Digits** 18 **External Category** Data Element **Data Type** n **Position** 020
6345 Currency, coded	Identification of the name or symbol of the monetary unit involved in the transaction. Note: Use ISO 4217 three alpha code. **Selected Values** **Code** EUR **Name** Euro	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 030 **Codelist Id** ISO_4217 **Type System** ISO_CodelistsAndSchem

		es **Version Mode** Latest **Version** 2015

4.19 FTX — Free text

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **FTX** — Free text	0 .. 99		0090		
├ **4451** — Text subject qualifier	0 .. 1	String	010	1 .. 3	FTX_4451_custom
└ **C108** — Text literal	1 .. 1		040		
└ **3453** — Language, coded	0 .. 1	String	050	1 .. 3	ISO_639-1_custom

Documentation

Definition A segment to specify free form or processable supplementary information, such as status of transport, remarks to be printed on the transport documents (where required), consignment remarks, insurance instructions, etc., or any other additional information.

Properties

Identifier FTX

Name Free text

Cardinality min: 0 max: 99

Syntax Type Related

External Category Segment

Position 0090

Level 2

Notes

Usage 1 In general all relevant delivery information is transmitted as one or more FTX+DEL segments. If the original text exceeds 70 characters, a line wrap creates a consecutive list of FTX+DEL segments for every new line. There will be no word wrapping. All texts are language independent.

Usage 2 Every IFTMIN message contains a FTX+RE segment, which identifies the freight order in the sending system of the ordering party in addition to the shipping number from the BGM segment. It is transmitted for convenience reasons, for example printing this document number on an invoice.

Usage 3 In case of a temperature-controlled transport a FTX+THE segment is created, which contains as text the means of transport in the sender system.

Example 1 FTX+DEL+++Wichtig?:'
FTX+DEL+++- No Commercial Invoice with Goods'
FTX+DEL+++'
FTX+DEL+++- T2 Transit Required'
FTX+DEL+++'
FTX+DEL+++- Telephone ?+123 456 7890 PREBOOK 48 hours prior to arrival'

Example 2 FTX+RE+++5000154024'

Example 3 FTX+THE+++TT01'

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4451 Text subject qualifier	Code specifying subject of a free text. **Selected Values** **Code** DEL **Name** Delivery information Information about delivery. **Code** THE **Name** Temperature-controlled transport **Code** SPH **Name** Special handling	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** FTX_4451_custom **Version Mode** Fixed
3453 Language, coded	Code of language (ISO 639-1988). Note: Use ISO 639-1988. **Selected Values**	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element

	Code sr **Name** Serbian **Code** zh **Name** Chinese **Code** th **Name** Thai **Code** ko **Name** Korean **Code** ro **Name** Romanian **Code** sl **Name** Slovenian **Code** hr **Name** Croatian **Code** ms **Name** Malay **Code** uk **Name** Ukrainian **Code** et **Name** Estonian **Code** ar **Name** Arabic **Code** he **Name** Hebrew **Code** cs **Name** Czech **Code** de **Name** German **Code** en **Name** English **Code** fr **Name** French **Code** el **Name** Greek **Code** hu **Name** Hungarian **Code** it **Name** Italian **Code** ja **Name** Japanese **Code** da **Name** Danish **Code** pl **Name** Polish **Code** zf **Name** Chinese trad. **Code** nl **Name** Dutch **Code** no **Name** Norwegian **Code** pt **Name** Portuguese **Code** sk **Name** Slovak **Code** ru **Name** Russian **Code** es **Name** Spanish **Code** tr **Name** Turkish **Code** fi **Name** Finnish **Code** sv **Name** Swedish **Code** bg **Name** Bulgarian **Code** lt **Name** Lithuanian **Code** lv **Name** Latvian **Code** z1 **Name** Customer reserve **Code** af **Name** Afrikaans **Code** is **Name** Icelandic **Code** ca **Name** Catalan **Code** sh **Name** Serbian (Latin) **Code** id **Name** Indonesian **Code** hi **Name** Hindi **Code** kk **Name** Kazakh **Code** vi **Name** Vietnamese	**Data Type** an **Position** 050 **Codelist Id** ISO_639-1_custom **Version Mode** Fixed

4.20 C108 — Text literal

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **FTX** — Free text	0 .. 99		0090		
│ ├ **C108** — Text literal	1 .. 1		040		
│ │ └ **4440** — Free text	1 .. 1	String	010	1 .. 70	

Documentation

Definition Free text; one to five lines.

Properties

Identifier C108

Name Text literal

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4440 Free text	Free text field available to the message sender for information.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 010