	Usage 1 Party or location city	**External Category** Data Element **Data Type** an **Position** 060
3251 Postcode identification	Code defining postal zones or addresses. Note: Use code defined by appropriate national authority. **Usage 1** Party or location postal code	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 9 **External Category** Data Element **Data Type** an **Position** 080
3207 Country, coded	Identification of the name of a country or other geographical entity as specified in ISO 3166. Note: Use ISO 3166 two alpha country code. **Usage 1** Identification of the name of the country or other geographical entity by ISO 3166 two alpha country code. **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 3 **External Category** Data Element **Data Type** an **Position** 090 **Codelist Id** ISO_3166-1 **Type System** ISO_CodelistsAndSchemes **Version Mode** Latest **Version** 2013

4.31 C082 — Party identification details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG11** — Segment Group 11: NAD-LOC-MOA-SG12-SG13-SG14-SG15-SG16-SG17	0 .. 3		0560		
│ └ **NAD** — Name and address	1 .. 1		0570		
│ ├ **C082** — Party identification details	0 .. 1		020		
│ │ └ **3039** — Party id. identification	1 .. 1	String	010	1 .. 35	

Documentation

Definition Identification of a transaction party by code.

Properties

Identifier C082

Name Party identification details

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3039 Party id. identification	Code identifying a party involved in a transaction. Note: User or association defined code. May be used in combination with 1131/3055. **Usage 1** The identifier of the business partner in the sending system. For consignor and forwarder it is the business partner internal ID, for the consignee it is the unloading location internal ID.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 010

4.32 C080 — Party name

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG11** — Segment Group 11: NAD-LOC-MOA-SG12-SG13-SG14-SG15-SG16-SG17	0 .. 3		0560		
│ └ **NAD** — Name and address	1 .. 1		0570		
│ ├ **C080** — Party name	0 .. 1		040		
│ │ └ **3036** — Party name	1 .. 1	String	010	1 .. 35	

Documentation

Definition Identification of a transaction party by name, one to five lines. Party name may be formatted.

Properties

Identifier C080

Name Party name

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3036 Party name	Name of a party involved in a transaction. **Usage 1** The four lines of a party name defined in SAP LBN will be shortened to 35 characters each. There will be no line wrapping.	**Cardinality** **min:** 1 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 35 **External Category** Data Element **Data Type** an **Position** 010

4.33 C059 — Street

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG11** — Segment Group 11: NAD-LOC-MOA-SG12-SG13-SG14-SG15-SG16-SG17	0 .. 3		0560		
│ └ **NAD** — Name and address	1 .. 1		0570		
│ ├ **C059** — Street	0 .. 1		050		
│ │ └ **3042** — Street and number/p.o. box	1 .. 1	String	010	1 .. 35	

Documentation

Definition Street address and/or PO Box number in a structured address: one to three lines.

Properties

Identifier C059

Name Street

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 050

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3042 Street and number/p.o. box	Street and number in plain language, or Post Office Box No.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 010

4.34 SG18 — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **GID** — Goods item details	1 .. 1		0890		
│ ├ **FTX** — Free text	0 .. 9		0970		
│ ├ **SG20** — Segment Group 20: MEA-EQN	0 .. 3		1020		
│ ├ **SG23** — Segment Group 23: PCI-RFF-DTM-GIN	0 .. 1		1110		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		

Documentation

Definition A group of segments to describe the goods items for which transport is undertaken.

Properties

Identifier SG18

Name Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32

Cardinality min: 0 max: 999

Syntax Type Related

External Category Segment Group

Position 0880

Level 2

4.35 GID — Goods item details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **GID** — Goods item details	1 .. 1		0890		
│ │ ├ **1496** — Goods item number	1 .. 1	Decimal	010	1 .. 5	
│ │ └ **C213** — Number and type of packages	0 .. 1		020		

Documentation

Definition A segment to identify a goods item for which transport is undertaken. A goods item can be identified by up to three levels of packaging.

Properties

Identifier GID

Name Goods item details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0890

Level 3

Notes

Example 1 <p style=”text-align: left”>GID+1+1:DD:::00000000130000016’</p> <p style=”text-align: left”>In this example internal material ID 00000000130000006 is a ‘Düsseldorfer Palette (nicht förderfähig)’, which was mapped to package type DD.</p>

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1496 Goods item number	Serial number differentiating each separate goods item entry of a consignment as contained in one document/declaration. **Usage 1** Consecutive number starting with 1, not to be confused with a PRO number.	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 5 **Total Digits** 5 **External Category** Data Element **Data Type** n **Position** 010

4.36 C213 — Number and type of packages

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **GID** — Goods item details	1 .. 1		0890		
│ │ └ **C213** — Number and type of packages	0 .. 1		020		
│ │ ├ **7224** — Number of packages	0 .. 1	Decimal	010	1 .. 8	
│ │ ├ **7065** — Type of packages identification	0 .. 1	String	020	1 .. 17	7065_custom
│ │ └ **7064** — Type of packages	0 .. 1	String	050	1 .. 35	

Documentation

Definition Number and type of individual parts of a shipment.

Properties

Identifier C213

Name Number and type of packages

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7224 Number of packages	Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.	**Cardinality** min: 0 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 8 **Total Digits** 8 **External Category** Data Element **Data Type** n **Position** 010
7065 Type of packages identification	Coded description of the form in which goods are presented. Note: See UN/ECE Recommendation No. 21 (See Vol. II of UNTDED). May be used in combination with 1131/3055. **Comment 1** This is an SAP-defined codelist. **Selected Values** **Code** BJ **Name** Bucket **Code** BO **Name** Bottle **Code** BX **Name** Box **Code** CT **Name** Carton **Code** DD **Name** Düsseldorfer pallet (800 mm x 600 mm) **Code** HO **Name** Hobbock **Code** IB **Name** Intermediate bulk container (IBC) **Code** IP **Name** Industrial pallet (1000 mm x 1200 mm) **Code** PE **Name** Europallet (800 mm x 1200 mm) **Code** SA **Name** Sack **Code** BG **Name** Bag **Code** BL **Name** Bale, compressed	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 17 **External Category** Data Element **Data Type** an **Position** 020 **Codelist Id** 7065_custom **Version Mode** Fixed

	Code BN **Name** Bale, non-compressed **Code** BA **Name** Barrel **Code** BE **Name** Bundle **Code** CX **Name** Can, cylindrical **Code** CS **Name** Case **Code** CK **Name** Cask **Code** CL **Name** Coil **Code** CR **Name** Crate **Code** CY **Name** Cylinder **Code** DR **Name** Drum **Code** ED **Name** Case, with pallet base **Code** IG **Name** Package, paper wrapped **Code** JY **Name** Jerrican, cylindrical **Code** MW **Name** Receptacle, plastic wrapped **Code** OTH **Name** Other **Code** PL **Name** Pail **Code** PF **Name** Pallet **Code** PB **Name** Pallet, box **Code** PC **Name** Parcel **Code** PCS **Name** Pieces **Code** REL **Name** Reel **Code** RO **Name** Roll **Code** SP **Name** Sheet, plastic wrapping **Code** SW **Name** Shrinkwrapped **Code** SI **Name** Skid **Code** SPL **Name** Spool **Code** TY **Name** Tank, cylindrical **Code** TK **Name** Tank, rectangular **Code** TBN **Name** Tote Bin **Code** TU **Name** Tube **Code** 3H **Name** Jerrican, plastic **Code** 6H **Name** Composite packaging	
7064 Type of packages	Description of the form in which goods are presented. **Usage 1** The internal id of the original packaging material in the sender system.	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 35 **External Category** Data Element **Data Type** an **Position** 050

4.37 FTX — Free text

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **FTX** — Free text	0 .. 9		0970		
│ │ ├ **4451** — Text subject qualifier	0 .. 1	String	010	1 .. 3	SG18_FTX_4451_custom
│ │ ├ **C108** — Text literal	1 .. 1		040		
│ │ └ **3453** — Language, coded	0 .. 1	String	050	1 .. 3	ISO_639-1_custom

Documentation

Definition A segment to specify processable supplementary information relating to the goods item.

Properties

Identifier FTX

Name Free text

Cardinality min: 0 max: 9

Syntax Type Related

External Category Segment

Position 0970

Level 3

Notes

Usage 1 In general all relevant delivery information is transmitted as one or more FTX+DEL segments. If the original text exceeds 70 characters, a line wrap creates a consecutive list of FTX+DEL segments for every new line. There will be no word wrapping. All texts are language independent.

Usage 2 In case descriptions are available for the goods packed into a package or onto a pallet, an additional FTX+AAA segment is created with the description of the first product item only. The other product descriptions are not transmitted.

Example 1 FTX+DEL+++Wichtig?:'
FTX+DEL+++- No Commercial Invoice with Goods'
FTX+DEL+++'
FTX+DEL+++- T2 Transit Required'
FTX+DEL+++'
FTX+DEL+++- Telephone ?+123 456 7890 PREBOOK 48 hours prior to arrival'

Example 2 FTX+AAA+++NAT-ORANGE-FLAVOURIN'

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4451 Text subject qualifier	Code specifying subject of a free text. **Selected Values** **Code** DEL **Name** Delivery information Information about delivery. **Code** F0002 **Name** Item note **Code** EPKG **Name** External Package ID **Code** AAA **Name** Goods description [7002] Plain language description of the nature of the goods sufficient to identify them at the level required for banking, Customs, statistical or transport purposes, avoiding unnecessary detail (Generic term).	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** SG18_FTX_4451_custom **Version Mode** Fixed
3453	Code of language (ISO 639-1988). Note: Use ISO	**Cardinality** min: 0 max: 1

Language, coded	639-1988. **Selected Values** **Code** sr **Name** Serbian **Code** zh **Name** Chinese **Code** th **Name** Thai **Code** ko **Name** Korean **Code** ro **Name** Romanian **Code** sl **Name** Slovenian **Code** hr **Name** Croatian **Code** ms **Name** Malay **Code** uk **Name** Ukrainian **Code** et **Name** Estonian **Code** ar **Name** Arabic **Code** he **Name** Hebrew **Code** cs **Name** Czech **Code** de **Name** German **Code** en **Name** English **Code** fr **Name** French **Code** el **Name** Greek **Code** hu **Name** Hungarian **Code** it **Name** Italian **Code** ja **Name** Japanese **Code** da **Name** Danish **Code** pl **Name** Polish **Code** zf **Name** Chinese trad. **Code** nl **Name** Dutch **Code** no **Name** Norwegian **Code** pt **Name** Portuguese **Code** sk **Name** Slovak **Code** ru **Name** Russian **Code** es **Name** Spanish **Code** tr **Name** Turkish **Code** fi **Name** Finnish **Code** sv **Name** Swedish **Code** bg **Name** Bulgarian **Code** lt **Name** Lithuanian **Code** lv **Name** Latvian **Code** z1 **Name** Customer reserve **Code** af **Name** Afrikaans **Code** is **Name** Icelandic **Code** ca **Name** Catalan **Code** sh **Name** Serbian (Latin) **Code** id **Name** Indonesian **Code** hi **Name** Hindi **Code** kk **Name** Kazakh **Code** vi **Name** Vietnamese	**Primitive Type** String **Length** **min:** 1 **max:** 3 **External Category** Data Element **Data Type** an **Position** 050 **Codelist Id** ISO_639-1_custom **Version Mode** Fixed