4.38 C108 — Text literal

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **FTX** — Free text	0 .. 9		0970		
│ │ ├ **C108** — Text literal	1 .. 1		040		
│ │ │ └ **4440** — Free text	1 .. 1	String	010	1 .. 70	

Documentation

Definition Free text; one to five lines.

Properties

Identifier C108

Name Text literal

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4440 Free text	Free text field available to the message sender for information.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 010

4.39 SG20 — Segment Group 20: MEA-EQN

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG20** — Segment Group 20: MEA-EQN	0 .. 3		1020		
│ │ └ **MEA** — Measurements	1 .. 1		1030		

Documentation

Definition A group of segments to specify measurements applicable to a goods item.

Properties

Identifier SG20

Name Segment Group 20: MEA-EQN

Cardinality min: 0 max: 3

Syntax Type Related

External Category Segment Group

Position 1020

Level 3

Notes

Usage 1 For top level items gross weight, net weight and gross volume are transmitted, if values are maintained in the freight order.

Example 1 MEA+WT+AAE+KGM:58.78’ MEA+WT+AAF+KGM:57.00’ MEA+VOL+AAW+MTQ:1.884’

4.40 MEA — Measurements

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG20** — Segment Group 20: MEA-EQN	0 .. 3		1020		
│ │ └ **MEA** — Measurements	1 .. 1		1030		
│ │ ├ **6311** — Measurement application qualifier	1 .. 1	String	010	1 .. 3	6311
│ │ ├ **C502** — Measurement details	1 .. 1		020		
│ │ └ **C174** — Value/range	1 .. 1		030		

Documentation

Definition A segment to specify measurements, other than dimensions, applicable to a goods item.

Properties

Identifier MEA

Name Measurements

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 1030

Level 4

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
6311 Measurement application qualifier	Specification of the application of the physical measurement used. **Selected Values** **Code** WT **Code** VOL	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 6311 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.41 C502 — Measurement details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG20** — Segment Group 20: MEA-EQN	0 .. 3		1020		
│ │ └ **MEA** — Measurements	1 .. 1		1030		
│ │ ├ **C502** — Measurement details	1 .. 1		020		
│ │ │ └ **6313** — Measurement dimension, coded	1 .. 1	String	010	1 .. 3	6313

Documentation

Definition Identification of measurement type.

Properties

Identifier C502

Name Measurement details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
6313 Measurement dimension, coded	Specification of the type of dimension to be measured. **Selected Values** **Code** AAE **Code** AAF **Code** AAW	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 6313 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.42 C174 — Value/range

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG20** — Segment Group 20: MEA-EQN	0 .. 3		1020		
│ │ └ **MEA** — Measurements	1 .. 1		1030		
│ │ └ **C174** — Value/range	1 .. 1		030		
│ │ ├ **6411** — Measure unit qualifier	1 .. 1	String	010	1 .. 3	Rec_20
│ │ └ **6314** — Measurement value	1 .. 1	Decimal	020	1 .. 18	

Documentation

Definition Measurement value and relevant minimum and maximum tolerances in that order.

Properties

Identifier C174

Name Value/range

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 030

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
6411 Measure unit qualifier	Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. Note: See UN/ECE Recommendation 20. **Selected Values** **Code** LBR **Name** pound **Code** TNE **Name** tonne (metric ton) Synonym: metric ton **Code** CMQ **Name** cubic centimetre **Code** DMQ **Name** cubic decimetre **Code** FC **Name** thousand cubic foot A unit of volume equal to one thousand cubic foot. **Code** FTQ **Name** cubic foot **Code** INQ **Name** cubic inch Synonym: inch cubed **Code** LTR **Name** litre **Code** MTQ **Name** cubic metre Synonym: metre cubed **Code** YDQ **Name** cubic yard **Code** KGM **Name** kilogram A unit of mass equal to one thousand grams.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** Rec_20 **Type System** UNCEFACT_TFR **Version Mode** Latest **Version** 2016
6314 Measurement value	Value of the measured unit. **Usage 1** Values are rounded to a maximum of three decimal places.	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 18 **Total Digits** 18 **External Category** Data Element **Data Type** n **Position** 020

4.43 SG23 — Segment Group 23: PCI-RFF-DTM-GIN

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG23** — Segment Group 23: PCI-RFF-DTM-GIN	0 .. 1		1110		
│ │ ├ **PCI** — Package identification - Marked with serial shipping container code	1 .. 1		1120		
│ │ └ **GIN** — Goods identity number	1 .. 1		1150		

Documentation

Definition A group of segments to specify marks and numbers of a goods item.

Properties

Identifier SG23

Name Segment Group 23: PCI-RFF-DTM-GIN

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment Group

Position 1110

Level 3

4.44 PCI [4233 = “33E”] — Package identification - Marked with serial shipping container code

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG23** — Segment Group 23: PCI-RFF-DTM-GIN	0 .. 1		1110		
│ │ ├ **PCI** — Package identification - Marked with serial shipping container code	1 .. 1		1120		
│ │ │ └ **4233** — Marking instructions, coded	1 .. 1	String	010	1 .. 3	4233_custom

Documentation

Definition A segment to specify marks and numbers of a goods item.

Properties

Identifier PCI

Name Package identification - Marked with serial shipping container code

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 1120

Level 4

Notes

Usage 1 <p style=”text-align: left”>In case a SSCC/NVE number is available for the package item two PCI segments and one GIN segment are transmitted together:</p> PCI+28 contains the freight order identifier and is redundant to the FTX+RE PCI+33E is an SAP-defined constant GIN+BJ for transmitting the SSCC/NVE number

Example 1 <p style=”text-align: left”>PCI+28+5000154024’
PCI+33E’
GIN+BJ+140459973028819358</p>

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4233 Marking instructions, coded	Code indicating instructions on how specified packages or physical units should be marked. **Selected Values** **Code** 33E **Name** Marked with serial shipping container code	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** 33E **Codelist Id** 4233_custom **Version Mode** Fixed

4.45 GIN — Goods identity number

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG23** — Segment Group 23: PCI-RFF-DTM-GIN	0 .. 1		1110		
│ │ └ **GIN** — Goods identity number	1 .. 1		1150		
│ │ ├ **7405** — Identity number qualifier	1 .. 1	String	010	1 .. 3	7405
│ │ └ **C208** — Identity number range	1 .. 1		020		

Documentation

Definition To specify identity numbers related to transport units such as batch numbers or serial numbers.

Properties

Identifier GIN

Name Goods identity number

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 1150

Level 4

Notes

Example 1 GIN+BJ+140459973028819358’

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7405 Identity number qualifier	Code specifying the type/source of identity number. **Selected Values** **Code** BJ	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** BJ **Codelist Id** 7405 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.46 C208 — Identity number range

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ ├ **SG23** — Segment Group 23: PCI-RFF-DTM-GIN	0 .. 1		1110		
│ │ └ **GIN** — Goods identity number	1 .. 1		1150		
│ │ └ **C208** — Identity number range	1 .. 1		020		
│ │ └ **7402** — Identity number	1 .. 1	String	010	1 .. 35	

Documentation

Definition Goods item identification numbers, start and end of consecutively numbered range.

Properties

Identifier C208

Name Identity number range

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7402 Identity number	A value given to an object for identification purposes. **Usage 1** SSCC/NVE number	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 010

4.47 SG32 — Segment Group 32: DGS-FTX-SG33-SG34-SG35

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ ├ **FTX** — Free text	0 .. 99		1490		
│ └ **SG34** — Segment Group 34: MEA-EQN	0 .. 9		1530		

Documentation

Definition A group of segments to specify dangerous goods details related to the goods item. One goods item may be in different dangerous goods classes.

Properties

Identifier SG32

Name Segment Group 32: DGS-FTX-SG33-SG34-SG35

Cardinality min: 0 max: 9

Syntax Type Related

External Category Segment Group

Position 1470

Level 3