4.48 DGS — Dangerous goods

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ │ ├ **8273** — Dangerous goods regulations, coded	1 .. 1	String	010	1 .. 3	8273
│ │ ├ **C205** — Hazard code	1 .. 1		020		
│ │ ├ **C234** — Undg information	0 .. 1		030		
│ │ ├ **C223** — Dangerous goods shipment flashpoint	0 .. 1		040		
│ │ ├ **8339** — Packing group, coded	0 .. 1	String	050	1 .. 3	8339_custom
│ │ └ **C236** — Dangerous goods label	0 .. 1		100		

Documentation

Definition A segment to indicate the class of dangerous goods, packing group, etc.

Properties

Identifier DGS

Name Dangerous goods

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 1480

Level 4

Notes

Comment 1 Not all code list values are listed explicitely for the data elements in the DGS segment due to complexity reasons and frequency of change.

Example 1 DGS+ADR+9:M6+3082+099:CEL+III+++++9:X:X'

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
8273 Dangerous goods regulations, coded	Code indicating the regulation, international or national, applicable for a means of transport. **Usage 1** Currently only ADR is supported. **Selected Values** **Code** ADR	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** ADR **Codelist Id** 8273 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
8339 Packing group, coded	Identification of a packing group by code. **Usage 1** Group I, II, III according to IATA/IMDG/ADR/RID regulations. **Selected Values**	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 050

	Code I **Name** Great danger Packaging meeting criteria to pack hazardous materials with great danger. Group I according to IATA/IMDG/ADR/RID regulations. **Code** II **Name** Medium danger Packaging meeting criteria to pack hazardous materials with great danger. Group II according to IATA/IDMG/ADR/RID regulations. **Code** III **Name** Minor danger Packaging meeting criteria to pack hazardous materials with great danger. Group III according to IATA/IDMG/ADR/RID regulations.	**Codelist Id** 8339_custom **Version Mode** Fixed

4.49 C205 — Hazard code

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ │ ├ **C205** — Hazard code	1 .. 1		020		
│ │ │ ├ **8351** — Hazard code identification	1 .. 1	String	010	1 .. 7	
│ │ │ └ **8078** — Hazard substance/item/page number	1 .. 1	String	020	1 .. 7	

Documentation

Definition The identification of the dangerous goods in code.

Properties

Identifier C205

Name Hazard code

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
8351 Hazard code identification	Dangerous goods code. Note: Use relevant code list.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 7 **External Category** Data Element **Data Type** an **Position** 010
8078 Hazard substance/item/page number	Number giving additional hazard code classification of a goods item within the applicable dangerous goods regulation.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 7 **External Category** Data Element **Data Type** an **Position** 020

4.50 C234 — Undg information

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ │ ├ **C234** — Undg information	0 .. 1		030		
│ │ │ └ **7124** — UNDG number	1 .. 1	Decimal	010	4 .. 4	

Documentation

Definition Information on United Nations Dangerous Goods classification.

Properties

Identifier C234

Name Undg information

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 030

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7124 UNDG number	Unique serial number assigned within the United Nations to substances and articles contained in a list of the dangerous goods most commonly carried.	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 4 max: 4 **Total Digits** 4 **External Category** Data Element **Data Type** n **Position** 010

4.51 C223 — Dangerous goods shipment flashpoint

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ │ ├ **C223** — Dangerous goods shipment flashpoint	0 .. 1		040		
│ │ │ ├ **7106** — Shipment flashpoint	1 .. 1	Decimal	010	3 .. 3	
│ │ │ └ **6411** — Measure unit qualifier	1 .. 1	String	020	1 .. 3	Rec_20

Documentation

Definition Temperature at which a vapor according to ISO 1523/73 can be ignited.

Properties

Identifier C223

Name Dangerous goods shipment flashpoint

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
7106 Shipment flashpoint	Temperature in centigrade determined by the closed cup test as per ISO 1523/73 where a vapour is given off that can be ignited.	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 3 max: 3 **Total Digits** 3 **External Category** Data Element **Data Type** n **Position** 010
6411 Measure unit qualifier	Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. Note: See UN/ECE Recommendation 20. **Selected Values** **Code** CEL **Name** degree Celsius Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics) **Code** FAH **Name** degree Fahrenheit Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics) **Code** KEL **Name** kelvin Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 020 **Codelist Id** Rec_20 **Type System** UNCEFACT_TFR **Version Mode** Latest **Version** 2016

4.52 C236 — Dangerous goods label

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **DGS** — Dangerous goods	1 .. 1		1480		
│ │ └ **C236** — Dangerous goods label	0 .. 1		100		
│ │ ├ **8246** — Dangerous goods label marking	0 .. 1	String	010	1 .. 4	
│ │ ├ **8246** — Dangerous goods label marking	0 .. 1	String	020	1 .. 4	
│ │ └ **8246** — Dangerous goods label marking	0 .. 1	String	030	1 .. 4	

Documentation

Definition Markings identifying the type of hazardous goods and similar information.

Properties

Identifier C236

Name Dangerous goods label

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 100

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
8246 Dangerous goods label marking	Marking identifying the type of hazardous goods (substance), Loading/Unloading instructions and advising actions in case of emergency. **Usage 1** First label marking	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 4 **External Category** Data Element **Data Type** an **Position** 010
8246 Dangerous goods label marking	Marking identifying the type of hazardous goods (substance), Loading/Unloading instructions and advising actions in case of emergency. **Usage 1** Second label marking	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 4 **External Category** Data Element **Data Type** an **Position** 020
8246 Dangerous goods label marking	Marking identifying the type of hazardous goods (substance), Loading/Unloading instructions and advising actions in case of emergency. **Usage 1** Third label marking	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 4 **External Category** Data Element **Data Type** an **Position** 030

4.53 FTX — Free text

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **FTX** — Free text	0 .. 99		1490		
│ │ ├ **4451** — Text subject qualifier	0 .. 1	String	010	1 .. 3	SG18_SG32_FTX_4451_custom
│ │ ├ **C107** — Text reference	0 .. 1		030		
│ │ ├ **C108** — Text literal	1 .. 1		040		
│ │ └ **3453** — Language, coded	0 .. 1	String	050	1 .. 3	ISO_639-1_custom

Documentation

Definition A segment to specify the dangerous goods technical name and to specify any additional dangerous goods information.

Properties

Identifier FTX

Name Free text

Cardinality min: 0 max: 99

Syntax Type Related

External Category Segment

Position 1490

Level 4

Notes

Usage 1 Dangerous goods items can have up to four different FTX segments:

- FTX+AAE contains additional information for dangerous goods technical name.
- FTX+AAD contains the dangerous goods technical name.
- FTX+F02 contains the type of the packaging material and number of packages. Please refer to 7065_custom code list.
- FTX+DEL contains the delivery information.
- FTX+SPH contains special handling information.

FTX+HAZ++15:ZZZ' will be transmitted as fixed segment, if the dangerous goods substance is environmentally hazardous, i.e. marine pollutant or of classification code 9.

Example 1 FTX+AAE+++d-Limonene' FTX+AAD+++ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.' FTX+F02+++KK::2' FTX+DEL+++Kuehle und trockene Lagerung' FTX+SPH+++Handle with care, shock-sensitive material' FTX+HAZ++15:ZZZ'

Example 2 FTX+AAE++15:ZZZ+d-Limonene::2'

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4451 Text subject qualifier	Code specifying subject of a free text. **Selected Values** **Code** AAD **Name** Dangerous goods, technical name **Code** AAE **Name** Acknowledgement description **Code** F02 **Name** Package type **Code** DEL **Name** Delivery information **Code** SPH **Name** Special handling **Code** HAZ **Name** Hazard information	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** SG18_SG32_FTX_4451_custom **Version Mode** Fixed

3453 Language, coded	Code of language (ISO 639-1988). Note: Use ISO 639-1988. **Selected Values** **Code** sr **Name** Serbian **Code** zh **Name** Chinese **Code** th **Name** Thai **Code** ko **Name** Korean **Code** ro **Name** Romanian **Code** sl **Name** Slovenian **Code** hr **Name** Croatian **Code** ms **Name** Malay **Code** uk **Name** Ukrainian **Code** et **Name** Estonian **Code** ar **Name** Arabic **Code** he **Name** Hebrew **Code** cs **Name** Czech **Code** de **Name** German **Code** en **Name** English **Code** fr **Name** French **Code** el **Name** Greek **Code** hu **Name** Hungarian **Code** it **Name** Italian **Code** ja **Name** Japanese **Code** da **Name** Danish **Code** pl **Name** Polish **Code** zf **Name** Chinese trad. **Code** nl **Name** Dutch **Code** no **Name** Norwegian **Code** pt **Name** Portuguese **Code** sk **Name** Slovak **Code** ru **Name** Russian **Code** es **Name** Spanish **Code** tr **Name** Turkish **Code** fi **Name** Finnish **Code** sv **Name** Swedish **Code** bg **Name** Bulgarian **Code** lt **Name** Lithuanian **Code** lv **Name** Latvian **Code** z1 **Name** Customer reserve **Code** af **Name** Afrikaans **Code** is **Name** Icelandic **Code** ca **Name** Catalan **Code** sh **Name** Serbian (Latin) **Code** id **Name** Indonesian **Code** hi **Name** Hindi **Code** kk **Name** Kazakh **Code** vi **Name** Vietnamese	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 3 **External Category** Data Element **Data Type** an **Position** 050 **Fixed Value** EN **Codelist Id** ISO_639-1_custom **Version Mode** Fixed

4.54 C107 — Text reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **FTX** — Free text	0 .. 99		1490		
│ │ ├ **C107** — Text reference	0 .. 1		030		
│ │ │ ├ **4441** — Free text, coded	1 .. 1	String	010	1 .. 3	
│ │ │ └ **1131** — Code list qualifier	0 .. 1	String	020	1 .. 3	1131

Documentation

Definition Coded reference to a standard text and its source.

Properties

Identifier C107

Name Text reference

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 030

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4441 Free text, coded	Free text in coded form. Note: User or association defined code. May be used in combination with 1131/3055.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010
1131 Code list qualifier	Identification of a code list. **Selected Values** **Code** ZZZ	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 020 **Codelist Id** 1131 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.55 C108 — Text literal

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTMIN — Instruction message	1 .. 1				
├ **SG18** — Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-SG19-GDS-SG20-SG21-SG22-SG32	0 .. 999		0880		
│ └ **SG32** — Segment Group 32: DGS-FTX-SG33-SG34-SG35	0 .. 9		1470		
│ ├ **FTX** — Free text	0 .. 99		1490		
│ │ ├ **C108** — Text literal	1 .. 1		040		
│ │ │ ├ **4440** — Free text	1 .. 1	String	010	1 .. 70	
│ │ │ └ **4440** — Free text	0 .. 1	String	030	1 .. 70	

Documentation

Definition Free text; one to five lines.

Properties

Identifier C108

Name Text literal

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4440 Free text	Free text field available to the message sender for information.	**Cardinality** **min:** 1 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 70 **External Category** Data Element **Data Type** an **Position** 010
4440 Free text	Free text field available to the message sender for information.	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 70 **External Category** Data Element **Data Type** an **Position** 030