4.24 RFF [1153 = “ZZC”] — Reference - locationId

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - locationId	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		

Documentation

Definition A segment identifying a reference relating to the status (e.g House Bill of Lading number).

Properties

Identifier RFF

Name Reference - locationId

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0220

Level 4

Notes

Usage 1 RFF+ZZB and ZZC fields are not mandatory. They contain LocationType and LocationId.

Example 1 RFF+ZZB:ShippingPoint’ RFF+ZZC:SP_ZS96’

4.25 C506 — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - locationId	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		
│ │ ├ **1153** — Reference code qualifier	1 .. 1	String	010	1 .. 3	1
│ │ └ **1154** — Reference identifier	1 .. 1	String	020	1 .. 70	

Documentation

Definition Identification of a reference.

Properties

Identifier C506

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1153 Reference code qualifier	Code qualifying a reference. **Tech. Info. 1** Retrieved from headerNotes in the IFTMIN-Message: S_RFF - C_C506 - D_1153 **Selected Values** **Code** ZZC **Name** locationId	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1 **Version Mode** Fixed
1154 Reference identifier	Identifies a reference. **Example 1** 10000290#ALE	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 020

4.26 RFF [1153 = “ZZD”] — Reference - ordinalNo

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - ordinalNo	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		

Documentation

Definition A segment identifying a reference relating to the status (e.g House Bill of Lading number).

Properties

Identifier RFF

Name Reference - ordinalNo

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0220

Level 4

Notes

Usage 1 RFF+ZZD, ZZE and ZZF fields are not mandatory. They contain ordinalNo, latitude and longitude.

Example 1 RFF+ZZD:1’ RFF+ZZE:40.67124’ RFF+ZZF:-73.87008

4.27 C506 — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - ordinalNo	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		
│ │ ├ **1153** — Reference code qualifier	1 .. 1	String	010	1 .. 3	1
│ │ └ **1154** — Reference identifier	1 .. 1	String	020	1 .. 70	

Documentation

Definition Identification of a reference.

Properties

Identifier C506

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1153 Reference code qualifier	Code qualifying a reference. **Tech. Info. 1** Retrieved from headerNotes in the IFTMIN-Message: S_RFF - C_C506 - D_1153 **Selected Values** **Code** ZZD **Name** ordinalNo	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1 **Version Mode** Fixed
1154 Reference identifier	Identifies a reference. **Example 1** 10000290#ALE	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 020

4.28 RFF [1153 = “ZZE”] — Reference - latitude

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - latitude	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		

Documentation

Definition A segment identifying a reference relating to the status (e.g House Bill of Lading number).

Properties

Identifier RFF

Name Reference - latitude

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0220

Level 4

Notes

Usage 1 RFF+ZZD, ZZE and ZZF fields are not mandatory. They contain ordinalNo, latitude and longitude.

Example 1 RFF+ZZD:1’ RFF+ZZE:40.67124’ RFF+ZZF:-73.87008

4.29 C506 — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - latitude	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		
│ │ ├ **1153** — Reference code qualifier	1 .. 1	String	010	1 .. 3	1
│ │ └ **1154** — Reference identifier	1 .. 1	String	020	1 .. 70	

Documentation

Definition Identification of a reference.

Properties

Identifier C506

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1153 Reference code qualifier	Code qualifying a reference. **Tech. Info. 1** Retrieved from headerNotes in the IFTMIN-Message: S_RFF - C_C506 - D_1153 **Selected Values** **Code** ZZE **Name** latitude	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1 **Version Mode** Fixed
1154 Reference identifier	Identifies a reference. **Example 1** 10000290#ALE	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 020

4.30 RFF [1153 = “ZZF”] — Reference - longitude

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - longitude	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		

Documentation

Definition A segment identifying a reference relating to the status (e.g House Bill of Lading number).

Properties

Identifier RFF

Name Reference - longitude

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0220

Level 4

Notes

Usage 1 RFF+ZZD, ZZE and ZZF fields are not mandatory. They contain ordinalNo, latitude and longitude.

Example 1 RFF+ZZD:1’ RFF+ZZE:40.67124’ RFF+ZZF:-73.87008

4.31 C506 — Reference

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ ├ **RFF** — Reference - longitude	1 .. 1		0220		
│ │ └ **C506** — Reference	1 .. 1		010		
│ │ ├ **1153** — Reference code qualifier	1 .. 1	String	010	1 .. 3	1
│ │ └ **1154** — Reference identifier	1 .. 1	String	020	1 .. 70	

Documentation

Definition Identification of a reference.

Properties

Identifier C506

Name Reference

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1153 Reference code qualifier	Code qualifying a reference. **Tech. Info. 1** Retrieved from headerNotes in the IFTMIN-Message: S_RFF - C_C506 - D_1153 **Selected Values** **Code** ZZF **Name** longitude	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 1 **Version Mode** Fixed
1154 Reference identifier	Identifies a reference. **Example 1** 10000290#ALE	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 70 **External Category** Data Element **Data Type** an **Position** 020

4.32 DTM — Date/time/period

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ └ **DTM** — Date/time/period	1 .. 1		0230		
│ └ **C507** — Date/time/period	1 .. 1		010		

Documentation

Definition A segment indicating the date and time of the status or event.

Properties

Identifier DTM

Name Date/time/period

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0230

Level 4

Notes

Usage 1 As default a UTC timestamp is expected

Example 1 DTM+9:202503111603:203’

4.33 C507 — Date/time/period

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
IFTSTA — International multimodal status report message	1 .. 1				
├ **SG4** — Segment Group 4: CNI-LOC-CNT-SG5	0 .. 99999		0160		
│ └ **SG5** — Segment Group 5: STS-RFF-DTM-DOC-FTX-SG6-LOC-PCI-SG8-SG10-SG14	1 .. 99		0200		
│ └ **DTM** — Date/time/period	1 .. 1		0230		
│ └ **C507** — Date/time/period	1 .. 1		010		
│ ├ **2005** — Date or time or period function code qualifier	1 .. 1	String	010	1 .. 3	2005
│ ├ **2380** — Date or time or period value	1 .. 1	String	020	1 .. 35	
│ └ **2379** — Date or time or period format code	1 .. 1	String	030	1 .. 3	2379

Documentation

Definition Date and/or time, or period relevant to the specified date/time/period type.

Properties

Identifier C507

Name Date/time/period

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
2005 Date or time or period function code qualifier	Not used. **Tech. Info. 1** If there is more than one DTM field, the field with code qualifier 9 gets prioritized. Other DTM lines will be ignored. **Selected Values** **Code** 9	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 2005 **Type System** UNEDIFACT **Version Mode** Current **Version** D.01C S3
2380 Date or time or period value	The value of a date, a date and time, a time or of a period in a specified representation.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 020
2379 Date or time or period format code	Code specifying the representation of a date, time or period. **Selected Values** **Code** 203 **Code** 204 **Code** 102	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 030 **Codelist Id** 2379 **Type System** UNEDIFACT **Version Mode** Current **Version** D.01C S3