4.14 C082 — Party identification details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG2** — Segment Group 2: NAD-LOC-FII-SG3-SG4-SG5	0 .. 99		0110		
│ ├ **NAD** — Name and address - Issuer of invoice	1 .. 1		0120		
│ │ └ **C082** — Party identification details	1 .. 1		020		
│ │ └ **3039** — Party id. identification	1 .. 1	String	010	1 .. 35	

Documentation

Definition Identification of a transaction party by code.

Properties

Identifier C082

Name Party identification details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3039 Party id. identification	Code identifying a party involved in a transaction. Note: User or association defined code. May be used in combination with 1131/3055.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 010

4.15 NAD [3035 = “IV”] — Name and address - Invoicee

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG2** — Segment Group 2: NAD-LOC-FII-SG3-SG4-SG5	0 .. 99		0110		
│ └ **NAD** — Name and address - Invoicee	1 .. 1		0120		
│ ├ **3035** — Party qualifier	1 .. 1	String	010	1 .. 3	3035
│ └ **C082** — Party identification details	1 .. 1		020		

Documentation

Definition A segment identifying names and addresses of the parties, in coded or clear form, and their functions relevant to the invoice. Identification of the seller and buyer parties is mandatory for the invoice message. It is recommended that where possible only the coded form of the party ID should be specified e.g. The Buyer and Seller are known to each other, thus only the coded ID is required, but the Consignee or Delivery address may vary and would have to be clearly specified, preferably in structured format.

Properties

Identifier NAD

Name Name and address - Invoicee

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0120

Level 3

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3035 Party qualifier	Code giving specific meaning to a party. **Selected Values** **Code** IV **Name** Invoicee (3006) Party to whom an invoice is issued.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 3035 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3

4.16 C082 — Party identification details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG2** — Segment Group 2: NAD-LOC-FII-SG3-SG4-SG5	0 .. 99		0110		
│ └ **NAD** — Name and address - Invoicee	1 .. 1		0120		
│ └ **C082** — Party identification details	1 .. 1		020		
│ └ **3039** — Party id. identification	1 .. 1	String	010	1 .. 35	

Documentation

Definition Identification of a transaction party by code.

Properties

Identifier C082

Name Party identification details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 020

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
3039 Party id. identification	Code identifying a party involved in a transaction. Note: User or association defined code. May be used in combination with 1131/3055.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 35 **External Category** Data Element **Data Type** an **Position** 010

4.17 SG7 — Segment Group 7: CUX-DTM

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG7** — Segment Group 7: CUX-DTM	0 .. 1		0280		
│ └ **CUX** — Currencies	1 .. 1		0290		

Documentation

Definition A group of segments specifying the currencies and related dates/periods valid for the whole invoice. Currency data maybe omitted in national applications but will be required for international transactions.

Properties

Identifier SG7

Name Segment Group 7: CUX-DTM

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment Group

Position 0280

Level 2

4.18 CUX — Currencies

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG7** — Segment Group 7: CUX-DTM	0 .. 1		0280		
│ └ **CUX** — Currencies	1 .. 1		0290		
│ └ **C504** — Currency details - Charge payment currency	1 .. 1		010		

Documentation

Definition A segment identifying the currencies required in the invoice e.g. the invoice currency. A rate of exchange may be given to convert a reference currency into a target currency.

Properties

Identifier CUX

Name Currencies

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0290

Level 3

4.19 C504 [6347 = “1”] — Currency details - Charge payment currency

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG7** — Segment Group 7: CUX-DTM	0 .. 1		0280		
│ └ **CUX** — Currencies	1 .. 1		0290		
│ └ **C504** — Currency details - Charge payment currency	1 .. 1		010		
│ ├ **6347** — Currency details qualifier	1 .. 1	String	010	1 .. 3	6347
│ └ **6345** — Currency, coded	0 .. 1	String	020	1 .. 3	ISO_4217

Documentation

Definition The usage to which a currency relates.

Properties

Identifier C504

Name Currency details - Charge payment currency

Cardinality min: 1 max: 1

Syntax Type Related

External Category Composite Data Element

Position 010

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
6347 Currency details qualifier	Specification of the usage to which the currency relates. **Selected Values** **Code** 1 **Name** Charge payment currency The currency in which charges are to be paid.	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Fixed Value** 1 **Codelist Id** 6347 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
6345 Currency, coded	Identification of the name or symbol of the monetary unit involved in the transaction. Note: Use ISO 4217 three alpha code. **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 020 **Codelist Id** ISO_4217 **Type System** ISO_CodelistsAndSchemes **Version Mode** Latest **Version** 2015

4.20 SG25 — Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG25** — Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47	0 .. 9999999		0890		
│ ├ **LIN** — Line item	1 .. 1		0900		
│ ├ **PIA** — Additional product id	0 .. 1		0910		
│ ├ **QTY** — Quantity	0 .. 5		0940		
│ ├ **SG26** — Segment Group 26: MOA-CUX	0 .. 1		1030		
│ ├ **SG27** — Segment Group 27: PAT-DTM-PCD-MOA	0 .. 10		1060		
│ ├ **SG28** — Segment Group 28: PRI-APR-RNG-DTM	0 .. 25		1110		
│ └ **SG29** — Segment Group 29: RFF-DTM - Freight order ID	1 .. 1		1160		

Documentation

Definition A group of segments providing details of the individual invoiced items. There must be at least one occurrence of Segment group 22 within an invoice, but not necessarily in a credit note or a debit note. This Segment group may be repeated to give sub-line details.

Properties

Identifier SG25

Name Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47

Cardinality min: 0 max: 9999999

Syntax Type Related

External Category Segment Group

Position 0890

Level 2

Notes

Example 1 Rate Charge :
PIA+5+FSC_FLAT'
QTY+47:10:KGM'
MOA+66:120.00'
PRI+INV:12:::1:KGM'

Example 2 Percentage rate charge :
PIA+5+DISCNT_PERCENT'
MOA+66:-20.00'
PAT+1'
PCD+3:-10'

4.21 LIN — Line item

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG25** — Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47	0 .. 9999999		0890		
│ ├ **LIN** — Line item	1 .. 1		0900		
│ │ ├ **1082** — Line item number	1 .. 1	Decimal	010	1 .. 6	
│ │ └ **C829** — Sub-line information	0 .. 1		040		

Documentation

Definition A segment identifying the line item by the line number and configuration level, and additionally, identifying the product or service invoiced. Other product identification numbers, e.g. Buyer product number etc., can be specified within the following PIA segment.

Properties

Identifier LIN

Name Line item

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 0900

Level 3

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
1082 Line item number	Serial number designating each separate item within a series of articles.	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 6 **Total Digits** 6 **External Category** Data Element **Data Type** n **Position** 010

4.22 C829 — Sub-line information

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG25** — Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47	0 .. 9999999		0890		
│ ├ **LIN** — Line item	1 .. 1		0900		
│ │ └ **C829** — Sub-line information	0 .. 1		040		
│ │ ├ **5495** — Sub-line indicator, coded	1 .. 1	String	010	1 .. 3	5495
│ │ └ **1082** — Line item number	0 .. 1	Decimal	020	1 .. 6	

Documentation

Definition To provide an indication that a segment or segment group is used to contain sub-line or sub-line item information and to optionally enable the sub-line to be identified.

Properties

Identifier C829

Name Sub-line information

Cardinality min: 0 max: 1

Syntax Type Related

External Category Composite Data Element

Position 040

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
5495 Sub-line indicator, coded	Indication that the segment and/or segment group is used for sub-line item information. **Selected Values** All Values in Codelist	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 5495 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3
1082 Line item number	Serial number designating each separate item within a series of articles.	**Cardinality** min: 0 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 6 **Total Digits** 6 **External Category** Data Element **Data Type** n **Position** 020

4.23 PIA — Additional product id

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
INVOIC — Invoice message	1 .. 1				
├ **SG25** — Segment Group 25: LIN-PIA-IMD-MEA-QTY-PCD-ALI-DTM-GIN-GIR-QVR-EQD-FTX-SG26-SG46-SG47	0 .. 9999999		0890		
│ ├ **PIA** — Additional product id	0 .. 1		0910		
│ │ ├ **4347** — Product id. function qualifier	1 .. 1	String	010	1 .. 3	4347
│ │ └ **C212** — Item number identification	1 .. 1		020		

Documentation

Definition A segment providing either additional identification to the product specified in the LIN segment (e.g. Harmonized System number), or provides any substitute product identification.

Properties

Identifier PIA

Name Additional product id

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 0910

Level 3

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
4347 Product id. function qualifier	Indication of the function of the product code. **Comment 1** Will be ignored by LBN. **Selected Values** All Values in Codelist	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 3 **External Category** Data Element **Data Type** an **Position** 010 **Codelist Id** 4347 **Type System** UNEDIFACT **Version Mode** Current **Version** D.96A S3