Related Information

Manage Entities

Manage Dock Appointments App

Are you a shipper with a question about your **Manage Dock Appointments** app? If so, take a look at these FAQs

What are the constraints when I reschedule an appointment?

You cannot change the activity or duration of an appointment. Also, you cannot reschedule an appointment to any non-business hours.

Why can't I find a docking location on the Docking Locations table?

To make a docking location visible on the table, you must first define the settings for the docking location and then activate the settings in the Docking Location Settings app.

Related Information

Manage Dock Appointments

Manage Gate Operations App

Are you a shipper with a question about your **Manage Gate Operations** app? If so, take a look at these FAQs.

What can I do with the Manage Gate Operations app?

As a gate operations manager, you can use this app to view the details of the vehicles that are ready to check-in and checkout of the yard. You can also perform the check-in and checkout process using this app.

Who can use this app?

Though this app is available for all shipper roles, those shippers who perform the role of gate operations manager can use this app to manage the gate operations.

How is the planned check-in date and time calculated?

The system calculates the planned check-in date and time based on the appointment details and the **Arrival Lead Time** that you specify in the gate settings in the **Manage Entities** app.

What is actual check-in date and time?

When you start the check-in process for a vehicle, the system updates the actual check-in date and time.

What is actual checkout date and time?

When you start the checkout process for a vehicle, the system updates the actual checkout date and time.

Manage Locations App

Are you a shipper with a question about your **Manage Locations** app? If so, take a look at these FAQs.

Can I create a docking location in the Manage Locations app?

No, settings for docking locations are defined in the Docking Location Settings app.

Can I have two location master data records with the same Location ID and different object types?

No, the **Location ID** field must be unique.

How do I set Source System ID/External ID if I am creating a location that is not copied from any external system?

If you are creating a location from scratch, set **Source System** to LBN, and set **External ID** to the value of **Location ID**.

Related Information

Manage Locations

Track Freight Movement App

Are you a shipper with a question about your **Track Freight Movement** app? If so, take a look at these FAQs.

Note that this app has been deprecated and will be sunset shortly. This app has been replaced with the new app **Manage Freight Execution**.

What prerequisite settings are required for using the Track Freight Movement app?

The required prerequisite settings are described in the Administration Guide for Shippers. In the guide, see **Freight Orders for Tracking** in the **Configuring Additional Services** section.

What data can be tracked by the Track Freight Movement app?

The **Track Freight Movement** app tracks and displays the following data for you:

- The data manually reported by your carrier in the **Freight Orders for Reporting** app. The manually reported data includes actual events (departure, arrival, proof of pick-up, proof of delivery, and delay) and the attached documents (if any) in actual events.

  The manually reported data tracked by the app is also synchronized to your SAP TM or TM on S/4HANA system.

- Automated visibility data from a supported visibility provider, if your carrier provides it. The visibility data includes geographic location data and actual events (departure, arrival, delay, and delay dismissed). In the current delivery, the app only tracks visibility data for events with the DEPARTURE, ARRIV_DEST, POPU, POD, and DELAYED event codes. Only the tracking related data of a freight order is passed into the app, for example, freight order ID, stop locations, and events.

  The visibility data tracked by the app is also synchronized to your SAP TM or S/4HANA system, and the **Freight Orders for Reporting** app.

In your SAP TM or SAP S/4HANA system, you can view both of the above data, but the geographic location data is only displayed in the **Track Freight Movement** app.

What is the expected business or technical time window for a planned event?

It is a time period between the earliest and latest expected business or technical date and time. By default, the earliest time is 10 minutes before the planned event time and the latest is 10 minutes after the planned event time. If you want to change the default, contact your system administrator to maintain SAP BAdI **/SCMTMS/TOR_SE_TRCKPR_OUT**.

Why can't I see the planned shipping route on the map?

The possible causes are:

- There are no events planned or reported at some stops.
- The location information for some stops is not specified in the location master data.
- The freight order was not executed as planned.

When we say a freight document was not executed as planned, what does it mean?

It means the latest actual event time reported at a stop is later than the earliest actual event time reported at its succeeding stop.

What is the impact when a freight document was not executed as planned?

The execution flow graphic only shows the events happened or planned at the stops, but there's no lines to connect the stops. All other events are listed in a table beneath the graphic.

The map view only shows the actual shipping route, as well as all the events happened or planned in the entire process.

I can't track a freight document that I have tracked before. Why?

There are two possibilities, as shown below:

- The freight document was deleted because it reached its retention period.

  Based on data protection and privacy regulations, there is a retention period for the tracked process of a freight document. You can configure the retention period in the **Blocking Store** app.

- The freight document was canceled in your TM system.

  A cancellation request is sent from the TM system if any of the following conditions is met for a freight document:

  - The value of **TOR Lifecycle Status** is not **In Process** or **Completed**.
  - The value of **TOR Execution Status** is not **Ready for Transportation Execution**, **In Execution**, or **Executed**.
  - The previously maintained carrier information has been removed.

Why can't I find delay dismissed events in the Freight Orders for Reporting app, SAP TM, or SAP S/4HANA system?

This is not supported in the current delivery.

If an actual event is reported by both the Freight Orders for Reporting app and the visibility provider, which one takes precedence?

Currently there is a software limitation on this:

- In the **Track Freight Movement** app, the reporting with the latest event time takes precedence.
- In the **Freight Orders for Reporting** app, the manually reported data takes precedence over the visibility data synced from the **Track Freight Movement** app.

- In the SAP TM or SAP S/4HANA system, the latest arrived data takes precedence.

Thus, in some cases, the data displayed in the **Track Freight Movement** app may be inconsistent with the data shown in the **Freight Orders for Reporting** app, SAP TM or SAP S/4HANA system.

Related Information

Track Freight Movement

Manage Freight Execution App (Shipper)

Are you a shipper with a question about your **Manage Freight Execution** app? If so, take a look at these FAQs.

What prerequisite settings are required for using the Manage Freight Execution app?

The required prerequisite settings are described in the Administration Guide for Shippers. In the guide, see **Manage Freight Execution** in the **Configuring Additional Services** section.

What data can be tracked by the Manage Freight Execution app?

The **Manage Freight Execution** app tracks and displays the following data for you:

- The data manually reported by your carrier in the **Manage Freight Execution** app.

  The manually reported data tracked by the app is also synchronized to your SAP TM or TM on S/4HANA system.
- The data reported by your B2B (business to business) carrier using the **Provider API for Order Events (FC)**.
- The data reported by your visibility provider using the Provider API for Order Events (FC). Note that this option is only for the shippers who are using the SAP Business Network Global Track and Trace option.
- The data manually reported by the shipper in the **Manage Freight Execution** app.

The reported data includes actual planned and unplanned events. For more information on the event types, see Code Lists. You can also view the attached documents (if any) in actual events. You can also see the details of the business partner who reported the event in the **Reported By** field.

What is the expected business or technical time window for a planned event?

It is a time period between the earliest and latest expected business or technical date and time. By default, the earliest time is 10 minutes before the planned event time and the latest is 10 minutes after the planned event time. If you want to change the default, contact your system administrator to maintain SAP BAdI **/SCMTMS/TOR_SE_TRCKPR_OUT**.

I can't track a freight document that I have tracked before. Why?

There are two possibilities, as shown below:

- The freight document was deleted because it reached its retention period.

  Based on data protection and privacy regulations, there is a retention period for the tracked process of a freight document. You can configure the retention period in the **Blocking Store** app.
- The freight document was canceled in your TM system.

  A cancellation request is sent from the TM system if any of the following conditions is met for a freight document:

- The value of **TOR Lifecycle Status** is not **In Process** or **Completed**.
- The value of **TOR Execution Status** is not **Ready for Transportation Execution**, **In Execution**, or **Executed**.
- The previously maintained carrier information has been removed.

If an actual event is reported by the shipper, carrier and the visibility provider, where can I see all the events?

If an actual event is reported by the shipper, carrier and the visibility provider, then you can view all these events in the **Events History** pane. You can view the details of which business partner reported the event in the **Business Partner** field.

Can I update my freight document once the reporting has started?

Yes, you can update the freight document once the reporting has started. However, you cannot modify the planned events which have already been reported. Note that the document has to be updated with the option of same or higher precedence. For more information, seeAdministration Guide for Shippers. In the guide, see **Manage Freight Execution** in the **Configuring Additional Services** section.

Related Information

Manage Freight Execution

Discover Business Partners App

Do you have questions about your **Discover Business Partners** app? If so, take a look at these FAQs

Why companies that match my search conditions are not returned in the Matched Results table?

To find out the reason, check the following:

- Find out which type of SAP Business Network for Logistics tenant you are currently in.

  Business partners in SAP Business Network for Logistics are categorized in three types:

  - Productive type: tenants created for productive use to conduct real business collaboration
  - Test type: tenants created for test purpose
  - System Integration (SI) type: tenants created by SAP system integration partners

  To find out which type of business partner tenant you are currently in, open the **Manage Business Profile** app and take a look at the ID on your company profile page.

ID	Tenant Type
Starting with the prefix 'BNO'. No suffixes. Example: BNO-100000000001111	Productive
Starting with the prefix 'BNO'. Ending with the suffix 'T'. Example: BNO-100000000001111-T	Test

ID	Tenant Type
Starting with the prefix 'BNO'. Ending with the suffix 'D'. Example: BNO-100000000001111-D	System Integration (SI)

- Make sure the potential business partners that you want to discover and connect already joined SAP Business Network for Logistics, and these companies must set the **Make my business profile visible to potential business partners** field to **Yes** in their **Manage Invitations** app.
- With the above conditions being met, the **Discover Business Partners** app restricts the scope of the business partners that you can find based on your own business partner type, as shown below:

Your own business partner type	Potential business partner type you can discover		
	Productive	**Test**	**System Integration**
Productive	Yes	No	No
Test	No	Yes	Yes
System Integration	No	Yes	Yes

Related Information

Discover Business Partners

Data Protection and Privacy

Are you a shipper or a carrier with a question about data protection and privacy in SAP Business Network Freight Collaboration? If so, take a look at these FAQs.

Why is data protection and privacy important?

Data protection and privacy of individual user data is a legal requirement, and every application that collects and distributes user data must be in accordance with statutory data protection laws.

How does SAP Business Network Freight Collaboration ensure compliance with the data protection and privacy policies?

The solution does the following to ensure compliance with the data protection and privacy policies:

- Deletes the user data from a business document on the expiry of the applicable retention periods
- Provides a retrieval function that enables users (data subjects) to find out what personal data is stored about them
- Logs changes to personal data and provides read access to sensitive personal data

Who can retrieve personal data of a user and how?

The data privacy officer can find the transactions that hold the personal information of the user using the Personal Data Management application.

Related Information

Data Protection and Privacy

Retention Management App

Are you a shipper or a carrier with a question about your **Retention Management** app? If so, take a look at these FAQs.

What is the residence period and when does it start?

It is the period between the end of business and the end of purpose for a data set. During the residence period, data remains in the database and can be used in case of subsequent processes related to the original purpose. At the end of the residence period, the data is blocked.

Once the business document reaches the end of business, it enters the residence period.

What is the blocking period and when does it start?

The blocking period is the period between the end of the residence period and the deletion of the data. In the blocking period, only users with special privileges, such as a data protection officer, can access the data. At the end of the blocking period, the data is deleted.

What is the retention period?

The retention period is a combination of the residence period and the blocking period.

It is the period between the end of the last business activity involving a specific object and the deletion of the corresponding data, subject to applicable laws.

What is the end of purpose?

The end of purpose for a business document is the point in time at which the primary processing purpose ends, such as a contract being fulfilled.

For example, in the **Freight Requests for Quotation** app, a business partner is an item of master data. The end of purpose of this master data is the point in time at which the data is no longer relevant for business activities.

How do I maintain the residence and blocking periods? And can I maintain different residence and blocking periods for each application?

You can maintain the residence and blocking periods using the **Retention Management** app. You can specify the residence and blocking periods in months for an application type. If you do not specify a residence or a blocking period, the system sets it to 12 months by default.

Yes, you can maintain different residence and blocking periods for each application.

Related Information

Retention Management

Blocking Store App

Are you a shipper or a carrier with a question about your **Blocking Store** app? If so, take a look at these FAQs.

How can I view the personal data during the blocking period?

You can use the **Blocking Store** app to view the personal data during the blocking period. Note that you can access the **Blocking Store** app only if you have the required authorization.

What happens to the document once it reaches the end of the blocking period?

Once the blocking period is over, all the personal data of the document is deleted permanently.

Related Information

Blocking Store

Manage Business Profile App

Are you a shipper or carrier with a question about your **Manage Business Profile** app? If so, take a look at these FAQs.

How do I edit or update the company profile?

When you choose the **Manage Business Profile** tile on SAP Fiori Launchpad, the system opens the company profile page. You can edit or update the profile information by choosing the **Edit** icon in each section.

How do I add multiple company addresses?

Follow the instructions on Creating Additional Addresses.

Why is it mandatory to maintain a default address?

The default address is the address that will be displayed to other business partners in SAP Business Network Freight Collaboration.

The default address is also the address that will be displayed when you launch the **Manage Business Profile** app. In general, the corporate address is chosen as the default address.

My corporate address has changed. What should I do?

After you launch the **Manage Business Profile** app, choose the **Edit** icon in the first section on your company profile and then enter your new address on the **Address** tab.

Can I add a contact person for each of my addresses?

No, you cannot add a contact person for each address.

Is it mandatory to maintain sensitive data such as gross revenue in the profile?

No, most information that you specify on the company profile page is optional. However, if you specify your business details, the business partner can use this information to analyze your business prospects before connecting with you.

What are alternate identifiers and why should I specify them?

Alternate identifiers are standard industry codes or compliance details, for example the DUNS Number. If you maintain this information, the business partner can verify your credibility and eligibility before connecting with you.

Related Information

Manage Business Profile

Manage Integration Logs App

Are you a shipper or a carrier with a question about your **Manage Integration Logs** app? If so, take a look at these FAQs.

One of the messages had a Failed status. Can I reprocess this message?

Yes, after you solve the configuration or syntax issues pertaining to that business document, you can choose to reprocess this message. Only messages where the value in the **Reprocessable** column is set to **Yes** can be reprocessed.

After I reprocessed a message, I am not able to view the log. Why?

When you reprocess a message with the status **Failed** or **Escalated**, the system updates the status to **Reprocessing**. After the reprocessing has run, this message is updated to a final status of **Failed**, **Escalated**, or **Completed**.

Where can I find the Manage Integration Logs - Integration Message Flow View version 1.0 app?

The **Manage Integration Logs - Integration Message Flow View** (version 1.0) app has been sunset. You must switch to the new **Manage Integration Logs** (version 2.0) app. To start using the new app (as a shipper, solution owner or network owner), ask your system administrator to add the `ManageIntegrationLogsDisplayTemplate` and `ManageIntegrationLogsTemplate` roles to your role collection. If you are a carrier, data contributor or network participant, your role settings are managed by SAP Business Network for Logistics. The app shall be visible in your SAP Fiori launchpad. For any queries or concerns, please report an incident in SAP for Me categorized by component SBN-LBN-INT.

Can I reprocess my logs after 30 days?

No. The reprocessing of a message is limited to 29 days. After 30 days, you won't be able to reprocess the message or download the payload. In the app, these messages are highlighted in grey.

What is the difference between status and overall status?

In the **Documents** tab, integration logs are aggregated based on the LBN IDs of the parties involved, the document ID, and the scenario. The overall status of an entry in the **Documents** tab is derived from the latest status of an individual log that's part of the aggregation.

The **Documents** tab is only displayed for shippers, solution owners, and network owners.

How can I configure email notifications for failed or escalated messages?

You must schedule email notifications for the **Integration Error V2** scenario as outlined in Manage Notification Settings (Shipper) and Manage Notification Settings (Carrier).

Related Information

Manage Integration Logs

FAQs on Security

Are you a shipper or a carrier with a question on security? If so, take a look at these FAQs.

How can I monitor the messages that are coming into my system?

Shippers and carriers can monitor all incoming and outgoing messages in their SAP Business Network for Logistics tenant using the **Manage Integration Logs** app. They can also subscribe to notifications to receive alerts in case of message failures.

How frequently are the accounts monitored in real-time? Are there any periodic checks?

- Real-user logins

  Accounts are monitored in real-time through alert-based mechanisms.

- API usage

  Shippers and carriers can define the monitoring frequency as per their needs.

How does the system handle unusual login behavior and security threats?

SAP Identity Authentication Service triggers alerts at the identity and access layer when it detects unusual behavior, such as excessive requests, failed login attempts, or penetration testing activities. When an alert is generated, the internal operations team is notified and takes corrective actions, such as blocking user access, specific IP addresses, and so on.

How does the system detect and flag a compromised carrier account?

- For real-user logins

  The SAP Identity Authentication Service triggers alerts for unusual login behavior, prompting further investigation.

- For API users

  Shippers and carriers can monitor all incoming and outgoing messages in their SAP Business Network for Logistics tenant using the **Manage Integration Logs** app and subscribe to alerts for error notifications.

What steps are taken once a compromise is identified?

If a compromise is detected, the system can perform one of the following actions:

- For unusual real-user login attempts, the user or IP address may be blocked.
- For suspicious API usage, shippers and carriers can raise a ticket in SAP Business Network for Logistics. Affected technical user credentials can be disabled, and new credentials issued.
- To avoid any spurious messages from reaching the shipper, the connection between the shipper and carrier can be temporarily disabled.

Are there automated or manual processes to identify suspicious behaviour?

A combination of both automated and manual processes are available. For real-user logins, an alert-based monitoring by the SAP Identity Authentication Service team is available. For unusual API usage, manual monitoring options are available to the shippers and carrier.

What measures are taken to secure carrier accounts

The following security measures are available: