3. For detailed steps, see SAP KBA 2056672 - How to import server certificates in PI system.

Case 3: When WebDispatcher is placed in front of Cloud Integration endpoint

1. Download [DigiCert TLS RSA4096 Root G5].
2. Import this Root Certificate to Trusted Certificates through Web Administration Interface of SAP WebDispatcher.
3. See SAP Help - PSE Management in Web Administration Interface of SAP Web Dispatcher, section [Trusted Certificates].

Case 4: When sender system is a non-SAP service/software

1. Consult your vendor for confirmation that it should trust [DigiCert TLS RSA4096 Root G5] for outbound TLS communication.
2. Particularly, in case of a customer written Java program, JDK version should be higher than the following:
    - SAP JVM 8.1.097
    - SapMachine 11.0.22
    - SapMachine 17.0.10
    - SapMachine 21.0.2
    - Oracle JDK 8u401
    - Oracle JDK 17.0.10
    - OpenJDK 17.0.10
    - OpenJDK 21.0.2

For more information, see the following SAP Notes:

- 3688060
- 3587968
- 3566727
- 3472211

Migration to New Integration Platform (Freemium Customer)

SAP Business Network for Logistics is run on SAP Business Technology Platform (SAP BTP) leveraging the various services provided by the platform. SAP BTP offers a variety of application environments that customers and internal SAP organizations can choose from, to build SAP applications and business solutions in the cloud. One critical service used by SAP Business Network for Logistics is the SAP Cloud Integration (previously known as SAP CPI) which acts as the single integration platform for all customers and partners for SAP Business Network for Logistics. This platform is owned and managed by the SAP Business Network for Logistics development team. Freemium customers can maintain necessary connectivity configurations using the **System Connections** app, and monitor their integration logs using the **Manage Integration Logs** app.

SAP Cloud Integration used by SAP Business Network for Logistics is hosted in the Neo environment of SAP BTP. SAP BTP, Neo environment is the oldest of the application environments and is built on a proprietary SAP technology stack. The Neo environment in SAP BTP has been deprecated and will be sunset for internal SaaS applications (see SAP Note 3351844). SAP Cloud Integration is also offered in a multi-cloud foundation in SAP BTP, and this is the new platform that will be used by SAP Business Network for Logistics.

In accordance with SAP BTP's decision to sunset Neo environment, SAP Business Network for Logistics has decided to stop the support of the existing Neo integration platform **on July 18, 2025**, as part of our July 2025 release. This means that connectivity to your backend transportation management system (TMS) will stop working if you don't migrate to the new integration platform. This requires some configuration changes in your backend TMS and in your **System Connections** app in SAP Business Network for Logistics. You can read more about this change in this announcement. There is a comprehensive guide capturing the list of changes that a freemium customer must do to migrate from old integration platform to the new one.

We understand the critical role that connectivity plays in SAP Business Network for Logistics. The primary focus is not to disrupt the existing integrations between your backend systems and SAP Business Network for Logistics. So, your existing configurations will stay intact and continue to work until you migrate to the new integration platform or till the end of support of the old integration platform. In the meanwhile, we have made it possible for you to migrate from the old integration platform to new one using the configuration apps in SAP Business Network for Logistics. This requires some changes in SAP Business Network for Logistics configuration apps as well as in your backend systems. You might also need to update your firewall/SAP Cloud Connector configurations as the IP range will be different for the new integration platform. We urge you to migrate as soon as possible to leverage the improved log capacity and other new features.

ℹ Note

We recommend performing the migration activities in your test tenants first and then monitor if all the integration scenarios are working correctly. Proceed with the changes in your productive tenants accordingly.

For more information, see the Integration Platform Migration Guide for Freemium Users.

Regions and Hosts Available for the Connectivity Platform

Available data centers, and required IP ranges to be allowlisted

Data Center-Specific Integration Platform

SAP Business Network for Logistics can be hosted on the following data centers

- Frankfurt, Germany (EU10)
- Washington, US (US20)
- Dammam, Saudi Arabia (SA30)

There are dedicated integration tenants for customers in each data center. Based on which data center you're onboarded to, the IP ranges of our integration platform differs.

How to identify your tenant's datacenter?

If you are unsure about your tenant's data center, this can be identified from the region tag (for example, *eu10*) in the host URL of your SAP Business Network for Logistics tenant.

Data Centers

SAP Business Network for Logistics URL	Data Center
`https://carrier01.lbn.logistics.eu10.business-network.cloud.sap/`	EU
`https://lbn-carrier01.lbn.logistics.us20.business-network.cloud.sap/`	US

SAP Business Network for Logistics URL	Data Center
`https://lbn-carrier01.lbn.logistics.sa30.business-network.cloud.sap/`	KSA

ℹ Note

The IP ranges listed in the table below are relevant for the new multi-cloud integration platform in SAP Business Network for Logistics. If you are looking for the IP ranges of the **Neo** integration platform, please refer to SAP BTP's Regions and Hosts Available for the Neo Environment. You can refer to the IP ranges listed for region *Europe (Rot)*.

IP Ranges

Data Centers	NAT IPs (Outbound from Network)	LB IPs (Inbound to Network)
EU	18.198.196.89, 18.193.21.232, 3.65.9.91, 52.29.190.137, 18.197.134.65, 3.67.182.154, 3.67.255.232, 3.66.249.150, 3.68.44.236, 52.59.128.222, 52.28.241.88, 18.184.81.94, 3.67.200.70, 3.68.51.135, 3.124.174.204, 3.68.31.37, 3.67.58.183, 3.67.0.172, 3.67.244.62, 3.126.117.58, 3.66.100.105, 3.68.13.226, 3.126.45.133, 3.67.249.135, 18.194.183.183, 3.67.246.74,	3.126.229.22, 18.193.180.19, 3.64.227.236, 18.153.123.11, 3.121.37.195, 3.73.215.90

Data Centers	NAT IPs (Outbound from Network)	LB IPs (Inbound to Network)
	3.66.68.201, 3.68.0.70, 52.28.56.202, 3.126.95.250, 3.66.68.127, 18.195.244.40, 3.67.107.121, 3.67.24.253, 18.193.50.255, 3.121.35.143	
US	40.90.195.191, 20.57.129.106, 20.57.128.95, 20.57.128.118, 40.90.209.71, 20.72.210.109, 20.72.209.240, 20.72.209.187, 40.90.200.224, 40.90.201.197, 40.90.201.85, 40.90.200.237	40.91.120.100
KSA	34.166.4.164, 34.166.4.182, 34.166.8.22, 34.166.10.68, 34.166.19.145, 34.166.20.65, 34.166.37.166, 34.166.38.149, 34.166.39.3, 34.166.40.145, 34.166.41.104, 34.166.44.55, 34.166.46.73,	34.166.32.46

Data Centers	NAT IPs (Outbound from Network)	LB IPs (Inbound to Network)
	34.166.46.216, 34.166.47.18, 34.166.50.229, 34.166.52.69, 34.166.53.147, 34.166.55.78, 34.166.57.177, 34.166.60.109, 34.166.61.61, 34.166.61.119, 34.166.61.169, 34.166.61.173, 34.166.62.51, 34.166.62.206, 34.166.63.160, 34.166.64.6, 34.166.65.231	

Security and Data Protection and Privacy

In this section, you can find information about the security features of SAP Business Network for Logistics.

For more information about security on SAP Business Technology Platform, see Data Privacy and Security in the (SAP BTP) documentation on SAP Help Portal.

User Administration, Authentication, and Authorizations

It's important to consider the security-aspects of creating and configuring users and roles for the applications.

Consider the following security aspects:

- Grant users only the minimum level of authorization that's necessary.
- Remove a user's authorization as soon as it's no longer required, for example, if an employee leaves the company.

Related Information

- Assign Users to Role Collections
- Delete Users from Role Collections

Session Security Protection

SAP Business Network for Logistics is restricted to operating with Secure Socket Layer (SSL) and activated cookie handling only in the browser.

Network and Communication Security

SAP Business Network for Logistics uses the HTTPS protocol to encrypt communication between the browser and the service.

Data Storage Security

SAP Business Network for Logistics stores data in tenant-specific database schemas. Access to the databases are preconfigured with the infrastructure environment.

The databases contain many different types of data including the following:

- Personal data (for example, user names, email addresses, and so on)
- Operational business data
- Preferences and configurations

This data is updated continuously whenever required or requested.

Data Protection and Privacy

Introduction

Data protection is associated with numerous legal requirements and privacy concerns. In addition to compliance with general data protection and privacy acts, it is necessary to consider compliance with industry-specific legislation in different countries/regions. SAP provides specific features and functions to support compliance with regard to relevant legal requirements, including data protection. SAP does not give any advice on whether these features and functions are the best method to support company, industry, regional, or country-specific requirements. Furthermore, this information should not be taken as advice or a recommendation regarding additional features that would be required in specific IT environments. Decisions related to data protection must be made on a case-by-case basis, taking into consideration the given system landscape and the applicable legal requirements.

ℹ Note

SAP does not provide legal advice in any form. SAP software supports data protection compliance by providing security features and specific data protection-relevant functions, such as simplified blocking and deletion of personal data. In many cases, compliance with applicable data protection and privacy laws will not be covered by a product feature. Definitions and other terms used in this document are not taken from a particular legal source.

⚠ Caution

The extent to which data protection is supported by technical means depends on secure system operation. Network security, security note implementation, adequate logging of system changes, and appropriate usage of the system are the basic technical requirements for compliance with data privacy legislation and other legislation.

Generic Fields

You need to make sure that no personal data enters the system in an uncontrolled or non purpose-related way, for example, in free-text fields, through APIs or customer extensions, through notes and attachments in the apps, Microsoft Excel uploads and so on. Note that these are not subject to the read access logging (RAL) example configuration.

Please do not include sensitive personal data (for example, social security numbers) or personal data (for example, addresses) since the attribute field is not set up with appropriate data protection measures.

Glossary

The following terms are general to SAP products. Not all terms may be relevant for this SAP product.

Term	Definition
Artificial Intelligence (AI)	The simulation of human intelligence processes by machines and computer systems – typically by learning, coming to its own conclusions, appearing to understand complex content, engaging in natural dialogs with people, enhancing human cognitive performance (also known as cognitive computing) or replacing people on execution of nonroutine tasks. Applications include autonomous vehicles, automatic speech recognition and generation and detecting novel concepts and abstractions (useful for detecting potential new risks and aiding humans to quickly understand very large bodies of ever-changing information)
Automated Decision Making	The ability to make decisions by technological means without human involvement.
Blocking	A method of restricting access to data for which the primary business purpose has ended.
Business Purpose	The legal, contractual, or in other form justified reason for the processing of personal data to complete an end-to-end business process. The personal data used to complete the process is predefined in a purpose, which is defined by the data controller. The process must be defined before the personal data required to fulfill the purpose can be determined.
Consent	The action of the data subject confirming that the usage of his or her personal data shall be allowed for a given purpose. A consent functionality allows the storage of a consent record in relation to a specific purpose and shows if a data subject has granted, withdrawn, or denied consent.
Data Subject	Any information relating to an identified or identifiable natural person ("data subject"). An identifiable natural person is one who can be identified, directly or indirectly, in particular by reference to an identifier such as a name, an identification number, location data, an online identifier, or to one or more factors specific to the physical, physiological, genetic, mental, economic, cultural, or social identity of that natural person.
Deletion	Deletion of **personal data** so that the data is no longer available.
End of Business	Defines the end of active business and the start of residence time and retention period.

Term	Definition
End of Purpose (EoP)	The point in time when the processing of a set of personal data is no longer required for the primary business purpose, for example, when a contract is fulfilled. After the EoP has been reached, the data is blocked and can only be accessed by users with special authorizations (for example, tax auditors).
End of Purpose (EoP) check	A method of identifying the point in time for a data set when the processing of **personal data** is no longer required for the primary **business purpose**. After the **EoP** has been reached, the data is **blocked** and can only be accessed by users with special authorization, for example, tax auditors.
Personal data	Any information relating to an identified or identifiable natural person ("data subject"). An identifiable natural person is one who can be identified, directly or indirectly, in particular by reference to an identifier such as a name, an identification number, location data, an online identifier, or to one or more factors specific to the physical, physiological, genetic, mental, economic, cultural, or social identity of that natural person.
Processing of Personal Data	Processing means any operation or set of operations which is performed on personal data or on sets of personal data, whether or not by automated means, such as collection, recording, organisation, structuring, storage, adaptation or alteration, retrieval, consultation, use, disclosure by transmission, dissemination or otherwise making available, alignment or combination, restriction, erasure or destruction.
Purpose	The information that specifies the reason and the goal for the processing of a specific set of personal data. As a rule, the purpose references the relevant legal basis for the processing of personal data.
Residence period	The period of time between the end of business and the end of purpose (EoP) for a data set during which the data remains in the database and can be used in case of subsequent processes related to the original purpose. At the end of the longest configured residence period, the data is blocked or deleted. The residence period is part of the overall retention period.
Retention period	The period of time between the end of the last business activity involving a specific object (for example, a business partner) and the deletion of the corresponding data, subject to applicable laws. The retention period is a combination of the residence period and the blocking period.
Sensitive personal data	A category of personal data that usually includes the following type of information: • Special categories of personal data, such as data revealing racial or ethnic origin, political opinions, religious or philosophical beliefs, trade union membership, genetic data, biometric data, data concerning health or sex life or sexual orientation. • Personal data subject to professional secrecy • Personal data relating to criminal or administrative offenses

Term	Definition
	• Personal data concerning insurances and bank or credit card accounts
Technical and organizational measures (TOM)	Some basic requirements that support data protection and privacy are often referred to as technical and organizational measures (TOM). The following topics are related to data protection and privacy and require appropriate TOMs, for example: • **Access control:** Authentication features • **Authorizations:** Authorization concept • **Read access logging** • **Transmission control / Communication security** • **Input control / Change logging** • **Availability control** • **Separation by purpose:** Is subject to the organizational model implemented and must be applied as part of the authorization concept.

Consent

The processing of personal data (including its collection or its transfer) is based on purposes, legitimated by the fulfilment of a contract, a legal obligation, a vital interest, a public interest, a legitimate interest or a consent. In some cases, the data subject may also be the user. This SAP product provides functionality to capture consent of data subjects before collecting personal data, where no other legal ground exists. This allows data subjects to give and withdraw consent to process their personal data. Where data is processed for a purpose different than the original purpose or a privacy statement was changed, likely a new consent needs to be collected.

Consent in the SAP Business Network for Logistics

The terms of personal data collection are outlined in a *Privacy Statement*. Users are required to read and accept the *Privacy Statement* when signing in to the SAP Business Network for Logistics for the first time.

Users can read the *Privacy Statement* and withdraw the consent at any time. To do that, click the user icon in the upper-right corner of the app window and choose **Settings** > **Privacy Statement**.

Read Access Logging

Read Access Logging is considered as an additional safeguard in the protection of personal data, because it helps to identify potential illegitimate access to personal data. Read access to sensitive personal data is partially based on legislation, and it is subject to logging functionality. Read access logging (RAL) is used to monitor and log read access to sensitive personal data that was disclosed via user interface, which can be extended to read access to other personal data. Data may be categorized as sensitive by law, by external company policy, or by internal company policy. When these read accesses are logged, you should be able check which user accessed personal data on which access channel and the date and time, depending on the configuration. Read access logging enables you to answer questions about who accessed particular data within a specified time frame. That logging also includes downloading attachments or files, logs for such events shall contain information to identify the attachment.

Additionally, as for Read Access Logging across system boundaries, the respective “access” shall be logged as soon as sensitive personal data crosses the boundary from a trusted to an un-trusted area. Here are some examples of such questions:

- Who accessed the data of a given business entity, for example a bank account?
- Who accessed personal data, for example of a business partner?
- Which employee accessed personal information, for example religion?
- Which accounts or business partners were accessed by which users?

Furthermore, log records can be viewed and queried, but access to them is restricted by adequate authorizations. The personal data for which read access shall be logged and the retention period of logs, can be configured.

Products built using Java with an SAP HANA database as a back end use the audit trails and audit policies for change logging. For more information, see the Auditing Activity section in the SAP HANA Security Guide.

This product uses the Log4J API for change logging. For more information, see JDBC Appender .

This product uses a log façade for change logging. For more information, see the Appenders section of the Logback documentation .

Java-based NetWeaver products use the security audit log of the SAP NetWeaver Application Server (AS) Java for change logging. For more information, see the Security Audit Log of the AS Java.

Cloud products using SAP HANA XS and SAP HANA standalone use the audit trail and audit policies for change logging. For more information, see the Auditing Activity section in the SAP HANA Security Guide.

Personal Data Record

The feature provides data associated to the Data Subject. It is in the duty of the customer to check, whether all the data reported shall get handed over to the data subject, because the report might contain internal customer information or information on other third parties. Data subjects have the right to receive information regarding their personal data undergoing processing. The personal data record feature helps you to comply with the relevant legal requirements for data protection by allowing you to search for and retrieve personal data for a specified data subject. The search results are displayed in a comprehensive and structured list containing all personal data of the data subject specified, organized according to the purpose for which the data was collected and processed. The extracted data can be downloaded in form of a report, that provides configuration and extensibility functionality. The access to the personal data record is only allowed with authorization.

Personal Data Record in the SAP Business Network Global Track and Trace

SAP Business Network Global Track and Trace uses the Next Generation Data Privacy Integration service for the retrieval of personal data. To implement this service, you must first subscribe to the SAP Data Privacy Integration Next Generation service (application plan name: ngdpi) in your SAP Cloud Platform subaccount. After subscribing, assign the DPI_NextGen_Information_DataPrivacy_Administrator role collection to users handling personal data management to ensure they have the appropriate permissions for managing personal data securely.

For more information about the Next Generation Data Privacy Integration service, refer to the following resources:

- https://help.sap.com/docs/data-privacy-integration/end-user-information/what-is-data-privacy-integration-nextgen?q=nextgen&version=Cloud
- https://help.sap.com/docs/data-privacy-integration/security/assigning-roles-to-users-b90280f5f6904d008a3ebb8ac3809094?q=nextgen