How to Integrate SAP Business Network Global Track and Trace with Ariba Network

Generated on: 2026-05-12 06:50:49 GMT+0000

SAP Business Network Global Track and Trace | LBN

Public

Original content: https://help.sap.com/docs/SAP_LBN_GTT_OPTION/8a6d960b9527425e9f908c8a1b5bd4c5?locale=en-US&state=PRODUCTION&version=LBN

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit https://help.sap.com/docs/disclaimer.

Introduction

This guide describes the configurations you need to perform before you can integrate with Ariba Network. After you set up the integration, you can navigate from Ariba Network to the Monitor Inbound ASNs (MIA) app in SAP Business Network Global Track and Trace to view the inbound delivery details.

Perequisites

- You have purchased SAP Business Network Commerce Automation.
- You have purchased SAP Business Network Global Track and Trace and finished the onboarding process. For more information about the onboarding process, see Onboarding.
- You have an administrator role of your subaccount and subscribe to the MIA app.
- You have downloaded and installed sample codes for the MIA app.

Procedure

To set up for the integration, do the following:

- Submit the Required Information to Ariba Network
- Establish Trust
- Configure Role Collections and Add Ariba Network Buyer Platform Users

Submit the Required Information to Ariba Network

Context

To submit the required information on Ariba Network, do the following:

Procedure

1. Download the global track and trace SP SAML Metadata, then submit a Service Request to request enablement.
    a. In the SAP BTP cockpit, go to your subaccount.
    b. On the **Subaccount: *<subaccount_name>*** > **Overview** page, click **Trust Configuration** in the **Security** tab in the left-hand navigation area.
    c. On the **Subaccount: *<subaccount_name>*** > **Trust Configuration** page, click **SAML Metadata** to download the SP SAML Metadata.
2. Create a service request in SAP Ariba
    a. Go to https://connectsupport.ariba.com/ to create an SAP Ariba Service Request.

    You create an SAP Ariba Service Request to enable SAP Business Network Global Track and Trace for your Ariba Network account. Sign in with the SAP Ariba credential provided to you.

    Note

If you do not have permission to create a Support Request, ask your Designated Support Contact to log one for you. An SAP Ariba Support representative will follow up to enable SAP Business Network Global Track and Trace.

b. In the `Incidents & Service Requests` tab on the top, click `Create a Service Request`.

c. In the search box, enter `Where is my order enablement` and click the `Search` icon, then click the `Continue to next step` popup on the bottom right.

d. Click the `Issue/Configuration` tile to go to the `Create a Service Request` page.

e. Fill in the required information in each step.

> **Note**
>
> Upload your global track and trace SP SAML Metadata using the `Attachments` field.

f. After you complete all steps, click `Review` at the bottom left to check the information that you filled in.

g. Click `Submit` to create your service request.

3. Download the Ariba Network IdP SAML Metadata.

   After your service request has been processed, you will receive a notification that contains the Ariba Network IdP SAML Metadata from Ariba Support.


Establish Trust

Context

To estabilishe the trust, do the following

Procedure

1. In the SAP BTP cockpit, go to your subaccount.
2. On the **Subaccount: *<subaccount_name>*** > **Overview** page, click **Trust Configuration** in the **Security** tab in the left-hand navigation area.
3. On the **Subaccount: *<subaccount_name>*** > **Trust Configuration** page, click **New Trust Configuration**.
4. In the **New Trust Configuration** popup, click **Upload** to import the Ariba Network SAML IdP Metadata that you downloaded.
5. Check the validity of the Ariba Network IdP SAML Metadata by clicking “Show Details”. If one of the following attributes is empty, the SAML Metadata is considered invalid:
   - Origin Key
   - Subject
   - Issuer
   - Entity ID
   - Single Sign-On URL (Redirect Binding)
   - Single Sign-On URL (Post Binding)
   - Single Logout URL (Post Binding)



In this case, you must contact Ariba Support team in step 2 of Submit the Required Information to Ariba Network and ask them to provide a valid one.

6. Fill in the **Name** (for example: Ariba IDP) and uncheck the **Create Shadow Users During Logon** box, then click **Save**.

Configure Role Collections and Add Ariba Network Buyer Platform Users

Context

To configure role collections and add Ariba Network buyer platform users, do the following:

Procedure

1. On the **Subaccount: *<subaccount_name>*** > **Overview** page, click **Role Collections** in the **Security** tab in the left-hand navigation area.
2. On the **Subaccount: *<subaccount_name>*** > **Role Collections** page, click the Add icon on the top right.
3. In the pop-up, fill in the **Name**, then click **Create**.
4. After creating the role collection, click the name to navigate to its details page, then click **Edit**.
5. In the **Roles** tab, select the role with its name and template as **AppManageInboundASNsDisplayTemplate**, then click **Add**.
6. In the **Users** tab, provide the following information as exemplified in the screenshot, then click **Save.**

    - Fill in **ID** with the user's E-mail of Ariba Network buyer accounts.
    - Choose the name of the **Identity Provider** that you configured (which is not "Default Identity Provider").

- Fill in the users' E-mail.

