Error Code	Description
3036	Freight document is not updated as the dispute could not be updated
3037	JSON payload validation failed.
3038	Carrier not present in the request
3039	Freight document is not in execution status
3040	The request to save freight documents is not authorized
3041	PID of shipper system not maintained
3042	Secure store URL is not configured
3043	Document service repository URL is not configured
3044	Document service repository ID is not configured
3045	Document service Test Document ID is not configured
3046	Consuming Application name is not configured
3047	Repository credentials unavailable
3048	Unable to parse business partner repository data
3049	Unable to fetch business partner ID from business partner repository
3050	Communication with Manage Disputes app failed
3051	No calculation basis present in the freight document
3052	Dispute ID is missing in TM acknowledgement payload
3053	Dispute is not found in the Manage Invoices app
3054	Document update not allowed
3055	Self-billing dispute creation from external system is not allowed
3056	Rate amount and final amount must be the same for unplanned charges
3057	Rate amount currency and final amount currency must be the same for unplanned charges
3058	Percentage rate is not allowed for unplanned charges
3059	Active invoice may already exist for the selected freight document or invoice may have been submitted to the shipper for review
3060	Invoice amount must be greater than zero
3061	Invalid attachment file name
3062	Invalid attachment file type
3063	Invalid attachment file content
3064	An attachment with the same name exists already. Please provide a different name
3065	Final amount cannot be zero for charge lines

Error Code	Description
3066	Tax amount cannot be negative
3067	Sum of all the pricing elements and item taxes is not equal to the item gross amount
3068	Sum of all the tax amount not matching with total tax amount
3069	Charge type cannot be invoiced as an unplanned charge as the shipper has not enabled the necessary settings. Please contact the shipper to invoice this charge type.
3071	Charge line is already invoiced
3073	Unable to update the invoice status as the status is already up-to-date
3074	Invoice with this ID does not exist
3075	Cannot update the invoice status as you have not filled all the mandatory field
3076	Duplicate charge items exist
3077	Document reference type code not present
3078	Freight order update rejected. The timestamp provided is older than the existing one.
3079	Invalid tax code.
3080	Cannot create an invoice for a cancelled freight document
3081	The final amount in the invoice and the freight order must be the same
3082	Charge type ADJ cannot be an unplanned charge
3084	Freight document ID is not found for the alternate IDs provided
3085	Alternate IDs cannot be empty for the specified category
3086	Alternate ID type code does not match the selected category
3087	Alternate ID category is not supported
3088	Either alternate ID category or freight document ID must be provided
3089	Alternate ID category must be provided when alternate IDs are present
3090	Multiple freight order IDs found for the same alternate ID combination
3091	One or more required alternate ID type codes are missing for the selected category
3093	The currency of the rate amount in the invoice and in the freight order must be the same
4001	Invalid appointment date/time
4002	Invalid appointment type code

Error Code	Description
4003	Invalid docking location or loading point
4004	Inappropriate appointment status
4005	Invalid appointment duration
4006	Invalid time slot
4007	Time slots unavailable
4008	Unable to find the gate
4009	Unable to find the gate logbook
4010	Unable to update a gate logbook
4011	Invalid gate for gate logbook
4012	Invalid license plate number
4013	Appointments not found
4014	Invalid appointment status
4015	Gate logbook cannot be updated as the status is invalid
4016	Invalid location
4017	Found multiple existing appointments
4018	Invalid appointment
4019	Invalid gate for appointment
4020	Unable to create gate logbook
4021	Error occurred while updating the gate logbook
5001	The value of 'trackId' is not provided in the Response body of 'PutOrderForTracking'. Contact your visibility provider or carrier.
5002	Request body format error
5003	Time zone format incorrect

Reprocessing Integration Messages

When integration messages fail to reach the target system, this is reported in a message log. Depending on the kind of error, it can help to reprocess an integration message. However, not all integration messages can be reprocessed.

You can manually reprocess integration messages with the status **Failed** or **Escalated**. To do so, proceed as follows:

1. Select a message, or multiple messages, in the table.
2. Choose **Reprocess**.

When an escalated/failed message is reprocessed, newer logs are created in the internal integration system. When you try to reprocess an already reprocessed message, the **Manage Integration Logs** app refers to the latest logs in the internal integration system.

The reprocessing of a message is limited to 29 days. After 30 days, you won't be able to reprocess the message or download the payload. Log details are available to be viewed for 90 days.

For reprocessing purposes, there are two columns available:

- **Reprocessed**: Indicates whether an integration message has already been reprocessed or not.
- **Reprocessable**: Indicates whether a message log can be reprocessed or not. Not all messages with status **Failed** or **Escalated** are eligible for reprocessing. This is usually determined by a uniqueness check of a combination of several fields such as **Sender**, **Document ID**, **Document Type**, and **Source System**. In certain cases, the check is also extended to additional information, such as **Event Type** or **Reported Time**.

An integration message with status **Failed** or **Escalated** is the latest one in chronological order when grouped together with **Sender**, **Document ID**, **Document Type**, and **Source System**.

Example: A subcontracting request (`TransportationOrderRequest`) is sent from the transportation management (TM) system of a shipper to SAP Business Network for Logistics and fails. The same document is updated in the TM system and sent again. In such cases, SAP Business Network for Logistics would allow the reprocessing of the latest message only. The older integration messages will have the **Reprocessable** value set to **No**.

The same applies when the latest integration message from the TM system has the status **Completed**. Older messages with status **Failed** or **Escalated** are not eligible for reprocessing. Hence, the **Reprocessable** value is set to **No**.

In certain cases, such as an event notification in a tracking scenario, the event type and the reported time are also considered.

Example: If multiple events reported by a carrier or a carrier system fail in SAP Business Network for Logistics, all of these are relevant for reprocessing. In the uniqueness check, event type and reported time information is considered too. Thus, for the same freight order ID, shipper, document type (`TransportationEventBulkNotification`), and source system, it's possible to reprocess escalated logs for `DepartureEvent`, `ArrivalEvent`, etc. And for all these event logs, the **Reprocessable** value is set to **Yes**.

Automatic Reprocessing of Integration Messages

In addition to the conditions mentioned above, integration messages must meet the following prerequisites to be auto-reprocessed:

- The messages are reprocessable.
- The messages have not been reprocessed earlier (either manually or automatically).
- Either the sender or the receiver of the message has a tenant of type **Default** (productive tenant). Auto-reprocessing is not supported for test tenants.
- The messages failed with an error code that is eligible for auto-reprocessing.

Automatic reprocessing is supported for the following error codes:

Error Codes Eligible for Auto-Reprocessing

Error Code	Description
102	Missing necessary connectivity configurations at customer side
107	Missing necessary tenant configurations
108	Missing necessary connectivity configurations
112	Cloud Foundry destination method for network could not be determined

For the above error codes, the following applies:

- We check on an hourly basis if there are any failed or escalated messages to be auto-reprocessed, and we start the reprocessing accordingly.
- After a downtime, we automatically reprocess failed and escalated messages.


Processes in SAP Business Network Freight Collaboration

In this section, you can view the details of the end-to-end business process scenarios for various functionalites in SAP Business Network Freight Collaboration. For example, the **Freight Order Contracting Process** elaborates on all the activities that need to be performed for the freight contracting process such as, ordering party sending a a freight request for quotation (freight RFQ) to the carrier, carrier confirming or rejecting the freight RFQ, ordering party receiving the carrier's response and so on.

Freight Contracting

The ordering party has a requirement to transport goods from one location to another. The ordering party wants to execute this transportation with the help of the carriers in their network. The freight order serves as the transportation document for the means of transport as **Road**.

In the Transportation Management (TM) on SAP S/4 HANA system, SAP Logistics Management, or the external transportation system, the ordering party performs the freight planning to select from the list of contracted carriers and later sends the freight order to get the confirmation from the carrier.



1 – Receive Freight Request for Quotation

The ordering party then receives the **Freight Requests for Quotation** in the SAP Business Network for Logistics system using the SOAP interface from external backend system, `TransportationOrderQuotationCreateRequest_Out`. For more information on the API, see Provider API to Create Freight Request for Quotation.

2 - Forward Freight Request for Quotation

In the SAP Business Network for Logistics system, the carrier can receive and process the quotation in the Freight Requests for Quotation app. Alternatively, the carrier can receive and process the freight request for quotation using the POST

`LbnFreightRequestForQuotation` service in the public REST API, Consumer API for Freight Tendering. The carrier can use this API to also send the quotation details to their carrier network.

3 – Receive Response to Freight Request for Quotation

The carrier can view, accept, or reject freight requests for quotations that the ordering party has sent in the Freight Quotations app. Alternatively, the carriers can also use the `POST LbnFreightQuotation` service in the public REST API Provider API for Freight Tendering to accept or reject a freight request for quotation.

As part of accepting a freight request for quotation, the carrier provides the price proposal or currency change depending on the permissions set by the ordering party.

4 - Send Quotation

The ordering party receives the carrier's response in their external transportation system using the SOAP interface from external backend system, `TransportationOrderQuotationConfirmation_In`. For more information on the API, see Consumer API to Create or Update Freight Quotation.

5 - Receive Award Notification

In the external transportation system, the ordering party decides whether they want to award or reject the transportation request received from the carrier. The ordering party uses the SOAP interface from external backend system, `TransportationOrderQuotationNotification_Out` to send a notification about the status of the freight quotation to the carrier. For more information on the API, see Provider API to Notify Freight Quotation.

6 - Forward Quotation Award / Reject

The carrier receives this response in the **Freight Requests for Quotation** app. Alternatively, the carrier can also use the `POST LbnFreightQuotation` service in the public REST API, Consumer API for Freight Tendering to receive the response. The carrier can use this API to also send the quotation details to their carrier network.

7 - Receive Freight Order for Confirmation

The ordering party creates a freight order from their external transportation system and sends it to the carrier using the SOAP interface from external backend system, `TransportationOrderRequest_Out`. For more information on the API, see Provider API to Create Freight Order for Subcontracting.

8 - Forward Freight Order

The carrier receives this freight order in the Freight Orders for Confirmation app. Alternatively, the carrier can also use the `POST LbnFreightOrderForSubcontracting` service in the public REST API, Consumer API for Freight Subcontracting to receive and process the freight order. The carrier can use this API to also send the freight order details to their carrier network.

9 - Receive Confirmation/Rejection for Freight Order

The carrier responds to this freight order by confirming or rejecting the freight order in their SAP Business Network for Logistics system. The carrier can confirm or reject the freight order from the **Freight Orders for Confirmation** app. Alternatively, the carrier can also use the `POST LbnFreightOrderForSubcontracting` service in the public REST API, Provider API for Freight Subcontracting to confirm or reject the freight order and send the response to the ordering party.


10 - Send Confirmation / Rejection

The ordering party receives the carrier's response in their external transportation system using the SOAP interface from external backend system, `TransportationOrderConfirmation_In`. For more information on the API, see Consumer API to Confirm Freight Order for Subcontracting.

Only applicable to freight orders from TM on SAP S/4HANA: Post confirmation and follow up in the ordering party's external transportation system, the execution status of the freight order is set to **Ready for Execution**. If the ordering party has enabled tracking for this freight order, then upon setting this status, the SOAP message TransportationOrderGenericTrackedProcessRequest_Out is triggered to SAP Business Network for Logistics. This creates a tracking process or tracking request for the freight order in SAP Business Network for Logistics that enables reporting or tracking of events for the freight order. For more information, see Track Freight Movement.

Freight Booking

Similar to the order process for means of transport **Road** explained in the Freight Contracting, for the means of transport **Ocean** and **Air**, the freight booking document is the primary transportation document. The ordering party performs the freight planning and creates a freight booking for confirmation for ocean freight or air freight in their Transportation Management (TM) on SAP S/4HANA system or the external transportation system.



Booking Creation Scenario

1 - Receive New Freight Booking

The ordering party sends the freight booking request to the SAP Business Network for Logistics system using the SOAP interface from TM on S/4HANA, `TransportationOrderBookingRequest_Out`. For more information on the API, see Provider API to Create Freight Booking Request.

2 - Forward New Booking Request

The carrier receives new ocean freight booking requests in the Confirm Freight Bookings (Ocean) app and air freight booking requests in the Confirm Freight Bookings (Air) app. The carrier can review and confirm freight bookings sent by the ordering parties in these apps. Alternatively, the carrier can also use the `POST FreightBookingRequest` service in the public REST API, Consumer API for Freight Booking for Confirmation to view and manage the freight booking.

3 - Receive response to Freight Booking

The carrier can respond to the freight booking and either confirm or reject the booking in the **Confirm Freight Bookings (Ocean)** or **Confirm Freight Bookings (Air)** app. Alternatively, the carrier send their response to the ordering party using the `POST FreightBookingConfirmation` service in the public REST API, Provider API for Freight Booking for Confirmation.

4 - Send Booking Confirmation / Rejection

The ordering party receives the carrier's response in their external transportation system using the SOAP interface from TM on S/4HANA, `TransportationOrderBookingConfirmation_In`. For more information on the API, see Consumer API to Confirm Freight Booking.

Booking Update Scenario

5 - Receive Freight Booking Update

To send the updated booking request to the SAP Business Network for Logistics, the ordering party can use the SOAP interface from TM on S/4HANA, `TransportationOrderBookingRequest_Out`. For more information on the API, see Provider API to Create Freight Booking Request.

6 - Forward Updated Booking Request

The carrier receives updated ocean freight booking requests in the **Confirm Freight Bookings (Ocean)** app and air freight booking requests in the **Confirm Freight Bookings (Air)** app. The carrier can review and confirm updated freight bookings sent by the ordering parties in these apps. Alternatively, the carrier can also use the `POST FreightBookingRequest` service in the public REST API, Consumer API for Freight Booking for Confirmation to view and manage the freight booking.

7 - Receive response to Freight Booking

The carrier can respond to the freight booking and either confirm or reject the booking in the **Confirm Freight Bookings (Ocean)** or **Confirm Freight Bookings (Air)** app. Alternatively, the carrier send their response to the ordering party using the `POST FreightBookingConfirmation` service in the public REST API, Provider API for Freight Booking for Confirmation.

8 - Send Booking Confirmation/Rejection

The ordering party receives the carrier's response in their external transportation system using the SOAP interface from TM on S/4HANA, `TransportationOrderBookingConfirmation_In`. For more information on the API, see Consumer API to Confirm Freight Booking.

Sending Waybill Notification

9 - Receive Waybill (Only for Ocean Scenario)

The ordering party can send a notification to the carrier about a waybill that is to be issued by a carrier. The information in the notification enables a carrier to issue a waybill with reference to a confirmation of a freight booking. To do so, the ordering party can use the SOAP interface from TM on S/4HANA, `TransportationOrderBookingWaybillNotification_Out`.

10 - Forward Shipping Instructions and VGM

The carrier receives the shipping instructions and verified gross mass (VGM) details in the **Confirm Freight Bookings (Ocean)** app and air freight booking requests in the **Confirm Freight Bookings (Air)** app. Alternatively, the carrier can also use the `POST FreightBookingWaybillNotification` service in the public REST API, Consumer API for Freight Booking for Confirmation to receive and process the freight booking.

Booking Cancellation Scenario

11 - Receive Booking Cancellation

The ordering party can send a freight booking cancellation request to the carrier using the SOAP interface from TM on S/4HANA, `TransportationOrderBookingCancellationRequest_Out`. For more information on the API, see Provider API to Cancel Freight Booking.

12 - Forward Booking Cancellation

The carrier receives the cancellation request from the ordering party in the **Confirm Freight Bookings (Ocean)** app for ocean freight bookings and **Confirm Freight Bookings (Air)** app for air freight bookings. Alternatively, the carrier can also use the POST `FreightBookingRequestCancellation` service in the public REST API, Consumer API for Freight Booking for Confirmation to view and manage the freight booking cancellation request.

Post confirmation of the freight booking, the ordering party can go ahead with the follow up processes in the external transportation system. The freight booking can send a track process creation request for reporting and tracking of events. For more information, see Track Freight Movement.


Track Freight Movement (Deprecated)

The carriers can provide updates to the ordering parties about the transportation of their freight. For example, if one of the delivery trucks is delayed on-route, the carrier can send the ordering party a new ETA (expected time of arrival), so the ordering party can replan if required. Additionally, the carriers can upload and send documents, such as proof of deliveries, to their ordering parties.

The ordering parties can view the status of the execution of their freight documents in the SAP Business Network for Logistics system. The ordering parties can view the planned and unplanned events in a freight document and the carrier's automated visibility data.

ℹ Note

This process is deprecated and replaced by the new process: Manage Freight Execution.



1 - Receive Freight Document for Tracking

To enable reporting of events by carriers and tracking of events by the ordering party, the ordering party can create a freight order for tracking and send it to the SAP Business Network for Logistics system using the SOAP interface from Transportation Management (TM) on S/4HANA, `TransportationOrderGenericTrackedProcessRequest_Out`. For more information on the API, see Provider API to Create or Update Track Process.

2 - Send Freight Document for Tracking

In the SAP Business Network for Logistics system, the carrier receives the create or update tracking request and can view and manage the request in the Freight Orders for Reporting app. The carrier can create a tracking request in their carrier network using the POST `LbnOrderforTracking` service in the public REST API, Consumer API for Order Tracking (FC). The carrier can receive the real-time event status, shipment position monitoring, geo-coordinates of truck or vessel location, and predictive estimated time of arrival information from their carrier network.

3 - Receive Events, Geo-Coordinates, and ETA

The carrier can send this information to their SAP Business Network for Logistics system using the **Freight Orders for Reporting** app. Alternatively, the carrier can use the Events service in the public REST API, Provider API for Order Events (FC) to report these events and locations.

4 - Update Freight Document with Events


The ordering parties can view the status of the execution of their freight documents in the Track Freight Movement app. The ordering parties can view information sent by the carrier. The ordering party can also update the freight order with the event information in their external transportation system using the SOAP interface from TM on S/4HANA, `TransportationEventBulkNotification_In`. For more information on the API, see Consumer API to Notify Events.

Post tracking, during the execution process, the execution status of the freight order is set as **In Execution**. On calculation of charges, the calculation status is set as **Calculated**. At this point, the freight order is sent to the carrier for settlement.

Manage Freight Execution

The carriers can provide updates to the ordering parties about the transportation of their freight. For example, if one of the delivery trucks is delayed on-route, the carrier can send the ordering party a new ETA (expected time of arrival), so the ordering party can replan if required. Additionally, the carriers can upload and send documents, such as proof of deliveries, to their ordering parties.

The ordering parties can view the status of the execution of their freight documents in the SAP Business Network for Logistics system. The ordering parties can view the planned and unplanned events in a freight document and the carrier's automated visibility data.



1 - Receive Freight Document for Tracking