Maintaining SAC Connection

To enable secured access to SAP Analytics Cloud (SAC), you must establish mutual trust between your Identity Authentication tenant and a tenant for the embedded analytics toolsets.

Context

In the **System Connections** app, proceed as follows:

Procedure

1. To add a connection, choose **Add** in the **Connections** view. Select SAP Analytics Cloud as the connection type, enter a connection ID and a system ID.
2. In the **Trust Configurations** view, select a name identifier for the trust configuration, and upload an XML file with the metadata. Save your entries. The **Status** will show **In Progress**.
3. Select **Refresh Status** a few times until the status changes to active or inactive.

Status	Description
In Progress	Trust configuration is in progress. SAP Business Network for Logistics is uploading the metadata file.
Active	Trust is established
Inactive	Error status on trust configuration

4. Choose **Download SAML Metadata** to download the metadata file for the SAC tenant.

   For more information, see the Administration Guide for SAP Business Network, intelligent insights add-on on SAP Help Portal at https://help.sap.com/viewer/product/SAP_LBN_II_OPTION, and choose *Authorize Users for Embedded Analytics Toolsets*.

Maintaining SAP Cloud ALM Connection

You can maintain the system URL and the credentials for a connection to your instance of SAP Cloud ALM so that the **Manage Integration Logs** app can send integration message logs to SAP Cloud ALM.

Context

In the **System Connections** app, proceed as follows:

Procedure

1. To add a connection, choose **Add** in the **Connections** view. Select **SAP Cloud ALM** as the connection type, enter a connection ID and a system ID.
2. Choose **Maintain Authentication Details**, then **Add**. Save your entries.
3. In the main view, maintain the system URL for SAP Cloud ALM and the authentication alias. Save your entries.
4. Activate the connection.

Configuring Links to Business Documents in External Systems

You – as a shipper – connect your TM systems to SAP Business Network Freight Collaboration using the **System Connections** app. You do so by creating a connection and configuring your inbound and outbound connections in the app. This facilitates a flow of messages between the two systems. To facilitate easy transition between the two systems, you can configure navigation links to business documents in your external systems (such as SAP Transportation Management standalone or Transportation Management embedded in SAP S/4HANA).

Context

In the **System Connections** app, under the same connection where you – as a shipper – have configured an inbound and outbound connection from the TM system, you can maintain the navigation links for business documents (freight orders and ocean freight bookings).

To configure a link to a business document, complete the following steps:

Procedure

1. In the **System Connections** app, locate the connection for which you want to create business document links on the left pane.

   ### ℹ Note

   You can create document links only for connections of the **ABAP-based SAP system** type.

2. Select **Create Document Links** in the upper-right corner. This opens the **Configure Document Links** panel. Then select **Create**.
3. In the **Create Document Link** dialog box, enter the following data:

Field	Purpose	Example Value
Document Type	You can navigate to the following business documents in your external system: • From the **Manage Disputes** app, you can navigate to freight orders. • From the **Track Freight Movement** app, you can navigate to ocean freight bookings.	Freight order
Base URL	Contains the protocol, host, domain, and port of the external target system.	https://uit210-tms001.au.sap.corp
Path	Path to the app in the external target system.	/sap/bc/ui5_ui5/ui2/ushell/shells/abap/FioriLaunchpad.html#FreightOrder-changeRoad

ℹ Note

To find the **Logical System Name**, start transaction `SE16`. Enter `LCRT_CLNTCACHE` as the table name and then view the entries.

The `BS_KEY_NAME` in the same row as the `SRTFD` (<SID><client>) of your system is the **Logical System Name** that you need to enter here.

4. **Optional:** Under **Parameters**, you can enter additional parameters and their related values. Multiple parameters can be added as a key-value pair. The key is always mandatory but the value is not. This is meant for the dynamic parameters, such as the document ID, which will be determined in the runtime by the application. The parameters in the URL are used to pass information from SAP Business Network for Logistics to the external system.

Example Parameter Name	Example Value
Document type	Freight order
Document id	61000001
sap-client	210
sap-ui-tech-hint	WDA

> **Note**
>
> For navigation to the shipper document to work flawlessly, the document links should be maintained in the same connection where the inbound and outbound connections to your source system are configured.

Related Information

For more specific instructions on how to derive the appropriate parameters for configuring links to business documents in different external systems, see:

Configuring Links with GetTransportationDocumentURI

Configuring Links for SAP S/4HANA systems

Configuring Links with GetTransportationDocumentURI

Once you – as a shipper admin – have connected your TM systems to SAP Business Network Freight Collaboration and created and configured your inbound and outbound connections using the **System Connections** app, you can configure navigation links to business documents in their external systems using the service GetTransportationDocumentURI.

Prerequisites

Your external system is either SAP Transportation Management standalone or Transportation Management embedded in SAP S/4HANA.

You have read the instructions in Configuring Links to Business Documents in External Systems and opened the **Create Document Link** dialog.

Context

In the **System Connections** app, under the same connection where you have configured an inbound and outbound connection from the TM system, you can maintain the navigation links for business documents (freight orders and ocean freight bookings).

To configure a link to a business document using the service GetTransportationDocumentURI, complete the following steps:

Procedure

1. Open the service GetTransportationDocumentURI under **SPROXY** > **Packages** > **/SCMTMS/CMN_PRX** > **Object Types** > **Service Providers** > **Objects** > **GetTransportationDocumentURI**.

2. > **Note**

Freight orders and freight bookings both use 1122 as BusinessTransactionDocumentTypeCode.

Sample Code

```
<?xml version="1.0" encoding="UTF-8"?>
<n0:GetTransportationDocumentURIRequest xmlns:n0="http://sap.com/xi/SAPGlobal20/Global">
    <TransportationDocumentIdentification BusinessScopeID="KV5_751">
        <BusinessTransactionDocumentID>6100003685</BusinessTransactionDocumentID>
        <BusinessTransactionDocumentTypeCode>1122</BusinessTransactionDocumentTypeCode>
        <LanguageCode>EN</LanguageCode>
    </TransportationDocumentIdentification>
</n0:GetTransportationDocumentURIRequest>
```

Execute this to retrieve the appropriate parameters.

3. #### Sample Code

```
<n0:GetTransportationDocumentURIResponse xmlns:n0="http://sap.com/xi/SAPGlobal20/Global"
    xmlns:prx="urn:sap.com:proxy:KV5:/1SAI/TAS3205226C154298854BEE:750">
    <TransportationDocumentURI>
        <WebURI>https://ldcikv5.wdf.sap.corp:44300/ui2/nwbc/~canvas;window=app/wda/scmtms/fre_
    </TransportationDocumentURI>
    <Log>
        <BusinessDocumentProcessingResultCode>3</BusinessDocumentProcessingResultCode>
    </Log>
</n0:GetTransportationDocumentURIResponse>
```

From the response, derive the values needed to complete the fields and parameters in the **Create Document Link** dialog. For example:

Field	Example Value
Logical System Name	C5V_001
Base URL	https://ldcikv5.wdf.sap.corp:44300
Path	/ui2/nwbc/~canvas;window=app/wda/scmtms/fre_order

Parameter Name	Example Value
sap-client	751
sap-language	EN (can be empty)
wdconfigurationid	%2fscmtms%2ffre_order

Additional parameters for opening the freight order directly:

Parameter Name	Value
id	(can be empty)
skip_initial_screen	x

Related Information

GetTransportationDocumentURI in SAP S/4HANA

GetTransportationDocumentURI in SAP Transportation Management

Configuring Links for SAP S/4HANA systems

Once you – as a shipper admin – have connected your TM systems to SAP Business Network Freight Collaboration and created and configured your inbound and outbound connections using the **System Connections** app, you can configure navigation links to business documents in their external systems using the URL from the Edit Road Freight Order screen.

Prerequisites

Your external system is Transportation Management embedded in SAP S/4HANA.

You have read the instructions in Configuring Links to Business Documents in External Systems and opened the **Create Document Link** dialog.

Context

In the **System Connections** app, under the same connection where you have configured an inbound and outbound connection from the TM system, you can maintain the navigation links for business documents (freight orders and ocean freight bookings).

To configure a link to a business document using the URL from the Edit Road Freight Order screen, complete the following steps:

Procedure

1. Open SAP Launchpad service. Navigate to **Order Management** > **Edit Road Freight Order** and copy the URL. Here is an example URL: `https://uyr201-qw9170.wdf.sap.corp/sap/bc/ui5_ui5/ui2/ushell/shells/abap/FioriLaunchpad.html#FreightOrder-changeRoad?sap-ui-tech-hint=WDA`
2. Separate the **Base URL** and **Path**.

Field	Example Value
Base URL	`https://uyr201-qw9170.wdf.sap.corp/`
Path	`/sap/bc/ui5_ui5/ui2/ushell/shells/abap/FioriLaunchpad.html#FreightOrder-changeRoad`

   If you want to open the document in display mode instead of edit mode, replace `changeRoad` at the end of the **Path** to `displayRoad`.
3. Derive the values needed to complete the parameters in the **Create Document Link** dialog. For example:

Parameter Name	Example Value
sap-client	`201`
sap-language	`EN (can be empty)`
sap-ui-tech-hint	`WDA`

   Additional parameters for opening the freight order directly:

Parameter Name	Value
id	(can be empty)

Parameter Name	Value
skip_initial_screen	x

Activating the Connection

After configuring and authenticating both inbound and outbound communication, you can activate the connection.

Procedure

1. To activate the connection, select the connection in the **Connections** column and choose **Activate Connections**.

   You must activate the inbound connection and outbound connection separately.

Inbound Status Information

Status	Description
New	You have created the connection but not yet added a certificate.
Active	You have activated the connection.
Inactive	The certificate has expired or you have deactivated the connection.

Outbound Status Information

Status	Description
New	You have created a connection but not yet added a destination.
Active	You have activated the connection.
Inactive	You have deactivated the connection.

2. Select the relevant options and choose **Save**.

Related Information

System Connections (Shipper)

Deactivating the Connection

You can deactivate an active connection.

Context

To deactivate an active connection, proceed as follows:

Procedure

1. To deactivate an ABAP-based connection, select the connection and choose **Activate Connections**.

2. Select if you want to deactivate an inbound connection or an outbound connection.
3. Choose **Save**.
4. The connection is set to **Inactive**.

Deleting the Connection

You can delete a connection.

Context

To delete a connection, proceed as follows:

Procedure

1. Before you can delete an ABAP-based connection, you must first delete the certificates within the inbound connection and the destination details in the outbound connection manually. Then choose **Delete Connection**.

   SAP Business Network for Logistics will show a warning about the impact on existing documents. The connectivity will be permanently terminated once you delete an ABAP-based connection. There might be some existing documents in the network created using the connection. After deletion, this connection will be lost forever.
2. To delete a connection of type **Qualtrics**, first deactivate the connection, then choose **Delete Connection**.
3. To delete a connection of type **SAP Analytics Cloud** (SAC), choose **Delete**.

Manage Alternate IDs (Shipper)

You can maintain alternate identifiers of your other accounts in the network. These identifiers shall be used in specific integration scenarios or in specific transaction flows in the network.

Additionally, the LBN ID of your tenant can be seen above the **Manage Alternate IDs** table as a read-only field.

SAP Business Network for Logistics supports the following alternate identifiers (alternate IDs):

- DUNS ID (Data Universal Numbering System ID)
- SCAC (Standard Carrier Alpha Code)
- Registration Number
- USDOT (US Department of Transportation)
- MC Number (Motor Carrier Number)
- Others
- GLN (Global Location Number)
- Technical User

To create your own alternate IDs, proceed as follows:

1. Choose **Manage Alternate IDs**.
2. Select an alternate ID type from the dropdown menu and type in the required value.
3. Choose **OK**.

You can also delete or change existing entries.

Configure Survey Delivery Settings

You as a shipper, may want to send event-based experience management surveys on a regular basis to your customers and carriers to get their feedback on the event execution experience. SAP Business Network for Logistics enables you to configure the delivery settings for the surveys that you maintain in the Qualtrics system.

Note that to maintain a connection from your SAP Business Network for Logistics system to the Qualtrics system, you must maintain the appropriate settings in the **System Connections** app. For more information, see Maintaining Qualtrics Connection.

You can create a user account in Qualtrics and create surveys based on the templates provided by SAP Business Network for Logistics. For more information on creating surveys in Qualtrics, see Customer Delivery Experience Management with Qualtrics.

In the **Configure Survey Delivery Settings** app, based on the settings you have defined, the system sends emails to the email IDs that you have maintained at regular intervals. You can also assign a survey to a specific scenario, location, carrier, and trigger condition.

Once the recipients receive the email, fill and submit the survey, the Qualtrics system collates all the feedback and provides the information on their experience. You can use this information to evaluate their experience.

ℹ Note

To use this app, you must add one or several roles to your role collection. The required role templates and application identifiers are described in the Available Roles for Shippers section of the Administration Guide for Shippers.

The **Configure Survey Delivery Settings** app consists of the following areas:

- **Filter bar**

  Using the filter bar in the header, you can filter the survey configurations using one or more of the following filters:

  - **Location**
  - **Carrier**
  - **Survey Name**
  - **Trigger Condition**
  - **Delivery Schedule**

- **Survey Delivery Configuration Worklist**

  You can view the list of survey configurations that you have already created. When you choose a configuration, the system displays the details on the right pane.

  Note that when you choose the location name and carrier name you can view the additional details of the location in a dialog box. If you have chosen **All Carriers** in the carrier setting, you cannot view the additional details.

Defining a Survey Delivery Configuration

To define a survey delivery configuration, choose **Create**. The **Create New Survey Delivery Configuration** pane appears on the right. On this pane, enter the following information:

- **Scenario**

Select a scenario from the drop-down menu that contains the list of pre-defined business scenarios. Note that as of now, **Customer Delivery** is the only available scenario.

- **Location**

  Select a location from the input help. Note that these are the locations that you have maintained in the **Manage Locations** app.

- **Carrier**

  Select either **All Carriers** or a carrier from the input help that contains the list of carriers. Note that the system selects **All Carriers** by default when you create a new survey delivery configuration.

- **Trigger Condition**

  Specify on what event you want the delivery to be triggered. Select one or more events from the drop-down menu that contains the pre-defined events. When you select more than one event, the system triggers email delivery on the occurrence of each event based on the delivery schedule and delivery frequency settings.

- **Survey Name**

  Contains the list of survey names. These are the surveys that you have created in the Qualtrics system. Select a survey that must be sent for this scenario.

- **Recipients**

  Enter the list of email addresses to which the survey email must be sent.

  When you choose the input help, the system displays the list of email addresses that you have maintained in the **Manage Locations** app for the selected location. You can select one or more email addresses from the input help to which the survey email must be sent.

- **Delivery Schedule**

  Specify whether you want the delivery to be done every n events or every n days. You define the value of n in the **Delivery Frequency** field.

  Note that the system selects **Every N Events** by default when you create a new survey delivery configuration.

- **Delivery Frequency**

  Specify a number. The value that you specify here aligns with the **Delivery Schedule**.

  For example, if you have selected the **Delivery Schedule** as **Every N Events** and specified the **Delivery Frequency** as **10**, then the system schedules the survey email to be sent on completion of every 10 events.

  Note that the system selects **1** by default when you create a new survey delivery configuration.

ℹ Note

- All the above fields are mandatory.
- You cannot maintain more than one survey delivery configuration for a specific combination of scenario, location, and carrier.

  For example, if you have created a survey delivery configuration with the scenario as **Customer Delivery**, location as **Location A**, and carrier as **Carrier X**, you cannot create another survey delivery configuration with the same attributes.

  However, you can create a configuration with the scenario as **Customer Delivery**, location as **Location A**, and carrier as **All Carriers**. In this case, when a survey must be sent to the carrier X, the settings with the carrier as **Carrier X** takes precedence over the settings for all carriers.

When you choose **Save**, the system saves the survey delivery configuration.

More Information

- Maintaining Qualtrics Connection
- Configure Survey Delivery Settings
- Customer Delivery Experience Management with Qualtrics

Dock Appointment Scheduling

Dock appointment scheduling in SAP Business Network Freight Collaboration allows shippers to book appointments for loading and unloading services. Integration with external systems like SAP EWM and SAP TM is possible, and APIs are available for appointment creation and cancellation.

As a shipper, you can use dock appointment scheduling functionality in SAP Business Network Freight Collaboration to book dock appointments for a loading point on behalf of the carrier for loading or unloading services in the docking locations of your organization.

You can create dock appointments for confirmed freight orders in SAP Business Network for Logistics. You can also integrate dock appointment scheduling functionality in SAP Business Network for Logistics with external systems such as SAP Extended Warehouse Management (SAP EWM), Extended Warehouse Management (EWM) on SAP S/4HANA, SAP Transportation Management (SAP TM), and Transportation Management on SAP S/4HANA. For this integration, SAP offers APIs to trigger appointment creation and cancelation from an external system to SAP Business Network for Logistics system and send the appointment confirmation from SAP Business Network for Logistics system to your external system.

Additional Information

The following table provides the links to some of the important information relevant to dock appointment scheduling:

Topic	Link
SAP Business Accelerator Hub	https://help.sap.com/viewer/disclaimer-for-links?q=https://api.sap.com/package/LbnFreightCollaborationTenderingSubcontracting%3Fsection=Overview
Consumer API for Dock Appointment Scheduling	https://help.sap.com/docs/business-network-freight-collaboration/apis-in-sap-business-network-freight-collaboration/consumer-api-for-dock-appointment-scheduling
Provider API for Dock Appointment Scheduling	https://help.sap.com/docs/business-network-freight-collaboration/apis-in-sap-business-network-freight-collaboration/provider-api-for-dock-appointment-scheduling
Provider API for Dock Appointment Cancellation	https://help.sap.com/docs/business-network-freight-collaboration/apis-in-sap-business-network-freight-collaboration/provider-api-for-dock-appointment-cancellation
Provider API to Manage Gate Operations	https://help.sap.com/docs/business-network-freight-collaboration/apis-in-sap-business-network-freight-collaboration/provider-api-to-manage-gate-operations
Consumer API to Manage Gate Operations	https://help.sap.com/docs/business-network-freight-collaboration/apis-in-sap-business-network-freight-collaboration/consumer-api-to-manage-gate-operations
How-To Guide to Access Dock Appointment Scheduling from External Systems	https://d.dam.sap.com/s/c/a/PXidvs2/How-ToGuide_ExternalURLs.pdf
Integration between SAP Yard Logistics for SAP S/4HANA and SAP Business Network for Logistics	https://help.sap.com/viewer/6b743a3f2b1a4cf3a2b8941d22a4b5c2/2009/en-US/615895cf4a284a3085beaf7c815018a9.html