Manage Business Profile	Company Profile
	You can view the LBN ID by choosing **Manage Alternate IDs** in the System Connections app.
Company Role	N/A
Account Type	N/A
Connection Status	Relationship status
Address	Address and Additional Addresses See Creating Additional Addresses.
Contact Details	Contacts See Managing Contact Information.
Year of Inception	Year Founded
Gross Revenue in USD	Revenue
Employee strength	Number of Employees
Industry Group	N/A
Industry	Industries Served
Geographical Coverage	Ship-to and Service Location
Make my business profile visible to potential business partners	Moved to Profile Settings.
Automatically accept connection requests	Moved to the Manage Invitations app See Settings on Invitations.
Alternate Identifier	Moved to the System Conections app
Created By	N/A
Created On	N/A
Changed By	N/A
Changed On	Last Updated

Edit Company Profile

Use this procedure to edit your **Company Profile** information and ensure that it's complete and accurate to attract the most business partners.

1. On the **Company Profile** page, click a pencil icon to edit the information in a section, and enter or revise values as necessary. Note the following constraints and guidelines when you edit your company profile:

    - **Company D-U-N-S Number**—A nine-digit number issued by Dun & Bradstreet, Inc. to identify each corporate location of an organization. You can obtain a D-U-N-S number or look up your company's existing number on Dun & Bradstreet's website, https://www.dnb.com .

    - **Supplier Legal Form**—Choose the type of business entity or legal status of your company from the dropdown. The list of values varies per country/region.

- **Year Founded**—Enter the year in yyyy format.
- **Number of Employees**—The approximate number of people who work for your organization.
- **Annual Revenue**—Select a currency range. If you prefer not to state your annual revenue, scroll to the bottom of the list and select **Contact Company for Information**.
- **Business Type**—Check the business types that apply to your company.
- **Product and Service Categories**—Select your company's products and services by clicking **Add Category**.
- **Ship-to or Service Location**—Select the locations your company ships to or serves by clicking **Add Locations**.
- **Industries Served**—Select the industries your company serves.

2. Click **Save** when you finish editing a section.
3. To add additional addresses to your company profile, select **Additional Addresses** from the left navigation pane. For detailed information, see Creating Additional Addresses.
4. To add contact information to your company profile, select **Contacts** from the left navigation pane. For detailed information, see Managing Contact Information.

Creating Additional Addresses

To add an additional address to your company profile, follow these steps:

1. Select **Additional Addresses** from the left navigation pane of the **Company Profile** page.
2. On the **Additional Addresses** page, click **Create**.
3. On the **Create Address** page, specify the following fields:
   - **Address Name** (Mandatory): Give a unique name to easily identify this address.
   - **Address Type**: Specify the type of address.
   - **Country/Region** (Mandatory): Specify the country or region where the address is located.
   - **Address Line 1** (Mandatory): Enter the primary address information.
   - **Address Line 2** (Optional): Include additional address details, if applicable.
   - **Address Line 3** (Optional): Include further address details, if necessary.
   - **City** (Mandatory): Specify the city where the address is located.
   - **State** (Mandatory): Provide the state or region where the address is situated.
   - **Zip** (Mandatory): Enter the postal or ZIP code for the address.
   - **Contact**: You can add contact details associated with this address, including:
     - **Phone Number**: This field is mandatory.
     - **Mobile Number**: Optionally provide a mobile contact number.
     - **Fax Number**: If applicable, provide a fax number.
     - **Email**: This field is mandatory for email communication regarding this address.
4. Once all required information is entered, click **Save**.

The new address will appear in the **Addresses** table.

5. Repeat the process to add more addresses.

Managing Contact Information

Companywide Contact

Companywide contacts have their contact information accessible to both current and potential business partners on the network.

Assign individuals in your company as companywide contacts. This ensures that your business partners know the right people to contact for various issues or questions. To do this, follow these steps:

1. Select **Contacts** from the left navigation pane of the **Company Profile** page.
2. Click **Create** in the upper right corner of the **Contact Personnel with Companywide Assignments** table.
3. On the **Create Contact Personnel Entry** page, specify the basic information and address of the contact.

   The basic information includes **Contact Name**, **Email**, **Business Title**, **Phone**, **Fax**, and **Company Assignment**. Each contact must have a name, phone number, and email.

   The **Company Assignment** field specifies the companywide roles assigned to a contact. If this field is specified, the contact is designated as a companywide contact for the selected role, and their contact information is accessible to all business partners on the network. Each contact personnel can be assigned with multiple companywide roles.
4. After providing the necessary information, click **Create**.
5. To edit a contact, click **Edit** in the upper right corner of the table.
6. To delete a contact, Click **Delete** in the upper right corner of the table.

   After a contact is deleted, all its assignments will be removed as well.

Profile Settings

You can specify the visibility and availability of your company profile on the **Profile Settings** page. If you are a shipper or solution owner, before trying to connect with business partners that operate in a different data center, you must first make your company profile available across all data centers of SAP Business Network for Logistics.

Steps to Configure Profile Settings

1. Open your company profile.
2. Click the **Options** menu in the upper-right corner of your profile and select **Profile settings**.
3. On the **Profile Settings** page, locate the section labeled **Search Results Visibility**:

   a. Toggle **Show my profile in search results** to allow your profile to appear in search results.

      This setting determines whether your company profile is visible to potential business partners in their search results. Once your company profile becomes visible, shippers or solution owners can discover your company on the network and send you connection requests for further partnership.

      Default value: Yes

b. Toggle **Replicate to global regions of SAP Business Network** to allow profile data replication across data centers.

This setting determines whether your profile data will be replicated to other data centers in SAP Business Network for Logistics. For carriers and data providers, this setting is enabled by default. Shippers and solution owners need to enable it manually.

> **Note**
>
> Once enabled, this setting cannot be reversed.

4. Click **Save** to confirm your settings.

Results

- Once **Show my profile in search results** is enabled, your profile will become searchable and visible to potential business partners. Otherwise, your company profile will not be shown in any search results, and thus, no business partners can reach you for further connections.
- Once **Replicate to global regions of SAP Business Network** is enabled, your company profile data will be replicated across all data centers of SAP Business Network for Logistics. Future updates to your profile will also be automatically synchronized across all data centers. For shippers and solution owners, enabling this setting allows for establishing cross-data-center connections. If this setting is not enabled, your company profile will be only available in the data center where you initially onboarded. As a result, no cross-data-center connections can be established.

Manage Integration Logs

The **Manage Integration Logs** app allows you to monitor the inbound and outbound messages that are processed from SAP Business Network for Logistics. You can view the integration logs using this app.

For solution owners, to navigate to this app, you need to launch the View Logs app first on the SAP Fiori launchpad. Then click **Manage Integration Logs** in the **Quick Links** section.

This can be integration logs between SAP Business Network for Logistics and SAP S/4HANA or any other backend SAP system (such as SAP Transportation Management) or any API or EDI system of carriers, network partners, network participants, or similar. Since SAP Business Network for Logistics follows a single integration system design for all customers and other partners, the **Manage Integration Logs** app aims to provide a visibility into integration logs for a particular customer or partner. Only the technical parties involved in an integration log can view the same in the app, ensuring data separation across all customers. The app also provides access to customer-facing payloads and enables the reprocessing of failed integration logs. The app provides standard SAP Business Network for Logistics integration logs only.

> **Note**
>
> To use the app, you must add one or several roles to your role collection. The required role templates and application identifiers are described in the Available Roles for Solution Owners section and the Available Roles for Data Contributors section of the *Administration Guide for Solution Owners*.

For instructions on how to use the app, open the in-app help by selecting ⓘ.

Shippers and solution owners can use the following features:

- You can search based on document ID and date/time.
- You can use separate tabs for **Logs** and **Documents**:

  - In the **Logs** tab, there are two predefined filters: **All** (includes all messages in all statuses) and **Failed** (includes messages in status **Failed** or **Escalated**). Individual messages sent to or from SAP Business Network for Logistics are listed here.
  - The **Documents** tab provides an aggregated view based on predefined scenarios. Each scenario is a collection of document types based on SAP Business Network for Logistics apps. For more information about available scenarios, see Scenarios.
  - For each scenario, the **Manage Integration Logs** app provides an overall status. The status in the **Documents** tab is the status of the latest integration log within the aggregated scenario.

- You can reprocess escalated messages from either of the tabs.
- You can sort and filter on column level.
- You can download the table content to a Microsoft Excel file.
- You can view the payloads and error logs within the app.
- You can download the payloads.

Carriers and data contributors can only view the **Logs** tab.

Scenarios

Each scenario is a collection of document types based on SAP Business Network for Logistics apps.

SAP Business Network for Logistics supports the following scenarios and message types in the **Manage Integration Logs** app:

Scenario	Message Type
Dock Appointment Scheduling	GenericAppointment_In
Dock Appointment Scheduling	GenericAppointmentCancellation_In
Dock Appointment Scheduling	AppointmentConfirmation
Freight Settlement	TransportationOrderRequest-Settlement
Freight Settlement	TransportationOrderChargeElementRequest
Freight Settlement	TransportationOrderChargeElementConfirmationMessage
Freight Settlement	InvoiceRequest
Freight Settlement	LogisticsInvoiceCancel
Freight Settlement	LogisticsInvoice
Freight Settlement	BNTransportationOrderChargeElementRequest
Freight Document Response	FreightDocumentResponse
Gate Operations	GenericGateProcess_In
Gate Operations	GenericGateProcess_Out
Generic Freight Document	PostFreightDocumentGenericRequest

Scenario	Message Type
Generic Freight Document	DeleteFreightDocumentGenericRequest
Generic Freight Document	TransportationOrderGenericRequest_In
Generic Freight Document	TransportationOrderGenericRequest_Out
Location	LocationBulkReplicationRequest
Location	PutLocationData
Location	DeleteLocationData
Material Traceability	MaterialTraceabilityEventNotificationMessage
Material Traceability	PostMaterialTraceabilityEventNotification
Freight Booking	TransportationOrderBookingRequest
Freight Booking	TransportationOrderBookingConfirmation
Freight Booking	TransportationOrderBookingCancellationRequest
Freight Booking	PostFreightBookingRequest
Freight Booking	PostFreightBookingCancellation
Freight Booking	PostFreightBookingConfirmation
Freight Booking	BNAttachmentForConfirmation
Risk Analysis	UpdateLocationRisk
Freight Subcontracting	TransportationOrderRequest
Freight Subcontracting	TransportationOrderCancellationRequest
Freight Subcontracting	TransportationOrderConfirmation
Freight Subcontracting	PostFreightOrderForSubcontractingNotification
Freight Subcontracting	PostFreightOrderForSubcontractingCancellation
Freight Subcontracting	PutFreightOrderForSubcontracting
Freight Subcontracting	PostFreightOrderForSubcontracting
Freight Subcontracting	FreightOrderForSubcontracting_RE
Freight Subcontracting	FreightOrderForSubcontracting_CN
Freight Subcontracting	FreightOrderForSubcontracting_UP
Freight Subcontracting	ANSI - 990
Freight Subcontracting	IFTMIN
Settlement Disputes	TransportationDisputeCaseNotification
Settlement Disputes	TransportationDisputeCaseNotification_Out
Settlement Disputes	TransportationDisputeCaseNotification_In

Scenario	Message Type
Tendering	TransportationOrderQuotationCreateRequest
Tendering	TransportationOrderQuotationCancellationRequest
Tendering	TransportationOrderQuotationCancellation
Tendering	TransportationOrderQuotationNotification
Tendering	QuotationConfirmation
Tendering	PostFreightRequestForQuotationCancellation
Tendering	PostFreightRequestForQuotation
Tendering	PostFreightQuotationNotification
Tendering	FreightQuotation_AP
Tendering	FreightQuotation_RE
Tracking	TransportationOrderGenericTrackedProcessRequest
Tracking	TransportationEventBulkNotification
Tracking	PutOrderForTracking
Tracking	DeleteOrderForTracking
Tracking	OrderEvents
Tracking	ANSI - 214
Tracking	IFTSTA

Available Statuses

A message in the **Manage Integration Logs** app can have different statuses.

The following statuses are available:

- **Completed**: The system assigns this status to a message when SAP Business Network for Logistics was able to process the document successfully.
- **Failed**: The system assigns this status to a message when there is a validation error that occurred during the first step of processing of the message. This can happen if there is a payload issue, missing mandatory fields, or a missing configuration.
- **Retry**: Depending on the nature of the error and the settings in the consuming application, an integration log can go to retry mode. In such cases, the log retries for a couple of times ranging from a couple of minutes to 30 minutes, after which the status goes into a final status – **Completed** or **Escalated**.
- **Escalated**: The system assigns this status to a message when the processing failed in backend of an app, or in an external API, or in the customer's backend SAP system. This usually denotes a connectivity failure at any of the above mentioned places. Reasons could be that a service is not available for a long period, or that there is an authentication issue, or some basic connectivity failure due to misconfigurations, or technical failures in a backend system. You can find a more detailed error information when you click the icon in the **Log Details** column.

The **Error** column displays the error code and description that the affected app sends when a call to SAP Business Network for Logistics fails. The description provides you with a more concrete context of the issue. You can sort or filter by error code to identify the logs with common failures, and take corrective actions (such as reprocessing the messages, fixing the root cause of the issue, informing SAP support about the error).

- **Reprocessing**: The system assigns this status to a message while it's being reprocessed. After you solve the configuration or connectivity issue in SAP Business Network for Logistics and select the **Reprocess** button, the system moves the message to this status. While a message has this status, you should just wait for it to complete reprocessing.

The overall status is derived from the latest status of an individual log associated with the scenario.

Flow Direction

Systems involved in message flow

The **Manage Integration Logs** app allows you to monitor the inbound and outbound messages that are being sent between the different systems involved. The following flow directions are available:

- SAP S/4HANA to Network
- Network to SAP S/4HANA
- Network to External System
- External System to Network
- Network to Network

ℹ Note

SAP S/4HANA can be either SAP S/4HANA (on-premise) or SAP S/4HANA Cloud Private Edition. Both two systems have the Transportation Management (TM) component embedded, which can work with SAP Business Network Global Track and Trace.

Network refers to a product or solution within the SAP Business Network family.

External System refers to a non-SAP system. This can, for example, be an API system or an EDI server.

Error Codes

The **Manage Integration Logs** app categorizes and displays error codes for communication failures between different systems.

The **Manage Integration Logs**SAP Business Network for Logistics app displays error codes when the communication between the different systems involved (SAP Business Network for Logistics, SAP S/4HANA or any other backend SAP system, such as SAP Transportation Management, or any API or EDI system) fails.

The **Manage Integration Logs** app can categorize integration log errors based on the error response captured. When an error occurs in a backend SAP Business Network for Logistics app, this app provides an error code in the response, which can then be shown in the **Manage Integration Logs** app under **Error** along with their translated descriptions. SAP Business Network for Logistics tries to capture the HTTP response codes while communicating to an external system, and for internal systems where it doesn't find a category code. We categorize the error messages as far as possible.

You can sort or filter by error code to identify the logs with common failures, and take corrective actions (such as reprocessing the messages, fixing the root cause of the issue, informing SAP support about the error).

The following error codes are available in the **Manage Integration Logs** app:

Error Codes in Manage Integration Logs App

Error Code	Description
20	Bad credentials
21	EventType and ReferenceEventType combination is invalid for Events
22	Stops are either not available or more than one stop is available
23	Message failed to be sent to Kafka
24	Invalid file extension of attachment document
25	Attachment document size is too large
26	Error occurred while serializing consumer Data transformation object
27	Error occurred while consuming HCI service
28	Attachment document could not be created
29	Attachment document not found
30	Unable to delete the attachment document
31	Error occurred while creating a folder for attachments
32	Invalid value
33	File size exceeded
34	File name is invalid
35	Error in processing input data
36	Document not found
37	Unable to verify folder
38	An error occurred while processing the attachment
39	An attachment with the same name exists already
40	An exception occurred while forwarding the message to the integration layer
41	Database resource access error occurred.
101	[SAP Internal] Connectivity platform configuration error
102	Missing necessary connectivity configurations at customer side
103	Can't determine valid parties in the payload
104	Payload size restriction
105	Rate limit Exceeded
106	Missing relationship of parties in the payload

Error Code	Description
107	Missing necessary tenant configurations
108	Missing necessary connectivity configurations
109	Can't determine a valid external API communication configuration
110	Payload parsing error
111	Invalid document type
112	Missing necessary connectivity runtime configurations
113	Payload schema validation error
400	HTTP: Bad request
401	HTTP: Unauthorized
403	HTTP: Forbidden
404	HTTP: Not found
405	HTTP: Method not allowed
408	HTTP: Request timeout
409	HTTP: Conflict
412	HTTP: Precondition failed
429	HTTP: Too many requests
500	HTTP: Internal server error
501	HTTP: Not implemented
502	HTTP: Bad gateway
503	HTTP: Service unavailable
504	HTTP: Gateway timeout
1000	Unknown error
1400	Request contains invalid parameters
1403	Requested location does not belong to requester
1405	Method not allowed
1500	Internal server error
2002	Error occurred while fetching business partner information
2003	Failed to get attachment from public URL for document
2004	Version is not provided for freight order
2005	Version is outdated for freight order