Error Code	Description
2006	Freight orders with the document category as shipment cannot be confirmed
2007	Stream copy failed for the document
2008	The country code of the plate number is not valid
2009	Stop ID or location ID provided does not exist
2010	Stop ID cannot be null
2011	Location ID cannot be null
2012	Event code cannot be null
2013	No reference found for freight Order
2014	MIME Type is not supported
2015	No valid scenario identified
2016	Event code provided is not supported
2017	Unable to serialize transportation document
2018	Unable to find the transportation document. Please use a valid document identifier.
2019	Stage item assignment not possible as item ID does not exists
2020	The transport mode code for the transportation document cannot be null or blank
2021	Response to freight order is no longer possible
2022	Freight order cannot be confirmed/rejected
2023	Note provided with empty creation date for freight order
2024	Arrival time of freight order is in the past
2026	Price proposal is available, but currency is missing for freight order
2027	Price proposal can no longer be changed for the freight order
2028	Price proposal cannot be changed for the freight order
2029	Category code for the transportation document must be TO or BO
2030	Price is not negotiable for the freight order
2032	Unable to skip event. This is the last event in the freight order.
2033	Action is not possible
2034	Exception occurred during persistence
2035	Service URLs for event notification are not available
2036	Data incomplete for events

Error Code	Description
2040	Freight order with provided technicalId does not exist
2041	Error occurred while updating the event
2042	Error occurred while updating the event info in freight order
2044	Error updating attachments
2045	Events data is not provided
2046	Location data is not provided
2047	Stops data is not provided
2048	Error occurred while creating the event
2049	Call to central freight document failed
2050	The Internal ID for the business partner cannot be null or blank
2051	Currency cannot be changed for the charge items
2052	Charges cannot be changed for the freight order
2053	Unable to find the charge item ID
2054	Charges cannot be updated for the freight order
2055	Charge item ID and charge line number cannot be null
2056	Unable to find the charge line number
2057	Exchange rate date not provided
2058	Unable to find the freight order
2059	Changes to driver and resource details are not supported for consignment orders
2300	Either the request for quotation was changed during processing or the version is outdated
2302	Attachment document folder could not be created
2303	Invalid or missing host entity parameter
2304	Unabe to create attachment for RFQ
2307	Proposed start of appointment is later than proposed end
2308	Proposed start of appointment is earlier than acceptable start
2309	Proposed end of appointment is later than acceptable end
2310	Proposed end of appointment is earlier than acceptable start
2311	Proposed start of appointment is later than acceptable end
2312	Proposed end of appointment is later than proposed start of next stop

Error Code	Description
2313	Notes without creation date provided for RFQ
2314	Both price proposal and currency must be available
2315	Rejection reason code is unknown / not found
2316	Request for Quotation could not be found
2317	Response to request for quotation is no longer open / possible
2318	Request for quotation dates are not negotiable
2319	Request for quotation price is not negotiable
2320	Either the request for quotation version is not provided or it is outdated
2321	CPI URL for accepting / rejecting quotations is incorrect
2324	Request for quotation exists already
2327	Error in document encoding
2328	Lower limit in the range is not a number
2329	Upper limit in the range is not a number
2330	Upper limit is lower than lower limit
2331	Exception occurred while processing JSON
2332	Price proposal currency cannot be changed for RFQ
2500	Confirmation status rejected
2501	Confirmation status is invalid
2502	Confirmation failed
2503	Rejection failed
2504	Transmission status is failed
2505	Freight booking request has been rejected as the ordinal number is older
2506	Freight booking confirmation response has been rejected as the ordinal number is older
2507	Freight booking shipping instruction notification has been rejected as the ordinal number is older
2509	Exception while fetching Location details for the business partner
2510	Exception occurred while processing confirmation/rejection message due to payload
2511	Freight booking confirmation has been rejected as the booking has already been canceled

Error Code	Description
2512	Freight booking shipping instruction has been rejected as the booking has already been canceled
2513	Unable to find the freight booking with the provided technical ID
2514	Unable to find freight booking confirmation for the provided technical ID
2516	Incorrect Freight booking technical ID
2517	Unable to find the transportation order booking
2518	Incorrect freight booking ID
2519	Incorrect aceptance status code
2520	Unable to find the base business transaction document reference
2521	Incorrect base business transaction document reference
2522	Incorrect base business transaction document reference type code
2523	Incorrect LBN ID
2524	Unable to find the sender party
2525	Unable to find the recipient Party could not be found
2526	Unable to find the document recipient party
2527	Incorrect time zone
2529	Exception occurred while processing confirmation/rejection message
2530	The base reference document header GUID or the freight booking GUID can not be null
2531	Freight booking confirmation failed as the shipper has not maintained the required configuration for adding attachments
3001	Invoice update failed
3002	Unable to submit dispute
3003	Unable to fetch charge type mapping
3004	Inappropriate appointment status
3005	Carrier invoice exists already
3006	Assign Charge Codes app contains duplicate charge codes
3007	Charge code mapping unavailable
3008	Final amount cannot be zero
3009	Currency values are mismatching
3010	Incorrect base document type

Error Code	Description
3011	Incorrect sender system and ordering party details
3012	Calculation level mismatch
3013	Business partner details unavailable
3014	Charge items not found
3015	Unable to notify freight document about invoice creation
3016	Adding attachments is mandatory
3017	Cannot submit inconsistent invoice
3018	Found multiple existing appointments
3019	Invalid appointment
3020	Invoice submission failed
3021	Inconsistent data In freight document
3022	Freight document is not updated
3023	Duplicate charge line exists
3024	Freight document does not contain ordering party information
3025	Invoice dispute creation failed
3026	Unable to the fetch freight document
3027	Freight documents are malformed
3028	Please provide a freight document
3029	Unable to generate an invoice ID
3030	Dispute reference not found
3031	Invoice does not exist
3032	Invoice has already been cancelled
3033	Invoice has already been rejected
3034	Invoice has the status as API Invoice Error
3035	Credit memo ID exists already. Enter a different ID.
3036	Freight document is not updated as the dispute could not be updated
3037	JSON payload validation failed.
3038	Carrier not present in the request
3039	Freight document is not in execution status
3040	The request to save freight documents is not authorized

Error Code	Description
3041	PID of shipper system not maintained
3042	Secure store URL is not configured
3043	Document service repository URL is not configured
3044	Document service repository ID is not configured
3045	Document service Test Document ID is not configured
3046	Consuming Application name is not configured
3047	Repository credentials unavailable
3048	Unable to parse business partner repository data
3049	Unable to fetch business partner ID from business partner repository
3050	Communication with Manage Disputes app failed
3051	No calculation basis present in the freight document
3052	Dispute ID is missing in TM acknowledgement payload
3053	Dispute is not found in the Manage Invoices app
3054	Document update not allowed
3055	Self-billing dispute creation from external system is not allowed
3056	Rate amount and final amount must be the same for unplanned charges
3057	Rate amount currency and final amount currency must be the same for unplanned charges
3058	Percentage rate is not allowed for unplanned charges
3059	Active invoice may already exist for the selected freight document or invoice may have been submitted to the shipper for review
3060	Invoice amount must be greater than zero
3061	Invalid attachment file name
3062	Invalid attachment file type
3063	Invalid attachment file content
3064	An attachment with the same name exists already. Please provide a different name
3065	Final amount cannot be zero for charge lines
3066	Tax amount cannot be negative
3067	Sum of all the pricing elements and item taxes is not equal to the item gross amount
3068	Sum of all the tax amount not matching with total tax amount

Error Code	Description
3069	Charge type cannot be invoiced as an unplanned charge as the shipper has not enabled the necessary settings. Please contact the shipper to invoice this charge type.
3071	Charge line is already invoiced
3073	Unable to update the invoice status as the status is already up-to-date
3074	Invoice with this ID does not exist
3075	Cannot update the invoice status as you have not filled all the mandatory field
3076	Duplicate charge items exist
3077	Document reference type code not present
3078	Freight order update rejected. The timestamp provided is older than the existing one.
3079	Invalid tax code.
3080	Cannot create an invoice for a cancelled freight document
3081	The final amount in the invoice and the freight order must be the same
3082	Charge type ADJ cannot be an unplanned charge
3084	Freight document ID is not found for the alternate IDs provided
3085	Alternate IDs cannot be empty for the specified category
3086	Alternate ID type code does not match the selected category
3087	Alternate ID category is not supported
3088	Either alternate ID category or freight document ID must be provided
3089	Alternate ID category must be provided when alternate IDs are present
3090	Multiple freight order IDs found for the same alternate ID combination
3091	One or more required alternate ID type codes are missing for the selected category
3093	The currency of the rate amount in the invoice and in the freight order must be the same
4001	Invalid appointment date/time
4002	Invalid appointment type code
4003	Invalid docking location or loading point
4004	Inappropriate appointment status

Error Code	Description
4005	Invalid appointment duration
4006	Invalid time slot
4007	Time slots unavailable
4008	Unable to find the gate
4009	Unable to find the gate logbook
4010	Unable to update a gate logbook
4011	Invalid gate for gate logbook
4012	Invalid license plate number
4013	Appointments not found
4014	Invalid appointment status
4015	Gate logbook cannot be updated as the status is invalid
4016	Invalid location
4017	Found multiple existing appointments
4018	Invalid appointment
4019	Invalid gate for appointment
4020	Unable to create gate logbook
4021	Error occurred while updating the gate logbook
5001	The value of 'trackId' is not provided in the Response body of 'PutOrderForTracking'. Contact your visibility provider or carrier.
5002	Request body format error
5003	Time zone format incorrect

Reprocessing Integration Messages

When integration messages fail to reach the target system, this is reported in a message log. Depending on the kind of error, it can help to reprocess an integration message. However, not all integration messages can be reprocessed.

You can manually reprocess integration messages with the status **Failed** or **Escalated**. To do so, proceed as follows:

1. Select a message, or multiple messages, in the table.
2. Choose **Reprocess**.

When an escalated/failed message is reprocessed, newer logs are created in the internal integration system. When you try to reprocess an already reprocessed message, the **Manage Integration Logs** app refers to the latest logs in the internal integration system.

The reprocessing of a message is limited to 29 days. After 30 days, you won't be able to reprocess the message or download the payload. Log details are available to be viewed for 90 days.

For reprocessing purposes, there are two columns available:

- **Reprocessed**: Indicates whether an integration message has already been reprocessed or not.
- **Reprocessable**: Indicates whether a message log can be reprocessed or not. Not all messages with status **Failed** or **Escalated** are eligible for reprocessing. This is usually determined by a uniqueness check of a combination of several fields such as **Sender**, **Document ID**, **Document Type**, and **Source System**. In certain cases, the check is also extended to additional information, such as **Event Type** or **Reported Time**.

An integration message with status **Failed** or **Escalated** is the latest one in chronological order when grouped together with **Sender**, **Document ID**, **Document Type**, and **Source System**.

Example: A subcontracting request (`TransportationOrderRequest`) is sent from the transportation management (TM) system of a shipper to SAP Business Network for Logistics and fails. The same document is updated in the TM system and sent again. In such cases, SAP Business Network for Logistics would allow the reprocessing of the latest message only. The older integration messages will have the **Reprocessable** value set to **No**.

The same applies when the latest integration message from the TM system has the status **Completed**. Older messages with status **Failed** or **Escalated** are not eligible for reprocessing. Hence, the **Reprocessable** value is set to **No**.

In certain cases, such as an event notification in a tracking scenario, the event type and the reported time are also considered.

Example: If multiple events reported by a carrier or a carrier system fail in SAP Business Network for Logistics, all of these are relevant for reprocessing. In the uniqueness check, event type and reported time information is considered too. Thus, for the same freight order ID, shipper, document type (`TransportationEventBulkNotification`), and source system, it's possible to reprocess escalated logs for `DepartureEvent`, `ArrivalEvent`, etc. And for all these event logs, the **Reprocessable** value is set to **Yes**.

Automatic Reprocessing of Integration Messages

In addition to the conditions mentioned above, integration messages must meet the following prerequisites to be auto-reprocessed:

- The messages are reprocessable.
- The messages have not been reprocessed earlier (either manually or automatically).
- Either the sender or the receiver of the message has a tenant of type **Default** (productive tenant). Auto-reprocessing is not supported for test tenants.
- The messages failed with an error code that is eligible for auto-reprocessing.

Automatic reprocessing is supported for the following error codes:

Error Codes Eligible for Auto-Reprocessing

Error Code	Description
102	Missing necessary connectivity configurations at customer side
107	Missing necessary tenant configurations
108	Missing necessary connectivity configurations

Error Code	Description
112	Cloud Foundry destination method for network could not be determined

For the above error codes, the following applies:

- We check on an hourly basis if there are any failed or escalated messages to be auto-reprocessed, and we start the reprocessing accordingly.
- After a downtime, we automatically reprocess failed and escalated messages.

Retention Management


SAP Business Network for Logistics restricts the access of personal data on completion of its business purpose. That is, not all the user groups can access the personal data after the expiration of originally defined residence period.

The Retention Management app enables you to define rules for residence and blocking of personal data for apps that belong to a specific application group. These rules restrict the usage of documents containing personal data.

In the Retention Management app, you define the residence period and the blocking period. The residence period and blocking period are together called as the retention period.

ℹ Note

You should familiarize yourself with the following important definitions before using the Retention Management app.



- Business Activity

  The relevant data is used in ongoing business, such as contract creation, delivery or payment.

- End of Business

  Defines the end of active business and the start of residence time and retention period.