Manage Event Logs

For more information on how to use this app, see the section Manage Event Logs in the *Guide for Message Log Administrators*.

Invite Business Partners

The **Invite Business Partners** app is designed for managing all the business partners that you want to be part of your network. You can use this app to select and invite business partners to join your business network and check their participation status. If you have access, you can navigate to the **Discover Business Partners** app to find more potential business partners.

You may have business with many partners in your system and you may want to persist your business with them in SAP Business Network for Logistics. You can download the Excel template available in the app and fill the details of the business partners using this template. You can then upload the template back in the app.

ℹ Note

- You must make sure that no personal data enters the system in an uncontrolled or non purpose-related way in the Microsoft Excel file.
- The file size of each business partners Excel cannot be larger than 2MB, and the maximum number of rows in each file is 5000.
- A digital freight forwarder is managed as a business partner in both the SAP Business Network for Logistics and SAP Transportation Management system.

If you are using SAP Transportation Management (SAP TM) system, you can download these business partners from SAP TM system and upload them in **Invite Business Partners**. For more information, see Downloading Carrier Excel from SAP Transportation Management (SAP TM).

You can select one or more of these business partners from your system and invite them to join your network. When you submit these partners, a back-end team manages your connection invitation. For more information, see Connection Invitations.

When a business partner accepts an invitation to connect with your network, the system updates the unique LBN ID of the partner. If you are using SAP TM system, you can update these LBN IDs of partners in SAP TM system by downloading the partner list from the **Discover Business Partners** app and uploading the list in your SAP TM system. For more information, see Updating LBN IDs in SAP Transportation Management (SAP TM).

The **Discover Business Partners** app consists of the following areas:

- Filter bar

  You can filter the business partner based on one more of the filter options (**Business Partner ID** and **Business Partner**) that appear on the header area.

- Worklists by status

  The business partners are categorized based on their invitation response status: **To Be Submitted**, **In Progress**, **Accepted**, and **Rejected**.

Worklist (Manage Business Partners)

There are different ways to manage all the business partners and to set filters. To search for a specific business partner, you can use the filter bar in the header. The system also displays preconfigured worklists (**To Be Submitted**, **In Progress**, **Accepted**,

Rejected) based on the business partner's invitation response status.

Filter Bar

With the filter bar, you can do the following:

- Specify filters to narrow down the worklists and search for business partners.
- Add or remove the filters displayed on the filter bar by choosing **Adapt Filters**.
- Save the current filter settings as a view and apply it later.

  After you specified filters (and pressed Enter) and/or adapted filter display, the current view name shown in the upper-left corner displays a * sign, indicating the view has been changed. Save the view by either of the following:

  - Click the view name to open the **My Views** box and choose **Save** or **Save As**.
  - In the **Adapt Filters** dialog box, choose **Save**.

  Next time when you want to apply the view, just select the view name in the **My Views** box.

> **Note**
> The default **Standard** view cannot be changed.

To Be Submitted

The **To Be Submitted** worklist displays all the business partners that you have uploaded or added in the app but have not yet submitted to the back-end team of SAP Business Network for Logistics to manage the connection invitations. This worklist also displays connection invitations that have been rejected. The worklist displays the following details for each invitation:

- System ID
- Business Partner ID
- Invitee
- Company Role
- SCAC (Standard Carrier Alpha Code)
- Phone number
- Email
- Language
- City
- Country/Region
- Zip code
- Status

> **Note**
>
> - A rejected invitation is displayed on the **To Be Submitted** worklist with the status "Returned by LBN OPS team" if it was submitted via the **Invite Business Partners** app.

- A rejected invitation is displayed on the **Rejected** worklist if it was submitted via the **Discover Business Partners** app.

In Progress

The **In Progress** worklist displays all the business partners that you have submitted to the back-end team to manage the connection invitations. These business partners have not yet responded to your invitation to connect with your network. You can recall your invitation in this worklist if needed.

The **In Progress** worklist has the same columns as the **To Be Submitted** worklist.

Accepted

The **Accepted** worklist displays all the business partners who have accepted your invitation to join your business network. You can select one or more business partners in the **Accepted** tab and download them in Microsoft Excel format.

The **Accepted** worklist has the same columns as the **In Progress** worklist along with the unique LBN ID of the business partner.

Rejected

The **Rejected** worklist displays all the business partners who have rejected your invitation to join your business network via **Discover Business Partners**.

The **Rejected** worklist has the same columns as the **Accepted** worklist.

Using the settings icon on each worklist, you can control the number of columns displayed in the **To Be Submitted**, **In Progress**, **Accepted**, and **Rejected** tabs.

You can also sort and filter the business partners in these worklists based on various attributes.

Add New Business Partners

You can add new business partners to the **Invite Business Partners** app in one of the following ways:

- Manual entry

  On the **To Be Submitted** tab, you can manually add a new network data contributor to the **Invite Business Partners** app by choosing **Add Invitee**.

  Using this method, you can specify the language of your connection invitations. Supported languages are:

  - English
  - Arabic
  - Bulgarian
  - Chinese Simplified
  - Chinese Traditional
  - Croatian
  - Czech
  - Danish

  - Dutch
  - Finnish
  - French
  - German
  - Greek
  - Hebrew
  - Hungarian
  - Italian
  - Japanese
  - Korean
  - Malay
  - Norwegian
  - Polish
  - Portuguese (Brazilian)
  - Romanian
  - Russian
  - Serbian
  - Slovak
  - Spanish
  - Swedish
  - Thai
  - Turkish

- Manual entry with an Excel template

  You can download the Excel template available in the **Invite Business Partners** app by choosing the **Download Excel Template** button. You can fill the details of the business partners using this template. You can then upload this template back in the **Invite Business Partners** app.

- Downloading business partner Excel from SAP Transportation Management (SAP TM) system

  You can download the list of business partners in your SAP TM system and upload the Excel file in the **Invite Business Partners** app. For more information, see Download Carrier Excel from SAP Transportation Management System.

ℹ Note

  - When you upload a business partner Excel in the **Invite Business Partners** app, the system automatically filters out the erroneous business partner records and selects only the correct business partner records. For example, in the downloaded Excel file, if there are business partners that already exist in the **Invite Business Partners** app with the status as **In Progress**, **Accepted** or **Rejected**, or if some of the entries do not contain any of the mandatory fields, the system ignores such entries and uploads all the other entries.

- When you upload a business partner Excel, the system performs a validation. If there are no validation errors, the business partner Excel is uploaded. If there are validation errors, the system displays the erroneous entries in an error log. The system allows you to download this error log.
- You must make sure that no personal data enters the system in an uncontrolled or non purpose-related way in the Microsoft Excel file.

You can select one or more business partners in the **To Be Submitted** worklist and delete them from the **Invite Business Partners** app. Note that you cannot delete the business partners that you have submitted to the back-end team of SAP Business Network for Logistics to manage the connection invitation.

Connection Invitations

Once you have a list of business partners added to the **Invite Business Partners** app, you can select one or more partners from the **To Be Submitted** worklist and choose **Submit**.

Once you choose **Submit**, the system instantaneously sends a request to the back-end team of SAP Business Network for Logistics to manage the connection invitation. The system moves the submitted business partners to the **In Progress** worklist.

Solution owners in both production and test environments can use the Invite Business Partners app to send connection invitations to business partners. If the invitees are not yet on the network, they can activate their accounts via a simplified account activation process and collaborate with the inviter in the respective environment (either production or test). You can refer your invitees to the following resource for their account activation: Getting Started with SAP Business Network for Logistics via New Onboarding Process.

Note that business partners need your contact information when you send them an invitation to join your business network. If you have not maintained a default address in the **Manage Business Profile** app, the system does not allow you to submit business partners. For more information on adding a default address, see Edit Company Profile.

The back-end team sends an invitation to the business partners requesting them to connect with your network.

The business partner can view this connection invitation using the **Manage Invitations** app and choose to accept or reject the invitation. For more information, see Manage Invitations.

When the business partner accepts or rejects an invitation, you will be notified of the same and the system moves the business partner to the accepted or rejected worklist as appropriate. If a partner accepts your invitation, the partner connects with your network and you can perform business transactions with this partner. If a business partner rejects your invitation, the partner is not connected with your network and you cannot perform any business transactions with this partner. You can find the rejected invitation from the **To Be Submitted** worklist and resend it if you want to.

The system updates the unique LBN IDs of the business partners who have accepted your connection invitation. You can view this LBN ID in the **Accepted** worklist for each business partner.

If you are using SAP Transportation Management (SAP TM) system, you can update these LBN IDs of business partners in SAP TM system by downloading the business partner list from the **Invite Business Partners** app and uploading the list in your SAP TM system. For more information, see Updating LBN IDs in SAP Transportation Management (SAP TM).

Recall Invitations

You can recall a submitted invitation as long as its status remains "In Progress".

To recall the invitation, switch to the **In Progress** worklist, click to open the invitation that you want to recall, and then choose **Recall** on the details page.

> **Note**
>
> You can't recall an invitation when its status is "Invitation email sent to business partner".

After being recalled, the invitation returns to the **To Be Submitted** worklist and becomes editable. The business partner cannot view the recalled invitation using the app until you submit it again.

Downloading Business Partner Excel from SAP Transportation Management (SAP TM)

You can download the business partners from the SAP TM system and upload them to the **Invite Business Partners** app.

Context

In SAP TM system, you must perform the following steps to download the business partner Excel:

Procedure

1. Execute the report `/SCMTMS/R_LBN_CARR_LIST_DWNLD` in transaction `SE38`.
2. Enter your SAP TM organization ID in the **Organizational ID** field and execute.

   The system determines the hierarchy of this organization and retrieves all the freight agreements that are valid at the time of searching. The system then determines the valid business partners from these agreements.

   Note that if you select the **Show Application Log** checkbox, the system displays the detailed information about the business partner determination process.
3. Alternatively, instead of entering an organization ID and retrieving multiple business partners, you can also enter the business partner IDs in the Carrier IDs field and execute.

   The system retrieves the details of all the business partners that you have entered.
4. Select all the business partners that you want to download and then choose **Download**.

   The system downloads the Excel file.

Next Steps

Once you download the Excel file, in the **Invite Business Partners** app, choose the **Upload Business Partners** button to upload this Excel. Once you upload the Excel file with a list of partners, the system updates the **To Be Submitted** worklist in the app with the partner details in the Excel.

> **Note**
>
> System IDs may consist of alphanumerical characters and the underscore (_) character. You can check the Specification tab of the Excel for further guidance. The system checks all records when you upload your Excel, and displays the errors on the **Upload Business Partners** screen. You can correct the errors in your Excel and upload it again.

Updating LBN IDs in SAP Transportation Management (SAP TM)

You can update the SAP TM system with the unique LBN IDs of the business partners who have accepted to connect with your business network.

Context

To do so, you must perform the following:

Procedure

1. Download the list of business partners with their LBN IDs from the **Accepted** worklist in the **Invite Business Partners** app.

   The system downloads the list of partners in a CSV format.

2. In the SAP TM system, execute the report `/SCMTMS/R_LBN_ID_BP_UPD` in transaction `SA38`.
3. Browse for the CSV file that you have downloaded and upload the file.

   The system updates the business partner IDs for the partners in the system. Note that you can choose whether you want the system to process the upload job in the background or foreground. If you choose to process the upload job in the foreground, the system displays the error logs if there are any.

Assign Technical User Roles to Data Contributor's Technical User

Prerequisites

You must have the administrator role for your subaccount on SAP BTP.

Context

If you are using SAP Business Network Global Track and Trace, your connected data contributor will send you the email address of its technical user after accepting your connection request. You need to grant the technical user the technical user roles. This needs to be performed for each data contributor that's connected with you.

Procedure

1. Go to your subaccount in the SAP BTP cockpit.
2. In the left-hand pane, choose **Role Collections** under **Security**.
3. Choose the technical user role collection (you've created it in the task Organize Roles Together and Assign Them to Users).

   > **Note**
   > Make sure the role collection contains all the technical user roles as listed in Available Roles for Solution Owners.

4. Go to the **Users** section and choose **Edit**.
5. Enter the email address of the technical user and select **Default identity provider**.
6. Save your changes.

Related Information

Assign Users to Role Collection

System Connections (Solution Owner)

Use the **System Connections** app for solution owners to create a connection and to authenticate inbound messages to SAP Business Network for Logistics from your on-premise SAP Transportation Management standalone system or Transportation Management embedded in SAP S/4HANA.

You can use the app in combination with each of the following exchange infrastructures between SAP Business Network for Logistics and your SAP backend system:

- SAP Cloud Integration
- SAP Process Integration
- Direct integration using SOA Manager

The process of using the System Connections app to create a connection and to authenticate messages includes the following steps:

1. Creating a Connection.
2. Authenticating Inbound Messages to SAP Business Network for Logistics.
3. Activating the Connection.

Configurations for Location Replication

To replicate locations, you need to do some configurations first before using the System Connections app.

Replicating Locations from SAP S/4HANA via Data Replication Framework (DRF)

Context

You can use the **Manage Locations** app to manage location master data, which was manually copied or replicated from SAP S/4HANA or created from new using the app. Location master data can then be used by the **System Connections** app in SAP Business Network Global Track and Trace.

Master Data Replication in the Source System

To set up master data replication, you must configure the replication of master data via the Data Replication Framework (DRF) in the SAP S/4HANA source system. DRF uses SOAP service - `LocationBulkReplicationRequest` to replicate location master data from the source system to SAP Business Network for Logistics.

Procedure

1. Define the business system for the SAP Business Network for Logistics tenant to which you want to replicate business partners.

a. In the source system, go to Customizing for **Data Replication** using transaction `DRFIMG`.

b. Go to **Define Custom Settings for Data Replication** > **Define Technical Settings** > **Define Technical Settings for Business Systems**.

c. **Note**

Once these configurations are made, it would be applicable for all data replication settings via DRF. The logical system would be used in all these settings.

There are two ways of making the location replication configuration:

i. Create a business system using your LBN ID and Logical System ID as values. Concatenate LBN ID and the Logical System ID with delimiter "##". For example, 100000000001##SYSCLNT001.

Note

The logical system ID you entered here (string after the delimiter "##") will also be used if you manually create individual location records in the Manage Locations app at a later time. For more information, see Creating a Location.

ii. Follow the steps below:

1. Ensure that you are using a Cross Customising Client and run transaction **drfimg**.
2. Navigate to Data Replication > Define Custom Settings for Data Replication > Define Technical Settings > BAdI Determination of Local System Name. Execute this BAdI.
3. Provide a Z BAdI for Enhancement Implementation and fill other required information to create a BAdI.
4. Create a new BAdI implementation with BAdI definition as MDG_IDM_GET_LCL_SYSTEM and select *Copy Sample Class*. Ensure that the **Active** checkbox is selected.

Sample Code

```
METHOD IF_MDG_IDM_GET_LCL_SYSTEM~GET_LOCAL_SYSTEM.
*! This method determines the local business system via the ALE logical system assigned to
* If no business system is maintained, it returns an empty value.
DATA:
lv_own_logical_system TYPE logsys,
ls_bs_tech            TYPE mdg_s_bus_sys_tech,
lv_not_found          TYPE boole_d.
CALL FUNCTION 'OWN_LOGICAL_SYSTEM_GET'
IMPORTING
own_logical_system             = lv_own_logical_system
EXCEPTIONS
own_logical_system_not_defined = 1
OTHERS                         = 2.
ev_local_system = lv_own_logical_system.
ENDMETHOD.
```

Note

Do not select the **Disabled for Replication** checkbox.

d. Select the newly created business system and navigate to **Define Bus. System, BOs** in the dialog structure.

e. Enter 189 as the BO type and `Location` as the description.

f. Enter 189 as the BO type and `Location` as the description.

g. Create a new communication channel called `Replication via Services`.

2. Define a replication model by giving it a name and a description.

    a. Go to **Define Custom Settings for Data Replication** > **Define Replication Models**.

    b. Create a replication model.

    c. Select the newly created replication model and choose **Assign Outbound Implementation**.

    d. Select the outbound implementation **189_1** and choose **Assign Target Systems for Repl. Model / Outb. Impl** to assign the target system (identified by its LBN ID – as maintained in the business system) to the outbound implementation.

    e. Optional: If you only want to replicate one default language description, select the outbound implementation and navigate to **Assign Language**.

    f. Choose **Activate**.

3. Optional: Set up filter object criteria.

    a. On the SAP Easy Access screen, choose **Cross-Application Components** > **Processes and Tools for Enterprise Applications** > **Master Data Governance** > **Data Replication** > **Define Filter Criteria** (transaction DRFF).

    b. In the worklist, search for the replication model name you have created in step 2, and define the filter criteria for including or excluding business objects.

4. Trigger replication.

    a. Go to transaction DRFOUT (**Execute Data Replication**).

    b. Select the newly created replication model and select the following settings under **Replication Mode**:

    - To send an update of all locations, select **Initialization**.
    - To send the lasted changed location, select **Changes**.
    - If you have defined your own filter criteria, select **Manual**. The manual replication will either be based on the filter criteria defined in step 3, or be based on the filter that you manually maintained in the DRFOUT transaction.

Related Information

Manage Locations
Manage Locations App

Connectivity Configurations

Switch to DigiCert TLS RSA4096 Root G5

SAP Business Network for Logistics is switching its root Certificate Authority to *DigiCert TLS RSA4096 Root G5* for the domain `*.logistics.*.business-network.cloud.sap` to enhance security and trust. This is in line with the root certificate replacement in the SAP BTP, Cloud Foundry Environment.

To ensure a smooth transition, customers must take action before April 23, 2026. For more information, see SAP Note 3688060.

As part of our ongoing commitment to security and trust, SAP is updating the root Certificate Authority (CA). This update supports the broader adoption of our fifth-generation (G5) root CA and allows additional time for its inclusion in major browser