


This is because the carrier is reporting the event to FC (Freight Collaboration) with *transportMode* as "04". As the error suggests, FC only supports reporting events for modes 01(Maritime) and 03(Road) only. However, GTT supports more modes in the reporting API.


10. Carrier Document references reported via tracking are not seen in TM

Carriers while reporting events via API might also want to send some document references, however, due to a limitation in the TM interface– *TransportationEventBulkNotification_In* these document references cannot be mapped and chance cannot be pushed to TM.

So, if a customer has a use case to receive document references while the order is in execution, they can consider sending an update to confirmation and pass the document references, so that it can be updated in TM against the order.

11. Location ID exists already while configuring Cloud Connector details

BNL allows shippers to configure the technical user and the Cloud Connector Location ID in the System Connections app. This configuration can be reused across tenants if it's within the same Global Account. However if the tenants belong to different Global Accounts, BNL recognizes that the configuration already exists with the same location ID or the User and throws this error.



If it's in the same GA, you don't need to add it again, but rather reuse the config. If its in a different GA, then due to the current limitation that the configuration is not seen in the dialog above, you will have to check if there is any tenant that uses this config and either remove it if unused or configure a different locationID.

12. FC and GTT both for Tracking

There are instances where a customer might use both Freight Collaboration and Global Track and Trace for Tracking depending on the capability of the carrier.

The use case could be that a few carriers prefer to manually report events via the *Freight Orders for Reporting* app in carrier portal and a few carriers integrate to report events via GTT.


When both are active, by default 2 consumer requests go out to the integrating carrier, one from FC and another from GTT (can be differentiated by the suffix to technicalId). To avoid this, the shipper can deactivate, /SCMTMS/CO_CPX_TORGNTRCKPR_OUT SOAP interface to avoid the FC consumer request from going out. However, they have to make sure the *trackingRelevanceIndicator* is active so that manual reporting in FC works.

13. Instance Authorization Check Failed in GTT while reporting events



This error is seen when a carrier is reporting events. The call itself would be successful, but the error could be seen in logs. This happens when the carrier LBN ID sent by the carrier does not match the serviceAgenLbnId maintained by the solution owner/shipper. In the particular case above, carrier is reporting at FU level and the FU did not have a *serviceAgenLbnId* maintained.

14. 108 Missing necessary connectivity configurations or CLOUD_CONNECTOR parameter not found in the Partner Directory for the partner ID (LBN ID)




You might be familiar that customers are recommended to move to Multi-Cloud integration platform. However, we also caution not to delete old, Neo configuration in System Connections app. This error is seen, if a document was exchanged while having Neo config and then the Neo Config was deleted and the Multi-Cloud config was retained. This issue will not be seen on Newly created document objects which are exchanged on the same integration platform config.


15. SOAP messages not generated for SAP TM to BNL scenarios

In some cases, after the setup, you may encounter that SOAP messages not are not getting trigerred and no logs are seen in srt_moni. In this case check for 2 customizations:

1. PPF setting for /SCMTMS/TOR – The right action profile should be maintained.



2. Also make sure the right settings for integration and output options are maintained here for the scenarios that are failing.



Note 1: Before applying any of the above suggestions, make sure to perform a test in your non-production environment as each scenario could be different.

Note 2: This blog will be updated regularly with more Tips & Tricks. If you are interested in receiving updates, make sure to subscribe and bookmark the blog.

LABELS

Expert Insights | Product Updates

TAGS

BNL | Fc | Gtt | Lbn

Add tags

Comment

Comments

A Ale_Freitas Active Participant

2024 Sep 26 12:46 PM

Many thanks for sharing Saif! One of the best BN4L articles!

Z zbaumann1 Discoverer

2025 May 01 9:30 PM

This is super helpful! One question regarding attachments – here, you talk about attachments coming through to the shipper from the carrier. Is it possible for the shipper to attach files in API messages to the carrier in FC?



Saif

Product and Topic Expert

2025 May 02 5:55 AM

@zbaumann1 Yes, that's possible. Typically, Shippers would attach files in the TM system, which is then passed on to the carrier via the consumer APIs. As an example, look at the attachment node in this spec for Subcontracting. You can explore other consumer APIs, which will have an equivalent attachment node, through which carriers can expect shipper's documents.

Z zbaumann1 Discoverer

2025 May 07 7:42 PM

Thank you @Saif ! Would the inclusion of attachments in the freight order be automatic, or is there extra configuration required?

EmilyZhang EmilyZhang

Associate

2025 Aug 15 7:05 AM

Super good blog! Learned a lot from this article.

One question regarding stopID, one of the carrier asked if they can use a sequence of incremented numbers as the stopID used in the tracking event API.

I can learn from this No.3 issue that the stopID is maintained in Shipper TM system and sometimes it will be failed to convey this to carrier, so carrier can send back the stopID, locationID, or UNLOCODE/IATACode. Which is already mapped with the stopID in TM system.

But for my understanding, if they would like to use a sequence of incremented numbers as the stopID, they must have a integration layer to map the stopIDs with the stopID in TM system. It will make more efforts to the task.

Is my understanding correct? Or would you please advise?

Powered by Khoros