

HandsMen Threads: Elevating the Art of Sophistication in Men's Fashion

Submitted By

Ruchita Pinjala

Roll no: 238W1A05O6

B.Tech – Computer Science and Engineering

Velagapudi Ramakrishna Siddhartha Engineering
College

Project Technology: Salesforce CRM

Academic Year: 2026–2027

1. Project Overview


HandsMen Threads – Salesforce CRM Project

HandsMen Threads is a Salesforce-based CRM application developed to manage customer information, products, orders, inventory, and marketing activities within a centralized platform. The system is designed to improve data management, maintain data accuracy, and automate important business processes.

The application uses Salesforce declarative and programmatic features such as **Custom Objects, Custom Fields, Relationships, Validation Rules, Formula Fields, Profiles, Roles, Permission Sets, Email Templates, Email Alerts, Flows, Apex Triggers, Batch Apex, and Scheduled Apex.**

The system provides automated support for important business activities. Order confirmation emails are sent automatically when an order is confirmed, while low-stock alerts are generated when inventory falls below the defined threshold. Customer loyalty status is also updated based on purchase history, helping the organization identify and manage different customer loyalty levels.

The application is organized through a custom **HandsMen Threads Lightning Application**, providing centralized access to customer, product, order, inventory, marketing campaign, reports, and dashboard sections.



Business Problem

Managing customer orders, product inventory, and customer information manually can result in data inconsistency, delayed communication, and difficulty in monitoring stock levels and customer purchasing behavior.

The HandsMen Threads Salesforce application addresses these challenges by providing a centralized system for managing business records and automating repetitive processes. This reduces manual effort, improves data consistency, and enables faster business operations.

Key Features

- Customer Management
- Product Management
- Order Management
- Inventory Management
- Marketing Campaign Management
- Data Validation using Validation Rules
- Formula-based Stock Status
- Automated Order Confirmation Email
- Automated Low Stock Alert
- Automated Customer Loyalty Status Update
- Apex-based Order Quantity Validation
- Scheduled Inventory Synchronization
- Role-Based Access and Permissions
- Centralized Lightning Application

2. Objectives

The primary objective of the **HandsMen Threads Salesforce CRM application** is to develop a centralized platform for managing customers, products, orders, inventory, and marketing activities. The system is designed to improve business efficiency, maintain data accuracy, and automate important operational processes.

The project was designed with the following objectives:

- Develop a centralized system to manage customer, product, order, inventory, and marketing campaign records.
- Maintain accurate and consistent business data using Validation Rules and Formula Fields.
- Automate order confirmation notifications through Salesforce Email Alerts and Flows.
- Monitor inventory levels and automatically send low-stock alerts when stock falls below the defined threshold.
- Automatically determine and update customer loyalty status based on total purchase history.
- Implement Apex Trigger and Apex Handler logic to validate order quantities according to order status.
- Automate periodic inventory processing using Batch Apex and Scheduled Apex.
- Provide controlled access to business data using Profiles, Roles, Permission Sets, and Object-Level Security.
- Provide a centralized and user-friendly workspace through the HandsMen Threads Lightning Application.
- Reduce manual work and improve the efficiency of customer and inventory management.

Business Value

The HandsMen Threads application provides the following business benefits:

- Improves visibility of customer and product information.
- Reduces errors through automated data validation.
- Minimizes manual effort in order and inventory management.
- Provides timely notifications for confirmed orders and low-stock products.
- Helps identify customers based on their purchase history and loyalty level.
- Improves inventory monitoring through automated processing.
- Provides controlled access to business records based on user responsibilities.
- Creates a scalable foundation for future automation and AI-based enhancements.

Objective-to-Salesforce Feature Mapping

Business Objective	Salesforce Feature
Manage customer information	HandsMen Customer Object
Manage products	HandsMen Product Object
Manage orders	HandsMen Order Object
Monitor inventory	Inventory Object
Manage marketing activities	Marketing Campaign Object
Maintain data accuracy	Validation Rules
Calculate stock status	Formula Field
Send order confirmation	Record-Triggered Flow + Email Alert
Send low-stock notification	Record-Triggered Flow + Email Alert
Update customer loyalty status	Schedule-Triggered Flow
Validate order quantities	Apex Trigger + Apex Handler
Perform scheduled inventory processing	Batch Apex + Scheduled Apex
Control user access	Profiles, Roles, Permission Sets
Centralize application access	HandsMen Threads Lightning App

3. Phase 1 – Requirement Analysis & Planning

3.1 Understanding Business Requirements

HandsMen Threads requires a centralized Salesforce application to manage its customer, product, order, inventory, and marketing information. The system is designed to reduce manual activities and improve the accuracy and efficiency of business operations.

The main focus of the project is to maintain a structured data model and introduce automation for important business activities such as order confirmation, inventory monitoring, customer loyalty management, and scheduled inventory processing.

The Salesforce solution was planned around the following major business areas:

- Customer Management
- Product Management

- Order Management
- Inventory Management
- Marketing Campaign Management
- Customer Loyalty Management
- Automated Notifications
- Inventory Processing

3.2 Business Requirements

The application should fulfill the following business requirements:

- Maintain customer information in a centralized Salesforce system.
- Maintain product and inventory information.
- Create and manage customer orders.
- Establish relationships between customers, products, orders, and inventory records.
- Validate important business data before records are saved.
- Automatically send an email when an order is confirmed.
- Automatically notify the inventory team when stock falls below **5 units**.
- Categorize customers into **Gold, Silver, and Bronze** loyalty levels based on their total purchases.
- Validate order quantities according to the order status.
- Perform scheduled inventory processing on a daily basis.
- Provide controlled access to records based on user roles and permissions.
- Provide a centralized Lightning Application for accessing the major project modules.

3.3 Project Scope

The scope of the HandsMen Threads project includes the configuration and development of a Salesforce application for managing core business operations.

The application covers:

- Customer record management
- Product record management
- Order record management
- Inventory tracking
- Marketing campaign management
- Data validation and calculated fields
- Email-based business notifications
- Customer loyalty automation
- Apex-based order validation
- Scheduled inventory processing
- User access and security configuration
- Lightning Application customization

The project focuses on combining Salesforce declarative automation with Apex-based business logic to create an efficient and maintainable CRM solution.

3.4 Salesforce Data Model

The application consists of **five primary custom objects**:

Custom Object	Purpose
HandsMen Customer	Stores customer information and loyalty details.
HandsMen Product	Stores product-related information.
HandsMen Order	Stores customer order information and order status.
Inventory	Maintains product inventory and stock information.
Marketing Campaign	Maintains marketing campaign-related customer information.

The relationships between these objects establish connections between customers, orders, products, inventory, and marketing activities.




3.5 Security Model

Security was considered during the planning stage to ensure that users receive appropriate access to Salesforce data according to their responsibilities.

The project uses:

- Profiles
- Roles
- Permission Sets
- Object-Level Security

The security configuration supports different business responsibilities such as **Sales, Inventory, and Marketing**.



4. Phase 2 – Salesforce Development (Backend & Configurations)


4.1 Development Environment

The HandsMen Threads application was developed using the **Salesforce Lightning Platform**. Salesforce configuration and development features were used to create the data model, business validations, automation, security configuration, and custom business logic.

The major Salesforce components used in the project include:

- Salesforce Lightning Experience
- Lightning App Manager
- Object Manager
- Flow Builder

- Apex Classes
- Apex Triggers
- Email Templates
- Email Alerts
- Profiles and Roles
- Permission Sets
- Batch Apex
- Scheduled Apex



4.2 Custom Objects

Five custom objects were created to support the core business requirements of HandsMen Threads.

Custom Object	Purpose
HandsMen Customer	Stores customer information, contact details, and loyalty information.
HandsMen Product	Stores product-related information.
HandsMen Order	Stores customer order information, order number, quantity, amount, and status.
Inventory	Maintains product stock and inventory status.
Marketing Campaign	Maintains marketing campaign information associated with customers.

HandsMen Customer

Purpose:

Stores customer information and customer loyalty details.

Important Fields:

- HandsMen Customer Name
- Email
- Phone
- First Name
- Last Name
- Full Name
- Loyalty Status
- Total Purchases

The screenshot shows the Salesforce Setup interface for the 'HandsMen Customer' object. The 'Fields & Relationships' section is active, displaying a list of 11 fields. The table below represents the data shown in the screenshot.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Email	Email_c	Email		
First Name	FirstName_c	Text(32)		
Full Name	FullName_c	Formula (Text)		
HandsMen Customer Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Last Name	LastName_c	Text(32)		
Loyalty Status	Loyalty_Status_c	Picklist		
Owner	OwnerId	Lookup(User:Group)		
Phone	Phone_c	Phone		

HandsMen Product

Purpose:

Stores information related to the products managed by the organization.

Important Fields:

- HandsMen Product Name
- Product-related order information
- Stock-related information

Inventory

Purpose:

Maintains product inventory and stock information.

Important Fields:

- Inventory Number
- Product
- Stock Quantity
- Stock Status

SETUP > OBJECT MANAGER				
Inventory				
Details	Fields & Relationships 7 Items, Sorted by Field Label			
Fields & Relationships	Q, Quick Find NewDeleted FieldsField DependenciesSet History Tracking			
Page Layouts	FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELDINDEXED
Lightning Record Pages	Created By	CreatedById	Lookup(User)	
Buttons, Links, and Actions	Inventory Number	Name	Auto Number	✓
Compact Layouts	Last Modified By	LastModifiedById	Lookup(User)	
Field Sets	Product	Product__c	Master-Detail(HandsMen Product)	✓
Object Limits	Stock Quantity	Stock_Quantity__c	Number(18, 0)	
Record Types	Stock Status	Stock_Status__c	Formula (Text)	
Related Lookup Filters	Warehouse	Warehouse__c	Text(20)	
Search Layouts	Activate Windows Go to Settings to activate Windows.			
List View Button Layout				

Marketing Campaign

Purpose:

Stores marketing campaign information and its association with HandsMen customers.

Important Fields:

- Marketing Campaign Number
- HandsMen Customer

Marketing Campaign

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types

Data Type

☐ None Selected

Select one of the data types below:

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary [\[1\]](#)

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☒ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Marketing Campaign

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types

Fields & Relationships

5 Items, Sorted by Field Label

[New](#)

[Deleted Fields](#)

[Field Dependencies](#)

[Set History Tracking](#)

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
HandsMen Customer	HandsMen_Customer__c	Lookup(HandsMen Customer)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Marketing Campaign Number	Name	Auto Number		✓
Owner	OwnerId	Lookup(User,Group)		✓

Activate Windows
Go to Settings to activate Windows.

Inventory

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets

☐ Roll-Up Summary [\[1\]](#)

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a

☐ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value. The other object is the source of the values in the list.

☒ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you want to track costs or revenue.

SETUP > OBJECT MANAGER

Inventory

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types

Fields & Relationships

4 Items, Sorted by Field Label

Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Inventory Number	Name	Auto Number		✓
Last Modified By	LastModifiedById	Lookup(User)		
Product	Product__c	Master-Detail(HandsMen Product)		✓

Activate Windows

4.4 Formula Fields

A formula field was created in the **Inventory** object to automatically display the current stock status based on stock quantity.

Field: Stock Status

Return Type: Text

Formula:

```
IF(Stock_Quantity__c > 10, "Available", "Low Stock")
```

The formula automatically displays:

- **Available** – when stock quantity is greater than 10
- **Low Stock** – when stock quantity is 10 or below

SETUP > OBJECT MANAGER

Inventory

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types

Field Label: Stock Status

Field Name: Stock_Status

☐ Auto add to custom report type
☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected
☐ Checkbox
☐ Currency
☐ Date
☐ Date/Time
☐ Number

Select one of the data types below.

Calculate a boolean value.
Example: `{TODAY()} > CloseDate`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `{Gross Margin = Amount - Cost__c}`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `{Reminder Date = CloseDate + 7}`

Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `{Next = NOW() + 1}`

Calculate a numeric value.

4.5 Validation Rules

Validation Rules were implemented to prevent invalid data from being saved.

Object	Field	Validation	Error Message
HandsMen Order	Total Amount	Amount must be greater than 0	Please Enter Correct Amount
Inventory	Stock Quantity	Stock quantity cannot be 0 or negative	The inventory count is never less than zero.
HandsMen Customer	Email	Email must contain @gmail.com	Please fill Correct Gmail

These validations improve data accuracy and ensure that important business information follows the defined requirements.

SETUP > OBJECT MANAGER

HandsMen Order

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts

true, the save will be aborted and the error message will be displayed. The user can correct the error and try again.

Save Save & New Cancel

Validation Rule Edit

Rule Name: Total_Amount

Active: ☒

Description:

Error Condition Formula

Example: Discount_Percent__c > 0.30 More Examples...

Display an error if Discount is more than 30%

If this formula expression is true, display the text defined in the Error Message area

Insert Field Use Formula Assistant Insert Operator

Total_Amount__c <= 0

Functions

-- All Function Categories --

ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN

Insert Selected Function

ABS(number)
Returns the absolute value of a

Quick Tips

- Operators & Functions

Activate Windows
Go to Settings to activate Windows

SETUP

Object Manager

HandsMen Order Validation Rule

[Back to HandsMen Order](#)

Help for this Page

Validation Rule Detail

Edit Clone

Rule Name: Total_Amount

Active: ☒

Error Condition Formula: Total_Amount__c <= 0

Error Message: Please Enter Correct Amount

Error Location: Total Amount

Description:

Created By: [Ruchita Puriya](#) 9/12/2026, 6:59 AM

Modified By: [Ruchita Puriya](#) 9/12/2026, 6:59 AM

Edit Clone

SETUP

Object Manager

Inventory Validation Rule

[Back to Inventory](#)

Validation Rule Detail

Edit Clone

Rule Name: Stock_Quantity

Active: ☒

Error Condition Formula: Stock_Quantity__c <= 0

Error Message: The inventory count is never less than zero

Error Location: Top of Page

Description:

Created By: [Ruchita Puriya](#) 9/12/2026, 7:02 AM

Modified By: [Ruchita Puriya](#) 9/12/2026, 7:02 AM

Edit Clone


Object Manager

HandsMen Customer Validation Rule

[Back to HandsMen Customer](#)

Validation Rule Detail

EditClone

Rule Name	Email	Active	✓
Error Condition Formula	NOT CONTAINS(Email__c, "@gmail.com")		
Error Message	Please fill Correct Gmail	Error Location	Top of Page
Description			
Created By	Ruchita Pinjala , 9/12/2026, 7:04 AM	Modified By	Ruchita Pinjala , 9/12/2026, 7:04 AM

EditClone

4.6 Profiles, Roles and Permission Sets

Salesforce security features were configured to provide controlled access to the application.

Profile

A **Profile** defines the basic permissions and access a user has within Salesforce. In this project, a custom profile named **Platform 1** was created based on the Standard User profile and configured with the required access to HandsMen Product and Inventory objects.

The profile was provided access to the required custom objects, including:

- HandsMen Product
- Inventory


Setup

HomeObject Manager

Users

Profiles

Didn't find what you're looking for? Try using Global Search.


Profiles

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile	Standard User
User License	Salesforce
Profile Name	Platform 1

SaveCancel

Setup Home Object Manager

profiles

Users

Profiles

Didn't find what you're looking for? Try using Global Search.

SETUP Profiles

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

[Login IP Ranges](#) |
 [Enabled Apex Class Access](#) |
 [Enabled Visualforce Page Access](#) |
 [Enabled External Data Source Access](#) |
 [Enabled Named Credential Access](#) |
 [Enabled External Credential Principal Access](#) |
 [Enabled Custom Metadata Type Access](#) |
 [Enabled Custom Setting Definitions Access](#) |
 [Enabled Flow Access](#) |
 [Enabled Service Presence Status Access](#) |
 [Enabled Custom Permissions](#)

Profile Detail [Edit](#) [Clone](#) [Delete](#) [View Users](#)

Name	Platform 1		
User License	Salesforce	Custom Profile	✓
Description			
Created By	Ruchita Pinnala	9/12/2020, 7:08 AM	Modified By Ruchita Pinnala 9/12/2020, 7:08 AM

Page Layouts

Standard Object Layouts	Global	Global Layout	Location Group Assignment	Location Group Assignment Layout
		View Assignment		View Assignment
Email Application	Not Assigned		Macro	Macro Layout
		View Assignment		View Assignment
Home Page Layout	Home Page Default		Object Milestone	Object Milestone Layout
		View Assignment		View Assignment
Account	Account Layout		Operating Hours	Operating Hours Layout
		View Assignment		View Assignment
Alternative Payment Method	Alternative Payment Method Layout		Opportunity	Opportunity Layout
		View Assignment		View Assignment
Appointment Invitation	Appointment Invitation 1 Layout		Opportunity Product	Opportunity Product 1 Layout
		View Assignment		View Assignment

Custom Object Permissions

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
HandsMen Customer	☐	☐	☐	☐	☐	☐	☐
HandsMen Orders	☐	☐	☐	☐	☐	☐	☐
HandsMen Products	☒	☒	☐	☐	☐	☐	☐

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
Inventories	☒	☒	☒	☐	☐	☐	☐
Marketing Campaigns	☐	☐	☐	☐	☐	☐	☐

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: --None--

Password Policies

Roles

A **Role** helps organize users according to their responsibilities and determines access to records within the organization's hierarchy. The following roles were configured for the project:

- Sales
- Inventory
- Marketing

Users

Roles

Feature Settings

Sales

Contact Roles on Contracts

Contact Roles on Opportunities

Service

Case Teams

Case Team Roles

Contact Roles on Cases

SETUP

Roles

Role Edit

New Role

Role Edit

Label

Sales

Role Name

Sales

This role reports to


CEO

Role Name as displayed on reports

Save

Save & New

Cancel



Permission Set

A **Permission Set** provides additional permissions to users without changing their profile. The project includes **Permission_Platform_1**, which provides Read, Create, Edit, and Delete access to the HandsMen Customer and HandsMen Order objects.

A permission set named **Permission_Platform_1** was configured with access to:

- HandsMen Customer

- HandsMen Order

The permission set provides the required **Read, Create, Edit, and Delete** permissions.

SETUP

Permission Sets

Permission Set
Create

[Help for this Page](#)

Save
Cancel

Enter permission set information

Label
Permission_Platform_1

API Name

Description

Session Activation Required
☐

Select the type of users who will use this permission set

Who will use this permission set?

- Choose "-None-" if you plan to assign this permission set to multiple users with different user and permission set licenses.
- Choose a specific user license if you want users with only one license type to use this permission set.
- Choose a specific permission set license if you want this permission set license auto-assigned with the permission set.

SETUP

Permission Sets

Permission Set
Permission_Platform_1

[Video Tutorial](#) | [Help for this Page](#)

Permission Set Overview

Description	API Name	Permission_Platform_1
License	Namespace Prefix	
Session Activation Required	Created By	Ruchita Pinjale, 9/12/2026, 7:29 AM
Permission Set Groups Added To	Last Modified By	Ruchita Pinjale, 9/12/2026, 7:29 AM

Apps

Assigned Apps
Settings that specify which apps are visible in the app menu

Assigned Connected Apps
Settings that specify which connected apps are visible in the app menu

Object Settings
Permissions to access objects and fields, and settings such as tab availability

App Permissions
Permissions to perform app-specific actions, such as Manage Self-Service

Activate Windows

SETUP

Permission Sets

PERMISSION_PLATFORM_1

Clone
Delete
Edit Properties
Manage Assignments
View Summary

[Permission Set Overview](#) > [Object Settings](#)

HandsMen Customer

HandsMen Customer

Save Cancel

Tab Settings

Available	Visible
☐	☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

lanager

1 assignments were successful.

... > PERMISSION SET 'PERMISSION_PLATFORM_1' > MANAGE ASSIGNMENTS

Permission_Platform_1

Assignment Summary

Full Name	User License	Expires On	Time Zone	Status
Kol Mikaelson	Salesforce			Success

4.7 Email Templates

Email templates were created to support automated communication within the application.

The following email templates were configured:

1. **Order Confirmation Email**
2. **Low Stock Alert**
3. **Loyalty Program Email**

These templates provide standardized communication for order, inventory, and customer loyalty-related activities.

 **SETUP**
Classic Email Templates

Email Template
New Template [Help for this Page](#)

Step 1. Email Template: New Template Next Cancel

Choose the type of email template you would like to create.

☐ Text

☒ HTML (using Classic Letterhead)

☐ Custom (without using Classic Letterhead)

☐ Visualforce

Next Cancel

 **SETUP**
Classic Email Templates

Give your template a name and description and place it in the appropriate folder. Note that the Description field is for internal use only.
Once you have finished creating your HTML email template, check the "Available For Use" box to make this template available to your users.

Step 2. HTML Email Template: New Template Previous Next Cancel **Step 2 of 4**

Email Template Information Required Information

Folder

Unfiled Public Classic Email Templates

Available For Use

☒

Email Template Name

Order Confirmation Email

Template Unique Name

Order_Confirmation_Email

Classic Letterhead

Company Letterhead

Email Layout

-None-- [View Email Layout Options](#)

Encoding

Unicode (UTF-8)

Description

Subject

Your Order has been Confirmed!

Activate Windows
Go to Settings to activate Windows.
Previous Next Cancel


SETUP

Classic Email Templates

HTML Email Template

Order_Confirmation_Email_New

Help for this Page

Preview your email template below.

Email Template Detail

Edit Properties

Edit HTML Version

Edit Text Version

Delete

Clone

Email Templates from Salesforce	Unified Public Classic Email Templates	
Email Template Name	Order_Confirmation_Email_New	Available For Use ☒
Template Unique Name	Order_Confirmation_Email_New	Last Used Date
Classic Letterhead	Company Letterhead	Times Used
Email Layout	Free Form Letter	
Encoding	Unicode (UTF-8)	
Author	Ruchita Pinjala [Change]	
Description		
Created By	Ruchita Pinjala, 9/12/2026, 10:52 PM	Modified By Ruchita Pinjala, 9/12/2026, 10:52 PM

Edit Properties

Edit HTML Version

Edit Text Version

Delete

Clone

Email Template

Send Text and Verify Merge Fields

Subject

Your Order has been Confirmed!

HTML Preview

Activate Windows

Go to Settings to activate Windows.

4.8 Email Templates

Email Alerts are Salesforce automation components used to send predefined email notifications when a business condition is met. In HandsMen Threads, email alerts are connected with the project's automation flows to provide timely notifications.

The following email alerts were configured:

Email Alert	Purpose
Order Confirmation Email Alert New	Sends an email to the customer when an order is confirmed.
Low Stock Alert New	Sends a notification to the inventory team when stock falls below the defined threshold.
Loyalty Program Email Alert	Provides email communication related to customer loyalty.

The email alerts use the corresponding **Email Templates** to maintain a standard format for business communication.

SETUP
Email Alerts

Description: Order Confirmation Email Alert

Unique Name: Order_Confirmation_Email

Object: Order

Email Template: Order Confirmation Email

Protected Component: ☐

Recipient Type: Search: User for: Find

Recipients

Available Recipients

- User: Integration User
- User: OrgFarm EPIC
- User: Ruchita Pinjala
- User: Security User

Selected Recipients

- User: Kol Mikaelson
- User: Niklaus Mikaelson

Add
Remove

Activate Windows
Go to Settings to activate Windows.

SETUP
Email Alerts

Email Alert
Order Confirmation Email Alert

Rules Using This Email Alert | Approval Processes Using This Email Alert | Entitlement Processes Using This Email Alert

Email Alert Detail Edit Delete Clone

Description	Order Confirmation Email Alert	Email Template	Order Confirmation Email
Unique Name	Order_Confirmation_Email_Alert	Object	Order
From Email Address	Current User's email address		
Recipients	User: Niklaus Mikaelson User: Kol Mikaelson		
Additional Emails			
Created By	Ruchita Pinjala, 9/12/2020, 9:03 AM	Modified By	Ruchita Pinjala, 9/12/2020, 9:03 AM

Edit Delete Clone

Rules Using This Email Alert Rules Using This Email Alert Help

This alert is currently not used by any rules

Approval Processes Using This Email Alert Approval Processes Using This Email Alert Help

This alert is currently not used by any approval processes

Activate Windows
Go to Settings to activate Windows.

4.9 Automation Flows

Salesforce **Flows** were used to automate business processes in the HandsMen Threads application. The flows reduce manual work by automatically performing actions when specified conditions are satisfied.

The following flows were implemented:

4.9.1 Order Confirmation Flow

Purpose:

Automatically sends an order confirmation email when an order status is changed to **Confirmed**.

Configuration:

- **Flow Type:** Record-Triggered Flow
- **Object:** HandsMen Order
- **Trigger:** When a record is updated
- **Condition:** Status = Confirmed
- **Action:** Send Order Confirmation Email
- **Email Alert:** Order Confirmation Email Alert New

The flow is configured to execute when an existing order is updated and changes to the Confirmed status.

The image displays the Salesforce Flow Builder interface, divided into two main sections: a category selection screen and a detailed configuration screen.

Top Section: New Automation



- Let Agentforce Help You Build:** A banner with a "Get Started (Beta)" button.
- Categories:** Four cards representing different automation types:
 - Triggered Automations:** Described as "Automations launched by records and events. This type of automation runs without user interaction." Includes a "View All Automations" link.
 - Scheduled Automations:** Described as "Time-based automations that launch at a specific time or frequency. This type of automation runs without user interaction." Includes a "View All Automations" link.
 - Screen Automations:** Described as "Interface-driven automations that guide users through business processes. This type of automation collects or displays..." Includes a "View All Automations" link.
 - Autolaunched Automations:** Described as "Automations that automatically launch when invoked by APIs, templates, processes, conditions, or something else..." Includes a "View All Automations" link.
- Frequently Used:** Four cards showing common flow types:
 - Record-Triggered Flow:** "Launches when a record is created, updated, or deleted. This autolaunched flow runs in the background." Includes a "View All Automations" link.
 - Screen Flow:** "Guides users through a business process that's launched from Lightning pages, Experience Cloud sites, quick actions, and..."
 - Schedule-Triggered Flow:** "Launches at a specified time and frequency for each record in a batch. This autolaunched flow runs in the..."
 - Autolaunched Flow (No Trigger):** "Launches when invoked by Apex, processes, REST API, and more. This autolaunched flow runs in the..."

Bottom Section: Flow Builder

The interface shows a flow canvas on the left and a configuration panel on the right.

- Flow Canvas:** Displays a "Record-Triggered Flow Start" block with the following details:
 - Object:** HandsMen Order
 - Trigger:** A record is updated
 - Conditions:** 1
 - Optimize for:** Actions and Related Records
 Below the trigger block is a "Run Immediately" block, followed by a connector (+) and an "End" block.
- Configuration Panel (Configure Start):**
 - Set Entry Conditions:** A section for specifying entry conditions to reduce the number of records that trigger the flow. It includes a "Condition Requirements" dropdown set to "All Conditions Are Met (AND)".
 - Field, Operator, Value:** A table for defining conditions. The first condition is:

Field	Operator	Value
Status	Equals	Confirmed
 - When to Run the Flow for Updated Records:** Two radio button options:
 - ☒ Every time a record is updated and meets the condition requirements
 - ☐ Only when a record is updated to meet the condition requirements
 - Optimize Flow:** A section with a link to "Optimize the Flow for..."



4.9.2 Stock Alert Flow

Purpose:

Automatically notifies the inventory team when the available stock falls below **5 units**.

Configuration:


- **Flow Type:** Record-Triggered Flow

- **Object:** Inventory
- **Trigger:** When a record is created or updated
- **Condition:** Stock Quantity < 5
- **Action:** Send Low Stock Alert
- **Email Alert:** Low Stock Alert New

This automation helps the inventory team identify products requiring attention without manually checking stock levels.

The screenshot shows the 'Flow Builder' interface for a 'Stock Alert Flow - V1'. The flow is a 'Record-Triggered Flow' starting with the 'Inventory' object. The trigger is 'A record is created or updated'. The condition is '1'. The action is 'Send Stock Alert Email'. The flow is currently 'Active' and was last saved on 9/13/2026, 09:44 AM. The right sidebar shows the configuration for the 'Order Confirmation Email Alert' action, including fields for Label, API Name, and Description. The 'Set Input Values' section shows a variable 'Record ID' being mapped to 'Triggering Inventory_c > Record ID'.

The screenshot shows the 'Flow Builder' interface for a 'Set a Schedule' configuration. The flow starts with a 'Daily' trigger on 'Wed, Sep 30, 2026, 12:45:00 AM'. The frequency is set to 'Daily'. The right sidebar shows the configuration for the 'Set a Schedule' action, including fields for Start Date, Start Time, and Frequency. The 'Set a Schedule' action is currently 'Inactive'.



4.9.3 Loyalty Status Update Flow

Purpose:

Automatically updates the customer's loyalty status according to their total purchase amount.



Configuration:

- **Flow Type:** Schedule-Triggered Flow
- **Object:** HandsMen Customer
- **Schedule:** Daily
- **Field Evaluated:** Total Purchases
- **Output:** Loyalty Status

The loyalty levels are determined as follows:

Total Purchases	Loyalty Status
Greater than 1000	Gold
Less than 500	Bronze
500 to 1000	Silver

The flow retrieves customer records, evaluates the purchase amount, and updates the corresponding Loyalty Status.



4.10 Apex Trigger and Handler

Apex was used in the project to implement custom business logic that requires programmatic validation.

An **Apex Trigger** automatically executes Apex logic when specific record operations occur. In HandsMen Threads, an Apex Trigger is used to validate order quantities based on the order status.

Apex Components

Component	Purpose
OrderTrigger	Executes the order validation logic before insertion or update.
OrderTriggerHandler	Contains the business validation logic for order quantity.

OrderTriggerHandler

The handler validates the quantity according to the order status.

```
public class OrderTriggerHandler {
    public static void validateOrderQuantity(List<HandsMen_Order__c> orderList) {
        for (HandsMen_Order__c order : orderList) {

            if (order.Status__c == 'Confirmed') {
                if (order.Quantity__c == null || order.Quantity__c <= 500) {
                    order.Quantity__c.addError(
                        'For Status "Confirmed", Quantity must be more than 500.'
                    );
                }


            } else if (order.Status__c == 'Pending') {
                if (order.Quantity__c == null || order.Quantity__c <= 200) {
                    order.Quantity__c.addError(
                        'For Status "Pending", Quantity must be more than 200.'
                    );
                }

            } else if (order.Status__c == 'Rejection') {
                if (order.Quantity__c == null || order.Quantity__c != 0) {
                    order.Quantity__c.addError(
                        'For Status "Rejection", Quantity must be 0.'
                    );
                }

            }

        }

        System.debug('All records validated successfully.');
```



OrderTrigger

The trigger calls the handler before a HandsMen Order record is inserted or updated.

trigger OrderTrigger on HandsMen_Order__c (before insert, before update) {

```

    if (Trigger.isBefore && (Trigger.isInsert || Trigger.isUpdate)) {
        OrderTriggerHandler.validateOrderQuantity(Trigger.new);
    }
}

```

Order Quantity Validation

Order Status	Quantity Requirement
Confirmed	More than 500
Pending	More than 200
Rejection	Must be 0

This implementation ensures that orders follow the defined quantity rules before they are saved.

4.11 Batch Apex

Batch Apex is used to process large numbers of Salesforce records in manageable groups. In the HandsMen Threads project, Batch Apex is used for scheduled inventory processing.

The batch job identifies products with stock below the defined level and increases their stock quantity as part of the inventory synchronization process.

InventoryBatchJob

```
global class InventoryBatchJob
implements Database.Batchable<SObject>, Schedulable {

    global Database.QueryLocator start(Database.BatchableContext BC) {
        return Database.getQueryLocator(
            'SELECT Id, Stock_Quantity__c ' +
            'FROM Product__c ' +
            'WHERE Stock_Quantity__c < 10'
        );
    }

    global void execute(
        Database.BatchableContext BC,
        List<SObject> records
    ) {
        List<HandsMen_Product__c> productsToUpdate =
            new List<HandsMen_Product__c>();

        for (SObject record : records) {
            HandsMen_Product__c product =
                (HandsMen_Product__c) record;

            product.Stock_Quantity__c += 50;
            productsToUpdate.add(product);
        }

        if (!productsToUpdate.isEmpty()) {
            try {
                update productsToUpdate;
            } catch (DmlException e) {
                System.debug(
                    'Error updating inventory: ' + e.getMessage()
                );
            }
        }
    }

    global void finish(Database.BatchableContext BC) {
        System.debug('Inventory Sync Completed');
    }

    global void execute(SchedulableContext SC) {
        InventoryBatchJob batchJob = new InventoryBatchJob();
        Database.executeBatch(batchJob, 200);
    }
}
```

```
}  
orgfarm-c26c01f21c-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage  
File Edit Debug Test Workspace Help < >  
InventoryBatchJob.apxc  
Code Coverage: None API Version: 67  
1 global class InventoryBatchJob implements Database.Batchable<SObject>, Schedulable {  
2  
3 global Database.QueryLocator start(Database.BatchableContext BC) {  
4  
5 return Database.getQueryLocator(  
6  
7 'SELECT Id, Stock_Quantity__c FROM Product__c WHERE Stock_Quantity__c < 10'  
8  
9 );  
10  
11 }  
12  
13 global void execute(Database.BatchableContext BC, List<SObject> records) {  
14  
15 List<HandsMen_Product__c> productsToUpdate = new List<HandsMen_Product__c>();  
16  
17 }  
18 }  
Logs Tests Checkpoints Query Editor View State Progress Problems
```

Batch Processing Logic

The batch job:

1. Identifies products with stock below 10.
2. Processes the records in batches.
3. Increases the stock quantity by 50.
4. Updates the affected product records.
5. Displays an error in the debug log if the update fails.
6. Completes the inventory synchronization process.

4.12 Scheduled Apex

Scheduled Apex allows Apex code to execute automatically at a specified time. In HandsMen Threads, the inventory batch process is scheduled to run **daily at midnight**.

The following Execute Anonymous code was used to schedule the batch job:

```
System.schedule(  
    'Daily Inventory Sync',  
    '0 0 0 * * ?',  
    new InventoryBatchJob()  
);
```

Schedule Details

Configuration	Value
Job Name	Daily Inventory Sync
Frequency	Daily
Execution Time	Midnight
Process	Inventory Batch Job

This automation ensures that the inventory synchronization process runs automatically without requiring manual execution.

5. Phase 3 – UI/UX Development & Customization

5.1 Lightning App – HandsMen Threads

The **HandsMen Threads Lightning App** provides a centralized interface for accessing the major business components of the Salesforce system. It brings customer, order, product, inventory, marketing, reporting, and dashboard functions together within a single application.

The app was configured with the following navigation items:

Navigation Item	Purpose
HandsMen Customer	Manage customer information
HandsMen Order	Manage customer orders
Inventory	Monitor inventory records
HandsMen Product	Manage product information
Reports	Access Salesforce reports
Dashboard	Access dashboard information
Account	Manage account records
Contact	Manage contact records
Marketing Campaign	Manage marketing campaign records

The screenshot displays the 'New Lightning App' configuration window in Salesforce. The interface is divided into two main sections: 'App Details' and 'App Branding'.

App Details:



- * App Name:** HandsMen Threads
- * Developer Name:** HandsMen_Threads
- Description:** HandsMen Threads: Elevating the Art of Sophistication in Men's fashion


App Branding:

- Image:** A placeholder box with an 'Upload' button.
- Primary Color Hex Value:** #0070D2
- Org Theme Options:** A checkbox labeled 'Use the app's image and color instead of the org's custom theme' is currently unchecked.

At the bottom, there is an 'App Launcher Preview' section showing a horizontal bar with several app icons. A 'Next' button is located in the bottom right corner of the configuration window.

The **System Administrator** profile was added to the application to provide administrative access.






5.2 Custom Tabs

Custom tabs were created for the main custom objects so that users can directly access their records from the Salesforce interface.

The custom tabs created are:

- HandsMen Customer
- HandsMen Product
- HandsMen Order
- Inventory
- Marketing Campaign

These tabs improve navigation and make the application easier to use for different business activities.




5.3 Object Page Layouts

Page layouts were configured for the custom objects to organize the available fields and provide a structured record view for users.

The layouts support activities such as:

- Entering customer details
- Managing product information
- Creating and updating orders
- Monitoring inventory quantities and stock status
- Managing marketing campaign information

This ensures that users can view and maintain relevant information in an organized manner.



The screenshot displays a 'New HandsMen Customer' form. At the top, the title 'New HandsMen Customer' is centered. Below the title, a legend indicates that a red asterisk (*) denotes 'Required Information'. The form is organized into a section titled 'Information'. Within this section, the following fields are present: 'HandsMen Customer Name' (a required text field), 'Email' (a text field), 'Phone' (a text field), 'Loyalty Status' (a dropdown menu currently showing '--None--'), 'FirstName' (a text field), 'LastName' (a text field), and 'Total Purchases' (a text field). To the right of the 'HandsMen Customer Name' field, the 'Owner' is listed as 'Ruchita Pinjala' with a user icon. At the bottom right of the form, there are three buttons: 'Cancel', 'Save & New', and 'Save'.

5.4 Formula Fields for User-Friendly Information

Formula fields were used to automatically display derived information without requiring users to enter it manually.

For example, the **Full Name** field in HandsMen Customer combines the first and last name:

```
FirstName__c + " " + LastName__c
```

The Inventory object also contains a **Stock Status** formula that identifies whether the available quantity is sufficient:

```
IF(Stock_Quantity__c > 10, "Available", "Low Stock")
```

These formula fields improve data visibility and reduce unnecessary manual calculations.

SETUP > OBJECT MANAGER
Inventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Field Label: Field Name:

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected

Select one of the data types below:

☐ Checkbox
Calculate a boolean value.
Example: `{TODAY()} > CloseDate`

☐ Currency
Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `{Gross Margin = Amount - Cost}_c`

☐ Date
Calculate a date, for example, by adding or subtracting days to other dates.
Example: `{Reminder Date = CloseDate - 7}`

☐ Date/Time
Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `{Next = NOW()} + 1`

☐ Number
Calculate a numeric value.

Activate Windows
Go to Settings to activate Windows.

5.5 User Interface Validation

Validation rules were configured to maintain correct data entry through the Salesforce interface.

Object	Validation	Error Message
HandsMen Order	Total Amount must be greater than 0	Please Enter Correct Amount
Inventory	Stock Quantity cannot be less than or equal to 0	the inventory count is never less than zero.
HandsMen Customer	Email must contain @gmail.com	Please fill Correct Gmail

These validations prevent incorrect information from being saved and improve overall data quality.

SETUP
Object Manager

HandsMen Order Validation Rule [Help for this Page](#)

[Back to HandsMen Order](#)

Validation Rule Detail [Edit](#) [Clone](#)

Rule Name: Active: ☒

Error Condition Formula:

Error Message: Error Location:

Description:

Created By: [Bhupita Pinala](#) 9/12/2028, 6:59 AM Modified By: [Bhupita Pinala](#) 9/12/2028, 6:59 AM

[Edit](#) [Clone](#)


Object Manager

Inventory Validation Rule

[Back to Inventory](#)

Validation Rule Detail

EditClone

Rule Name	Stock_Quantity	Active	✓
Error Condition Formula	Stock_Quantity__c <= 0		
Error Message	The inventory count is never less than zero	Error Location	Top of Page
Description			
Created By	Ruchita Pinjala , 9/12/2026, 7:02 AM	Modified By	Ruchita Pinjala , 9/12/2026, 7:02 AM

EditClone


Object Manager

HandsMen Customer Validation Rule

[Back to HandsMen Customer](#)

Validation Rule Detail

EditClone

Rule Name	Email	Active	✓
Error Condition Formula	NOT CONTAINS(Email__c, "@gmail.com")		
Error Message	Please fill Correct Gmail	Error Location	Top of Page
Description			
Created By	Ruchita Pinjala , 9/12/2026, 7:04 AM	Modified By	Ruchita Pinjala , 9/12/2026, 7:04 AM

EditClone

5.6 User Access and Role-Based Experience

The application also supports different user responsibilities through Salesforce security configuration.

The **Sales**, **Inventory**, and **Marketing** roles represent different business responsibilities. The custom **Platform 1** profile and **Permission_Platform_1** permission set provide the required object-level access for users.

This helps ensure that users work with the Salesforce data relevant to their responsibilities while maintaining controlled access to business information.



New User

[Help for this Pa](#)Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

User Edit

[Cancel](#) [Save](#) [Save & New](#)

General Information

Required Informa

First Name
Last Name
Alias
Email
Username
Nickname
Title
Company
Department
Division

Role
User License
Profile
Active ☒
Marketing User ☐
Offline User ☐
Knowledge User ☐
Flow User ☐
Service Cloud User ☐
Site.com Contributor User ☐

[Permission Set Assignments](#) | [Permission Set Assignments: Activation Required](#) | [Permission Set Group Assignments](#) | [Permission Set License Assignments](#) | [Personal Groups](#) | [Public Group Membership](#) | [Queue Membership](#) | [Team](#) | [Managers in the Role Hierarchy](#) | [OAuth Asso](#) | [Third-Party Account Links](#) | [Built-in Authenticators](#) | [Installed Mobile Apps](#) | [Authentication Settings for External Systems](#) | [Login History](#) | [User Provisioning Accounts](#)

User Detail

[Edit](#) [Sharing](#) [Reset Password](#) [Freeze](#) [View Summary](#)

Name	Niklaus Mikaelson	Role	Sales
Alias	nmika	User License	Salesforce
Email	pinjalaruchita2005@gmail.com Verify	Profile	Platform 1
Username	pinjalaruchi@gmail.com	Active	☒
Nickname	User17892228032443172098	Marketing User	☐
Title		Offline User	☐
Company		Knowledge User	☐
Department		Flow User	☐
Division		Service Cloud User	☐
Address		Site.com Contributor User	☐
Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)	Site.com Publisher User	☐
Locale	English (United States)	WDC User	☐
Language	English	Mobile Push Registrations	View

Activate Windows

ds emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)[Cancel](#) [Save](#) [Save & New](#)

ition

Required Informa

First Name
Last Name
Alias
Email
Username
Nickname
Title
Company
Department

Role
User License
Profile
Active ☒
Marketing User ☐
Offline User ☐
Knowledge User ☐
Flow User ☐
Service Cloud User ☐

All Users

On this page you can create, view, and manage users.

To get more licenses, use the Your Account app. [Let's Go](#)

View: [All Users](#) [Create New View](#)

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other **All**

							New User	Reset Password(s)	Add Multiple Users
☐	Action	Full Name	Alias	Username	Role	Active	Profile		
☐	Edit	Chatter Expert	Chatter	chatty_00da000017d9v0eas.7vyouwvuhtr@chatter.salesforce.com		✓	Chatter Free User		
☐	Edit	EPIC_OrgFarm	OEPIE	epic.673ab538494a@orgfarm.salesforce.com		✓	System Administrator		
☐	Edit	Mikaelson_Koi	kmika	238wruchi@vrsec.ac.in	Inventory	✓	Platform 1		
☐	Edit	Mikaelson, Niklaus	nmika	pinjalaruchi@gmail.com	Sales	✓	Platform 1		
☐	Edit	Pinjala_Ruchita	pin	pinjalaruchita.ai.b1abdea42634@agentforce.com		✓	System Administrator		
☐	Edit	User_Integration	integ	integration@00da000017d9v0eas.com		✓	Analytics Cloud Integration User		
☐	Edit	User_Security	sec	insightssecurity@00da000017d9v0eas.com		✓	Analytics Cloud Security User		
							New User	Reset Password(s)	Add Multiple Users

5.7 Phase 3 Summary

The UI and customization phase provides a structured Salesforce interface for **HandsMen Threads**. Custom tabs, Lightning App navigation, page layouts, formula fields, validation rules, and role-based access make the system easier to use while maintaining accurate and controlled data entry.

6. Phase 4 – Data Migration, Testing & Security

6.1 Data Management

The HandsMen Threads system uses Salesforce custom objects to maintain business information in a structured manner. Customer, product, order, inventory, and marketing campaign data are stored in their respective objects.

The relationships between these objects help maintain connected business information. For example, an order is associated with a customer, while inventory records are associated with products.



Search...

HandsMen Threads

HandsMen Customer

HandsMen Orders

HandsMen Products

Inventorys

Reports

Dashboards

HandsMen Customer

 Ruchita

Related

Details

HandsMen Customer Name

Ruchita

Email

pinjalaruchita2005@gmail.com

Phone

(949) 405-6432

Loyalty Status

Silver

FirstName

Ruchita

LastName

Pinjala

Full Name

Ruchita Pinjala

Total Purchases

0

Created By

 [Ruchita Pinjala](#), 9/12/2026, 10:24 PM

Owner

 [Ruchita Pinjala](#)

Last Modified By

 [Ruchita Pinjala](#), 9/12/2026, 10:24 PM

6.2 Data Integrity and Validation

Data integrity is maintained using Salesforce **Validation Rules**, **Formula Fields**, and **Apex validation**.

The system prevents incorrect values such as:

- Zero or negative order amounts.
- Invalid inventory quantities.
- Incorrect customer email formats.
- Invalid order quantities based on order status.

Apex further validates order quantities before an order is inserted or updated.

New HandsMen Order

* = Required Information

Information

HandsMen OrderNumber

Owner
Ruchita Pinjala

Customer

Ruchita

Status

Pending

Quantity

100

For Status "Pending", Quantity must be more than 200.

Total Amount

25,000

We hit a snag.

Review the following fields

- Quantity

Cancel

Save & New

Save


6.3 Apex Testing

The Apex implementation was designed to validate order information before records are saved.

The `OrderTrigger` invokes the `OrderTriggerHandler`, which checks the order quantity according to its status.

Order Status	Required Quantity
Confirmed	More than 500
Pending	More than 200
Rejection	Exactly 0

This prevents invalid order records from being saved in Salesforce.

The image shows a screenshot of the Salesforce Developer Console in Google Chrome. The browser address bar displays the URL: orgfarm-c26c01f21c-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage. The console title is "Developer Console - Google Chrome". The main editor shows the code for "OrderTriggerHandler.apxc". The code is as follows:

```
1 public class OrderTriggerHandler {  
2  
3     public static void validateOrderQuantity(List<HandsMen_Order__c> orderList) {  
4  
5         for (HandsMen_Order__c order : orderList) {  
6  
7             if (order.Status__c == 'Confirmed') {  
8  
9                 if (order.Quantity__c == null || order.Quantity__c <= 500) {  
10  
11                     order.Quantity__c.addError('For Status "Confirmed", Quantity must be more  
12  
13                 }  
14  
15         }  
16     }  
17 }  
18  
19 // also if (order.Status__c == 'Pending') {  
20  
21 }
```

The console interface includes tabs for "Logs", "Tests", "Checkpoints", "Query Editor", "View State", "Progress", and "Problems". Below the code editor is a table with columns: "User", "Application", "Operation", "Time", "Status", "Read", and "Size".

6.4 Automation Testing

The Salesforce Flows were configured to automate important business activities.

Automation	Testing Condition	Expected Result
Order Confirmation Flow	Order status changed to Confirmed	Confirmation email is sent
Stock Alert Flow	Stock quantity becomes less than 5	Low-stock email is sent
Loyalty Status Update Flow	Customer purchase value is evaluated	Loyalty status is updated

These automations reduce manual work and ensure that important business actions occur automatically.

Flow Builder

Loyalty Status Update Flow - V1

?

Auto-Layout

?

Last saved on 9/13/2026, 10:20 AM Active Run Debug Save As New Version Save Deactivate

Start

Get HandsMen Customers

Send Customers

Check Loyalty Status

Update Gold Loyalty Status

Update Bronze Loyalty Status

Update Silver Loyalty Status

End

Flow Diagram

Get Records

*Label Get HandsMen Customers

*API Name Get_HandsMen_Customers

Description

Get Records of This Object

*Object HandsMen Customer

Filter HandsMen Customer Records

With no conditions, the flow retrieves all HandsMen Customer records.

Condition Requirements

None—Get All HandsMen Custo...

Sort HandsMen Customer Records

Sort Order Not Sorted

If you store only the first record, filter by a unique field with ID.

Order Confirmation Flow - V3

?

Auto-Layout

?

Last saved on 9/13/2026, 11:49 AM Active Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow

Start

Object: HandsMen Order

Trigger: A record is updated

Conditions: 1

Optimize for: Actions and Related Recor...

+ Add Scheduled Paths (Optional)

Open Flow Trigger Explorer for Hands...

Run Immediately

Send Order Confirmation Em...
Email Alert

End

Order Confirmation Email Alert New

*Label Send Order Confirmation Email

*API Name Send_Order_Confirmation_Email

Description

Use values from earlier in the flow to set the inputs for the "HandsMen_Order_c.Order_Confirmation_Email_Alert_New" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values

* Record ID

g HandsMen_Order_c > Record ID X

Show advanced options

Stock Alert Flow - V4

?

Auto-Layout

?

Last saved on 9/13/2026, 11:54 AM Active Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow

Start

Object: Inventory

Trigger: A record is created or updated

Conditions: 1

Optimize for: Actions and Related Recor...

+ Add Scheduled Paths (Optional)

Open Flow Trigger Explorer for Invent...

Run Immediately

Send Low Stock Alert
Email Alert

End

Low Stock Alert New

*Label Send Low Stock Alert

*API Name Send_Low_Stock_Alert

Description

Use values from earlier in the flow to set the inputs for the "Inventory_c.Low_Stock_Alert_New" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values

* Record ID

g Triggering Inventory_c > Record ID X

Show advanced options

6.5 Security Configuration

Salesforce security features were used to control access to business data.

Profile

A custom **Platform 1** profile was created by cloning the Standard User profile. It was configured with access to the required HandsMen Threads custom objects, including **HandsMen Product** and **Inventory**.

Roles

Three roles were configured according to business responsibilities:

- **Sales** – handles sales and order-related activities.
- **Inventory** – manages inventory-related information.
- **Marketing** – handles marketing activities.

Permission Set

The **Permission_Platform_1** permission set provides additional object permissions for **HandsMen Customer** and **HandsMen Order**, including:

- Read
- Create
- Edit
- Delete

This combination of profiles, roles, and permission sets provides controlled access to Salesforce data.

6.6 Security and Data Integrity Outcome

The security and testing configuration ensures that:

- Users have controlled access to Salesforce objects.
- Incorrect data is prevented through validation rules.
- Order quantities are validated through Apex.
- Automated business processes work according to defined conditions.
- Customer, product, order, and inventory information remains structured and consistent.

Phase 4 Summary

The testing and security phase ensures that the HandsMen Threads Salesforce application maintains **data accuracy, controlled user access, and reliable automation** while supporting the organization's business processes.


7. Phase 5 – Deployment, Documentation & Maintenance

7.1 Deployment

After configuration and testing, the HandsMen Threads Salesforce application is prepared for deployment within the Salesforce environment.

The deployment includes the major configured components such as:

- Custom objects and fields
- Object relationships
- Validation rules
- Profiles, roles, and permission sets
- Email templates and email alerts
- Record-triggered and scheduled flows
- Apex trigger and handler
- Batch Apex and scheduled Apex
- HandsMen Threads Lightning App



7.2 Scheduled Inventory Processing

The project includes a scheduled inventory process that runs daily at midnight.

The scheduled Apex invokes the `InventoryBatchJob`, which identifies products with stock below 10 and increases their stock quantity by 50.

Schedule Details

Configuration	Value
Job Name	Daily Inventory Sync
Frequency	Daily
Execution Time	Midnight
Process	Inventory Batch Job


Scheduled Jobs

All Scheduled Jobs

The All Scheduled Jobs page lists all of the jobs scheduled by your users. Multiple job types may display on this page. You can delete scheduled jobs if you have the permission to do so.

You have currently used 0 scheduled Apex jobs out of an allowed organization limit of 100 active or scheduled jobs. To learn about how this limit is calculated and what contributes to it see the [Lightning Platform Apex Limits](#) topic.

View: **All Scheduled Jobs** [Create New View](#)

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | **All**

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Del	Loyalty_Status_Update_Flow-1	Pinjala_Ruchita	9/12/2026, 9:50 PM		9/30/2026, 12:45 AM	Scheduled Flow	08ea0000101Fvn
Del	Metalytics Data Loader Job for Org : 00Daj000017D9vQ	User_Integration	9/7/2026, 9:16 AM	9/12/2026, 9:30 PM	9/13/2026, 9:30 PM	Autonomous Data Loader Job	08ea000000z99cA
	Program Milestone Computation Cron Job	Process, Automated	9/7/2026, 9:16 AM	9/13/2026, 12:00 AM	9/13/2026, 6:59 AM	Program Milestone Computation Cron Job	08ea000000z99c8
	Program Status Update Cron Job	Process, Automated	9/7/2026, 9:16 AM	9/12/2026, 8:01 PM	9/13/2026, 5:00 AM	Program Status Update Cron Job	08ea000000z99c9

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | **All**

7.3 Documentation

The project documentation records the major components of the HandsMen Threads Salesforce application, including:

- Business requirements and objectives
- Salesforce data model
- Custom objects and relationships
- Fields and validation rules
- Security configuration
- Email automation
- Salesforce Flows
- Apex trigger and handler
- Batch and scheduled Apex
- Testing and deployment details

This documentation provides a reference for understanding and maintaining the application.

7.4 Maintenance

Regular maintenance helps keep the Salesforce application reliable and aligned with business requirements.

Maintenance activities may include:

- Monitoring automated flows and scheduled jobs.

- Reviewing inventory and order data.
- Updating user permissions when responsibilities change.
- Monitoring Apex execution and errors.
- Updating email templates when business communication requirements change.
- Reviewing validation rules and business logic when requirements change.

7.5 Phase 5 Summary

The deployment and maintenance phase completes the implementation of the **HandsMen Threads Salesforce application**. The configured automation, scheduled inventory processing, security controls, and documentation provide a structured foundation for continued use and future improvements.

8. Future Enhancements

In the future, the HandsMen Threads Salesforce application can be enhanced by integrating AI-based customer support and product recommendations, improving inventory prediction and management, expanding the customer loyalty program, and providing advanced dashboards and mobile accessibility. These enhancements can make the system more intelligent, efficient, and user-friendly while supporting the organization's future business needs.

9. Conclusion

The **HandsMen Threads Salesforce application** provides a structured platform for managing customers, products, orders, inventory, and marketing activities. By using Salesforce objects, relationships, validation rules, security controls, Flows, Apex, and scheduled automation, the system reduces manual effort and improves data accuracy. Overall, the project demonstrates how Salesforce can be used to automate business processes and provide an efficient solution for managing day-to-day business operations.