

PARCIAL LINEA III 2025-1

ING. William Alexander Matallana Porras

UNIVERSIDAD DE CUNDINAMARCA

Desarrollar una API REST en Spring Boot que permita gestionar la información de un equipo de fútbol: jugadores, entrenadores, partidos y estadísticas. Se documentará con Swagger y usará Supabase como base de datos PostgreSQL.

Acciones y Etapas del Proyecto

1. Conexión con Supabase

2. Crear el Modelo de Datos (Entregar screen modelo Supabase)

3. Crear los Repositorios

4. Crear los Servicio

5. Crear los Controladores (CRUD)

6. Documentar la API con Swagger

7. Consultas nativas

- Obtener todos los jugadores de un equipo específico
- Obtener los jugadores que han marcado más de X goles
- Obtener el número total de goles marcados por un equipo en todos sus partidos
- Obtener los resultados de todos los partidos indicando los nombres de los equipos
- No funciono postman se hicieron en swagger.

Home Workspaces API Network Search Postman Invite Upgrade

post findAll equipoFutbol / Equipo / findAll Save

POST localhost:8080/api/entrenadores Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "nombre": "Nuzy Esperanza Pita",
3   "especialidad": "Cocina",
4   "id_equipo": 3
5 }
```

Body Cookies Headers (8) Test Results Status: 404 Not Found Time: 471 ms Size: 401 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "timestamp": "2025-04-22T22:07:03.604+00:00",
3   "status": 404,
4   "error": "Not Found",
5   "message": "No message available",
6   "path": "/api/entrenadores%0A"
7 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash 6:52 p.m. 22/04/2025

supabase.com/dashboard/project/rczirpjvzeaxudqmcn/database/schemas

Ver Anime Online...

Pinyituri's Org Free Pinyituri's Project Connect Enable branching Feedback

Database schema public Auto layout

Database Management

- Schema Visualizer
- Tables
- Functions
- Triggers
- Enumerated Types
- Extensions
- Indexes
- Publications

Access Control

- Roles
- Policies

Platform

- Backups

Schema Visualizer

Tables and their attributes:

- jugador**: id_jugador (text), dorsal (text), fecha_nac (date), id_equipo (text), nacionalidad (varchar), nombre (varchar), position (varchar)
- equipo**: id_equipo (text), ciudad (varchar), fundacion (date), nombre (varchar)
- estadisticas_jugador**: id_estadisticas (text), goles (text), id_jugador (text), id_partido (text), minutos_jugados (text), tarjetas_amarillas (text), tarjetas_rojas (text)
- partido**: id_partido (text), equipo_local (text), equipo_visitante (text), estadio (varchar), fecha (date), goles_local (text), goles_visitante (text)
- entrenador**: id_entrenador (text), especialidad (varchar), id_equipo (text), nombre (varchar)

Legend: Primary key, Identity, Unique, Nullable, Non-Nullable

7:11 p.m. 22/04/2025

Ver Anime Online...

Swagger

Powered by SMARTSEAR

/v3/api-docs

Explore

API de Equipo

1.0

OAS 3.0

/v3/api-docs

Documentación de la API para gestionar Equipo

[Contact Soporte API](#)

Servers

http://localhost:8080 - Generated server url

partido-controller

GET /api/partidos/{id}

Parameters

Cancel

Name	Description
id *	required
integer(\$int32)	105
(path)	

Execute

Clear

Responses

Curl

curl -X 'GET' \

U

4

W

25°C

6:20 p. m.

22/04/2025

9

localhost:8080/swagger-ui/index.html

Ver Anime Online...

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/partidos/105' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/api/partidos/105

Server response

Code Details

404

undocumented Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:45:30 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visitante": 0,
  "goles_local": 0,
  "goles_visitante": 0
}
```

PUT

/api/partidos/{id}

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	
(path)	
	105

Request body required

application/json

```
{
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo local": 1,
  "equipo visita": 2,
  "goles local": 2,
  "goles visita": 1
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/partidos/105' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "fecha": "2025-04-22",
```

4

W

25°C

6:20 p. m.
22/04/2025

ESP

10

localhost:8080/swagger-ui/index.html

Ver Anime Online...

```
"fecha": "2025-04-22",
"estadio": "Camp Nou",
"equipo_local": 1,
"equipo_visita": 2,
"goles_local": 2,
"goles_visita": 1
},
```

Request URL

http://localhost:8080/api/partidos/105

Server response

Code	Details
200	<p>Response body</p> <pre>{ "id_partido": 105, "fecha": "2025-04-22", "estadio": "Camp Nou", "equipo_local": 1, "equipo_visita": 2, "goles_local": 2, "goles_visita": 1 }</pre> <p>Response headers</p> <pre>connection: keep-alive content-type: application/json date: Tue, 22 Apr 2025 22:45:16 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header:

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

Taskbar: 25°C, 6:21 p. m., 22/04/2025

Taskbar icons: Teams, Edge, Word, Weather (25°C), Network, Volume, Bluetooth, ESP, Time (6:21 p.m.), Date (22/04/2025), Notifications (10)

GET

/api/partidos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos
```

Server response

Code

Details

200

Response body

```
{
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 100,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 101,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 102,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null
}
```

4

W

25°C

6:21 p. m.

22/04/2025

10

```
{
  "id_partido": 180,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 181,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 182,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 2,
  "goles_visita": 1
}
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:46:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_partido": 0,
    "fecha": "2025-04-22",
    "estadio": "string",
    "equipo_local": 0,
    "equipo_visita": 0,
    "goles_local": 0,
    "goles_visita": 0
  }
]
```



25°C



6:21 p. m.
22/04/2025



POST

/api/partidos

Parameters

No parameters

Request body required

application/json

```
{
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/partidos' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "fecha": "2025-04-20",
    "estadio": "Estadio Monumental",
    "equipo_local": 1,
    "equipo_visita": 2,
    "goles_local": 3,
    "goles_visita": 2
  }'
```

4

W

25°C

ESP

6:22 p. m.

22/04/2025

10


```
http://localhost:8080/api/partidos
```

Code	Details
------	---------

Undocumented and

```
{
  "id_partido": 183,
  "fecha": "2025-04-28",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visitante": 2,
  "goles_local": 3,
  "goles_visitante": 2
}
```

Download

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:47:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Code	Description
------	-------------

Links

OK

No links

主/性:

Controls Accept header.

Example Value	Schema
---------------	--------

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visitante": 0,
  "goles_local": 0,
  "goles_visitante": 0
}
```



25°C



ESP

6:22 p. m.
22/04/2025



```
"fecha": "2025-04-20",
"estadio": "Estadio Monumental",
"equipo_local": 1,
"equipo_visita": 2,
"goles_local": 3,
"goles_visita": 2
}
```

Request URL

http://localhost:8080/api/partidos

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_partido": 183,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:47:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

GET

/api/partidos/resultados

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos/resultados' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/partidos/resultados

Server response

Code

Details

500

Undocumented

Error: response status is 500

Response body

```
slator.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)\r\n\tat org.springframework.\r\ndao.support.DataAccessUtils.translateIfNecessary(DataAccessUtils.java:242)\r\n\tat org.springframework.dao.support.\r\nPersistenceExceptionTranslationInterceptor.invoke(PersistenceExceptionTranslationInterceptor.java:152)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.data.jpa.repository.support.CrudMethodMetadataPostProcessor$CrudMethodMetadataPopu\r\nlatingMethodInterceptor.invoke(CrudMethodMetadataPostProcessor.java:134)\r\n\tat org.springframework.aop.frame\r\nwork.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.int\r\nceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)\r\n\tat org.springframework.aop\r\nframework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework\r\nk.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:218)\r\n\tat jdk.proxy4/jdk.proxy4.$Proxy129.\r\ngetResultadosPartidosConEquipos(Unknown Source)\r\n\tat com.example.BDPostgres.Service.PartidoService.obtenerRe\r\nsultadosPartidosConEquipos(PartidoController.java:62)\r\n\tat java.base/jdk.internal.reflect.DirectMet\r\nhodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.invoke\r\n(Method.java:588)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandl\r\nerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(Invoc\r\nableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandl\r\nerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.me\r\nthod.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappin\r\nghandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handl\r\ne(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispatch(Dis\r\npatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServle\r\nt.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1003)
```

4

W

25°C

6:23 p. m.

22/04/2025

10

Undocumented

Error: response status is 500

Response body

```
DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1083)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterInternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:197)\r\n\tat org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:97)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:119)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:78)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:480)\r\n\tat org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.AbstractProtocolHandler.process(AbstractProtocolHandler.java:861)\r\n\tat org.apache.tomcat.util.net.NioEndpoint$NioSocketProcessorBase.run(NioEndpoint$NioSocketProcessorBase.java:173)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:46)
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:47:23 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0
  }
]
```

Undocumented

Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.80Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dire
ctMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:207)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.
doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterI
nternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Application
FilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)
\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat or
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.a
pache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

e

GET

/api/partidos/goles/{equipoId}

Parameters

Cancel

Name	Description
equipoid * required	
integer(\$int32)	100
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/partidos/goles/100' \
-H 'accept: */*' 
```

Request URL

```
http://localhost:8080/api/partidos/goles/100
```

Server response

Code	Details
500 undocumented	Error: response status is 500 <div>Response body<pre>s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat con.example.BDPostgres.Controlle\r\nr.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dir\r\nectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.\r\ninvoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl\r\neHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest\r\n(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl\r\neHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.\r\nmvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestM\r\nappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte\r\nr.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp\r\natch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatche\r\nrServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav\r\na:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar\r\nta.servlet.http.HttpServlet.service(HttpServlet.java:795)\r\n\tat org.springframework.web.servlet.FrameworkServ</pre></div>

undocumented Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.80Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method
.invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet
.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestM
appingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav
a:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:888)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain
.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterIn
ternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applicatio
nFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain
.java:158)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat or
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apa
che.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

0

jugador-controller

GET /api/jugadores/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)

(path)

50

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/jugadores/50' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/50
```

Server response

Code	Details
------	---------

404

Undocumented

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:48:47 GMT
keep-alive: timeout=60
```

Responses

Code	Description
------	-------------

Links



25°C



Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/jugadores/50' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:48:47 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```

4

W

25°C

6:26 p. m.

22/04/2025

10

```
{
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}
```

Request URL

http://localhost:8888/api/jugadores/50

Server response

Code Details

200

Response body

```
{
  "id_jugador": 181,
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:49:27 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```



25°C



ESP

6:27 p. m.
22/04/2025



PUT

/api/jugadores/{id}

Parameters

Cancel

Reset

Name

Description

id * required

integer(\$int32)

(path)

50

Request body required

application/json

{
 "nombre": "jj",
 "posicion": "89",
 "dorsal": 12,
 "fecha_nac": "2025-04-22",
 "nacionalidad": "Venezolana",
 "id_equipo": 8
}

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 'http://localhost:8080/api/jugadores/50' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 "nombre": "jj",
 "posicion": "89",
 "dorsal": 12,
 "fecha_nac": "2025-04-22",
 "nacionalidad": "Venezolana",
 "id_equipo": 8
 }'

DELETE

/api/jugadores/{id}

^

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	50
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/jugadores/50' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/50
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:49:48 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T 4

W

25°C

6:28 p. m.

22/04/2025

10

GET

/api/partidos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/partidos' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos
```

Server response

Code

Details

200

Response body

```
{
  "id_partido": 180,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 181,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 182,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 2,
  "goles_visita": 1
}
```

Download

4

W

25°C

^

ESP

6:29 p. m.

22/04/2025

10


```
"estadio": "Estadio Monumental",
"equipo_local": null,
"equipo_visita": null,
"goles_local": 3,
"goles_visita": 2
},
{
  "id_partido": 101,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 1
},
{
  "id_partido": 102,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 2,
  "goles_visita": 1
}
]
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:46:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header:

Example Value | Schema

```
[
  {
    "id_partido": 0,
    "fecha": "2025-04-22",
    "estadio": "string",
    "equipo_local": 0,
    "equipo_visita": 0,
    "goles_local": 0,
    "goles_visita": 0
  }
]
```

POST /api/partidos

POST

/api/partidos

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

```
{  
  "fecha": "2025-04-20",  
  "estadio": "Estadio Monumental",  
  "equipo_local": 1,  
  "equipo_visita": 2,  
  "goles_local": 3,  
  "goles_visita": 2  
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'http://localhost:8080/api/partidos' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "fecha": "2025-04-20",  
    "estadio": "Estadio Monumental",  
    "equipo_local": 1,  
    "equipo_visita": 2,  
    "goles_local": 3,  
    "goles_visita": 2  
  }'
```

Request URL:

```
{
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```

Request URL

`http://localhost:8080/api/partidos`

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_partido": 183,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:47:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-21",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```



6:30 p. m.
22/04/2025



Server response

Code Details

500

undocumented

Error: response status is 500

Response body

```

r.runnable(Runnable.java:273))\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)\r\n\tat org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/java.lang.Thread.run(Thread.java:1583)\r\nCaused by: org.hibernate.exception.SQLGrammarException: JDBC exception executing SQL [SELECT p.fecha, e1.nombre AS equipo_local, e2.nombre AS equipo_visitado, p.goles_local, p.goles_visitado FROM partido p JOIN equipo e1 ON p.equipo_local = e1.id JOIN equipo e2 ON p.equipo_visitado = e2.id]\r\n\tat org.hibernate.exception.internal.SQLStateConversionDelegate.convert(SQLStateConversionDelegate.java:89)\r\n\tat org.hibernate.exception.internal.StandardSQLExceptionConverter.convert(StandardSQLExceptionConverter.java:56)\r\n\tat org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:189)\r\n\tat org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:95)\r\n\tat org.hibernate.sql.results.jdbc.internal.DeferredResultSetAccess.executeQuery(DeferredResultSetAccess.java:253)\r\n\tat org.hibernate.sql.results.jdbc.internal.DeferredResultSetAccess.getResultSet(DeferredResultSetAccess.java:146)\r\n\tat org.hibernate.sql.results.jdbc.internal.AbstractResultSetAccess.getColumnCount(AbstractResultSetAccess.java:33)\r\n\tat org.hibernate.sql.results.jdbc.internal.AbstractResultSetAccess.getColumnCount(AbstractResultSetAccess.java:49)\r\n\tat org.hibernate.query.results.ResultMappingImpl.resolve(ResultMappingImpl.java:187)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.resolveJdbcValuesSource(JdbcSelectExecutorStandardImpl.java:559)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.doExecuteQuery(JdbcSelectExecutorStandardImpl.java:350)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.executeQuery(JdbcSelectExecutorStandardImpl.java:166)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.list(JdbcSelectExecutorStandardImpl.java:91)\r\n\tat org.hibernate.query.sql.internal.NativeSelectQueryPlanImpl.performList(NativeSelectQueryPlanImpl.java:183)\r\n\tat org.hibernate.query.sql.internal.NativeQueryImpl.doList(NativeQueryImpl.java:596)\r\n\tat org.hibernate.query.spi.AbstractSelectionQuery.list(AbstractSelectionQuery.java:363)\r\n\tat org.hibernate.query.Query.getResultList(Query.java:94)\r\n\tat org.springframework.data.jpa.repository.query.JpaQueryExecution$CollectingOnExecution.doExecute(JpaQueryExecution.java:127)\r\n\tat org.springframework.data.jpa.repository.query.JpaQueryExecution.execute(JpaQueryExecution.java:90)\r\n\tat org.springframework.data.jpa.repository.query.AbstractJpaQuery.doExecute(AbstractJpaQuery.java:148)\r\n\tat org.springframework.data.jpa.repository.query.AbstractJpaQuery.execute(AbstractJpaQuery.java:136)\r\n\tat org.springframework.data.repository.core.support.RepositoryMethodInvoker.doInvoke(RepositoryMethodInvoker.java:136)\r\n\tat org.springframework.data.repository.core.support.RepositoryMethodInvoker.invoke(RepositoryMethodInvoker.java:121)

```

Download

Response headers

```

connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:47:23 GMT
transfer-encoding: chunked

```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schemas

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>*/js</div> <div>Controls Accept: header.</div> <div>Example Value Schema</div> <div>[[{}]]</div>	No links

GET

/api/partidos/goles/{equipoId}

^

4

W

25°C

^

6:32 p. m.

22/04/2025

10

ESP

GET

/api/partidos/goles/{equipoId}

⌵

Parameters

Cancel

Name	Description
equipoId * required	
integer(\$int32)	100
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos/goles/100' \
  -H 'accept: */*'

```

Request URL

http://localhost:8080/api/partidos/goles/100

Server response

Code	Details
500	Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.BDPstgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispa
tch(DispatcherServlet.java:1868)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatche
rServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:888)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat

```

4

W

25°C

6:32 p. m.

22/04/2025

10

500

undocumented Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.B0Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:58)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:207)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav
a:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:765)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.
doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterIn
ternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Application
FilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)
\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat or
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.a
pache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
0
```


jugador-controller

GET /api/jugadores/{id}

Parameters

Cancel

Name Description

id * required

integer(\$int32)

(path)

50

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/jugadores/50' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code Details

404

(undocumented)

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:48:47 GMT
keep-alive: timeout=60
```

Responses

Code Description

Links

Responses		
Code	Description	Links
200	<p data-bbox="355 285 1234 298">OK</p> <p data-bbox="355 298 1234 308">Media type</p> <div data-bbox="355 308 647 327"><input type="text" value="*/js"/></div> <p data-bbox="355 327 1234 340">Controls Accept header.</p> <p data-bbox="355 340 1234 350">Example Value Schema</p> <pre data-bbox="355 350 1234 415">{ "id_jugador": 0, "nombre": "string", "posicion": "string", "dorsal": 0, "fecha_nac": "2025-04-22", "nacionalidad": "string", "id_equipo": 0 }</pre>	<p data-bbox="1234 285 1377 298">No links</p>

PUT

/api/jugadores/{id}

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	50
(path)	

Request body required

application/json

```
{  "nombre": "jj",  "position": "89",  "dorsal": 12,  "fecha_nac": "2025-04-22",  "nacionalidad": "Venezolana",  "id_equipo": 0}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  'http://localhost:8080/api/jugadores/50' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  }
```

4

W

25°C

^

ESP

6:33 p. m.

22/04/2025

10

```
-H Content-type: application/json \
-d '{
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}'
```

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code Details

200

Response body

```
{
  "id_jugador": 101,
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:49:27 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```

DELETE

/api/jugadores/{id}

Cancel

Parameters

Name	Description
id * required	
integer(\$int32)	50
(path)	

ExecuteClear

Responses

Curl

curl -X 'DELETE' \n'http://localhost:8080/api/jugadores/50' \n-H 'accept: */*'

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code	Details
404	Error: response status is 404

Response headers

connection: keep-alive\ncontent-length: 0\ndate: Tue, 22 Apr 2025 22:49:48 GMT\nkeep-alive: timeout=60

Responses

Code	Description	Links
200	OK	No links

4

25°C

ESP

6:33 p. m.

22/04/2025

10

```
},
  "id_jugador": 11,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
  "id_jugador": 12,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
  "id_jugador": 13,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:49:56 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Example Value | Schema

```
[
  {
    "id_jugador": 0,
    "nombre": "string",
    "posicion": "string",
    "dorsal": 0,
    "fecha_nac": "2025-04-22",
    "nacionalidad": "string",
    "id_equipo": 0
  }
]
```

GET

/api/jugadores

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores
```

Server response

Code

200

Details

Response body

```
{
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 9,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 10,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
}
```



25°C



6:34 p. m.

22/04/2025



POST

/api/jugadores

Parameters

No parameters

Request body required

application/json

```
{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/jugadores' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}'
```

Request URL

http://localhost:8080/api/jugadores


```
-d '{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}
```

Request URL

http://localhost:8080/api/jugadores

Server response

Code Details

201

undocumented

Response body

```
{
  "id_jugador": 102,
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:50:37 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```



25°C



6:34 p. m.

22/04/2025



GET

/api/jugadores/goles/{goles}

Parameters

Name

Description

goles * required

integer(\$int32)

(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores/goles/1' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/api/jugadores/goles/1

Server response

Code

Details

500

Undocumented

Error: response status is 500

Response body

```
{
  "timestamp": "2025-04-22T22:50:47.333+00:00",
  "status": 500,
  "error": "Internal Server Error",
  "trace": "org.springframework.dao.InvalidDataAccessResourceUsageException: JDBC exception executing SQL [SELECT * FROM jugador WHERE goles > ?]; SQL [n/a]\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.convertHibernateAccessException(HibernateJpaDialect.java:257)\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.translateExceptionIfPossible(HibernateJpaDialect.java:233)\r\n\tat org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.translateExceptionIfPossible(AbstractEntityManagerFactoryBean.java:550)\r\n\tat org.springframework.dao.support.ChainedPersistenceExceptionTranslator.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)\r\n\tat org.springframework.dao.support.DataAccessUtils.translateIfNecessary(DataAccessUtils.java:242)\r\n\tat org.springframework.dao.support.PersistenceExceptionTranslationInterceptor.invoke(PersistenceExceptionTranslationInterceptor.java:152)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.data.jpa.repository.support.CrudMethodMetadataPostProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetadataPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:172)\r\n\tat org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:214)\r\n\tat java.lang.reflect.Proxy.invoke(Proxy.java:1000)\r\n\tat $Proxy1.invoke($Proxy1.java:1000)"]
```


GET

/api/jugadores/equipo/{equipoId}

Cancel

Parameters

Name	Description
equipoId <small>* required</small> integer(\$int32) (path)	<input type="text" value="1"/>

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores/equipo/1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/equipo/1
```

Server response

Code	Details
500	Error: response status is 500

Response body

```
{
  "timestamp": "2025-04-22T22:51:51.621+00:00",
  "status": "500",
  "error": "Internal Server Error",
  "trace": "org.springframework.dao.InvalidDataAccessResourceUsageException: JDBC exception executing SQL [SELECT * FROM jugador WHERE equipo_id = ?]; SQL [n/a]\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.convertHibernateAccessException(HibernateJpaDialect.java:257)\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.translateExceptionIfPossible(HibernateJpaDialect.java:233)\r\n\tat org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.translateExceptionIfPossible(AbstractEntityManagerFactoryBean.java:550)\r\n\tat org.springframework.dao.support.ChainedPersistenceExceptionTranslator.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)\r\n\tat org.springframework.dao.support.DataAccessUtils.translateIfNecessary(DataAccessUtils.java:242)\r\n\tat org.springframework.dao.support.PersistenceExceptionTranslationInterceptor.invoke(PersistenceExceptionTranslationInterceptor.java:152)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.data.jpa.repository.support.CrudMethodMetadataPostProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetadataPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(Exp
```

4

W

25°C

6:36 p. m.

22/04/2025

10


```
taPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:218)\r\n\tat jdk.proxy4/jdk.proxy4.$Proxy4.buscarEquiposPorId(Unknown Source)\r\n\tat com.example.BDPostgres.Service.JugadorService.obtenerJugadoresPorEquipo(JugadorService.java:34)\r\n\tat com.example.BDPostgres.Controller.JugadorController.obtenerJugadoresPorEquipo(JugadorController.java:56)\r\n\tat java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method.invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:207)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:895)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:185)
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:51:51 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_jugador": 0,
    "nombre": "string",
    "posicion": "string",
    "dorsal": 0,
    "fecha_nac": "2025-04-22",
    "nacionalidad": "string",
    "id_equipo": 0
  }
]
```

estadisticas-jugador-controller

estadisticas-jugador-controller

GET /api/estadisticas-jugadores/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)

(path)

45

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/estadisticas-jugadores/45' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/api/estadisticas-jugadores/45

Server response

Code	Details
------	---------

404

Undocumented

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:52:26 GMT
keep-alive: timeout=60
```

Responses


Code	Description
------	-------------

Links

200

OK

No links



25°C



ESP

6:37 p. m.
22/04/2025

10

PUT

/api/estadisticas-jugadores/{id}

Parameters

Cancel

Reset

Name

Description

id * required

integer(\$int32)

(path)

78

Request body required

application/json

{
 "id_jugador": 0,
 "id_partido": 0,
 "minutos_jugados": 32,
 "goles": 4,
 "asistencias": 3,
 "tarjetas_amarillas": 2,
 "tarjetas_rojas": 2
}

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 'http://localhost:8080/api/estadisticas-jugadores/78' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 "id_jugador": 0,

T4

W

25°C

^

ESP

6:37 p. m.
22/04/2025

10

```
"minutos_jugados": 32,  
"goles": 4,  
"asistencias": 3,  
"tarjetas_amarillas": 2,  
"tarjetas_rojas": 2  
}
```

Request URL

http://localhost:8080/api/estadisticas-jugadores/78

Server response

Code Details

200

Response body

```
{  
  "id_estadistica": 102,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 32,  
  "goles": 4,  
  "asistencias": 3,  
  "tarjetas_amarillas": 2,  
  "tarjetas_rojas": 2  
}
```

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Tue, 22 Apr 2025 22:53:11 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value Schema

```
{  
  "id_estadistica": 0,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 0,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```



25°C



6:37 p. m.
22/04/2025

10

DELETE

/api/estadisticas-jugadores/{id}

^

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	23
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/estadisticas-jugadores/23' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/estadisticas-jugadores/23
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:53:27 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

4

W

25°C

^

Wi-Fi

Bluetooth

Battery

Volume


ESP

6:38 p. m.

22/04/2025

10


```
"id_jugador": null,
"id_partido": null,
"minutos_jugados": 0,
"goles": 0,
"asistencias": 0,
"tarjetas_amarillas": 0,
"tarjetas_rojas": 0
},
{
  "id_estadistica": 2,
  "id_jugador": null,
  "id_partido": null,
  "minutos_jugados": 70,
  "goles": 2,
  "asistencias": 1,
  "tarjetas_amarillas": 1,
  "tarjetas_rojas": 0
},
{
  "id_estadistica": 3,
  "id_jugador": null,
  "id_partido": null,
  "minutos_jugados": 70,
  "goles": 2,
  "asistencias": 1,
  "tarjetas_amarillas": 1,
  "tarjetas_rojas": 0
}
```

 Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:53:36 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_estadistica": 0,
    "id_jugador": 0,
    "id_partido": 0,
    "minutos_jugados": 0,
    "goles": 0,
    "asistencias": 0,
    "tarjetas_amarillas": 0,
    "tarjetas_rojas": 0
  }
]
```

POST

/api/estadisticas-jugadores

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 12,
  "goles": 0,
  "asistencias": 0,
  "tarjetas_amarillas": 0,
  "tarjetas_rojas": 0
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/estadisticas-jugadores' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 12,
  "goles": 0,
  "asistencias": 0,
  "tarjetas_amarillas": 0,
  "tarjetas_rojas": 0
}'
```

T4

W

25°C

6:38 p. m.

22/04/2025

10

```
"asistencias": 0,  
"tarjetas_amarillas": 0,  
"tarjetas_rojas": 0  
}
```

Request URL

http://localhost:8080/api/estadisticas-jugadores

Server response

Code Details

201

Undocumented

Response body

```
{  
  "id_estadistica": 103,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 12,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```



Download

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Tue, 22 Apr 2025 22:54:21 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
  "id_estadistica": 0,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 0,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```



25°C



ESP

6:39 p. m.

22/04/2025



equipo-controller

GET /api/equipos/{id}

Parameters

Cancel

Name Description

id * required

integer(\$int32)
(path)

12

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/equipos/12' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/equipos/12

Server response

Code Details

200

Response body

```
{
  "id_equipo": 12,
  "nombre": "Club Deportivo Barcelona",
  "ciudad": "Barcelona",
  "fundacion": "1899-11-29"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:54:39 GMT
keep-alive: timeout=60
```


PUT

/api/equipos/{id}

^

Parameters

Cancel

Reset

Name

Description

id * required

integer(\$int32)

(path)

13

Request body required

application/json

▼

{
 "nombre": "Jinbei",
 "ciudad": "Ks8uI",
 "fundacion": "2025-04-22"
}

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 'http://localhost:8080/api/equipos/13' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 ...
 }'
 ...

4

W

25°C

^

ESP

6:41 p. m.

22/04/2025

10

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/equipos/13' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Jinbei",
    "ciudad": "Kabul",
    "fundacion": "2025-04-22"
  }'
```

Request URL

http://localhost:8080/api/equipos/13

Server response

Code Details

200

Response body

```
{
  "id_equipo": 13,
  "nombre": "Jinbei",
  "ciudad": "Kabul",
  "fundacion": "2025-04-22"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:55:20 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_equipo": 0,
  "nombre": "string",
  "ciudad": "string",
  "fundacion": "2025-04-22"
}
```

DELETE

/api/equipos/{id}

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	16
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/equipos/16' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/equipos/16
```

Server response

Code	Details
204	Response headers
Undocumented	<pre>connection: keep-alive date: Tue, 22 Apr 2025 22:55:34 GMT keep-alive: timeout=60</pre>

Responses

Code	Description	Links
200	OK	No links

GET

/api/equipos

GET

/api/equipos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/equipos' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/equipos
```

Server response

Code

Details

200

Response body

```
[
  {
    "id_equipo": 1,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  },
  {
    "id_equipo": 2,
    "nombre": "Equipo Visita",
    "ciudad": "Ciudad Visita",
    "fundacion": "1995-05-15"
  },
  {
    "id_equipo": 3,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 4,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 5,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  }
]
```

Download

25°C

6:41 p. m.

22/04/2025

10

200

Response body

```
[
  {
    "id_equipo": 2,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  },
  {
    "id_equipo": 3,
    "nombre": "Equipo Visita",
    "ciudad": "Ciudad Visita",
    "fundacion": "1995-05-15"
  },
  {
    "id_equipo": 1,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 4,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 5,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  }
]
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:55:52 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header:

Example Value | Schema

```
[
  {
    "id_equipo": 0,
    "nombre": "string",
    "ciudad": "string",
    "fundacion": "2025-04-22"
  }
]
```


POST

/api/equipos

Parameters

No parameters

Request body required

application/json

```
{
  "nombre": "Simon",
  "ciudad": "Maracaibo",
  "fundacion": "2025-04-22"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/equipos' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "Simon",
  "ciudad": "maracaibo",
  "fundacion": "2025-04-22"
}'
```

Request URL

http://localhost:8080/api/equipos

Server response

25°C

6:42 p. m.

22/04/2025

10

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/equipos' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Simon",
    "ciudad": "maracaibo",
    "fundacion": "2025-04-22"
  }'
```

Request URL

http://localhost:8080/api/equipos

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_equipo": 101,
  "nombre": "Simon",
  "ciudad": "maracaibo",
  "fundacion": "2025-04-22"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:58:49 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_equipo": 0,
  "nombre": "string",
  "ciudad": "string",
  "fundacion": "2025-04-22"
}
```

GET

/api/entrenadores/{id}

⌵

Parameters

Cancel

Name	Description
id ★ required	
integer(\$int32)	12
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/entrenadores/12' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/entrenadores/12
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:59:01 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T 4

W

25°C

⬆️

📶

🖨️

🔋

🔊

🖱️

ESP

6:42 p. m.

22/04/2025

10

PUT

/api/entrenadores/{id}

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	
(path)	

Request body required

application/json

```
{  "nombre": "Jairo waltero",  "especialidad": "cocina",  "id_equipo": 0}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8080/api/entrenadores/15' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "Jairo waltero",
  "especialidad": "cocina",
  "id_equipo": 0
}'
```

4

W

25°C

6:43 p. m.

22/04/2025

10

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/entrenadores/15' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Jairo waltero",
    "especialidad": "cocina",
    "id_equipo": 8
  }'
```

Request URL

http://localhost:8080/api/entrenadores/15

Server response

Code Details

200

Response body

```
{
  "id_entrenador": 100,
  "nombre": "Jairo waltero",
  "especialidad": "cocina",
  "id_equipo": 8
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:01:19 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_entrenador": 8,
  "nombre": "string",
  "especialidad": "string",
  "id_equipo": 8
}
```

DELETE

/api/entrenadores/{id}

^

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	20
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/entrenadores/20' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/entrenadores/20
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 23:01:34 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T 4

W

25°C

^

Wi-Fi

Bluetooth

🔋

🔊

🖱️

ESP

6:43 p. m.

22/04/2025

10

GET

/api/entrenadores

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/entrenadores' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/entrenadores
```

Server response

Code

Details

200

Response body

```
[
  {
    "id_entrenador": 1,
    "nombre": "string",
    "especialidad": "string",
    "id_equipo": null
  },
  {
    "id_entrenador": 2,
    "nombre": "Lucas Andres Carambi",
    "especialidad": "Ninguna",
    "id_equipo": null
  },
  {
    "id_entrenador": 3,
    "nombre": "Nury Esperanza Pita",
    "especialidad": "Cocina",
    "id_equipo": null
  },
  {
    "id_entrenador": 4,
    "nombre": "John Doe",
    "especialidad": "Fútbol",
    "id_equipo": null
  }
]
```

4

W

25°C

6:44 p. m.

22/04/2025

10


```
{
  "id_entrenador": 14,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 15,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 16,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 17,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 18,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:01:45 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_entrenador": 0,
    "nombre": "string",
    "especialidad": "string",
    "id_equipo": 0
  }
]
```

POST /api/entrenadores



25°C



6:44 p. m.
22/04/2025



POST

/api/entrenadores

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "nombre": "Cristiano",
  "especialidad": "Portero",
  "id_equipo": 0
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/entrenadores' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Cristiano",
    "especialidad": "Portero",
    "id_equipo": 0
  }'
```

Request URL

http://localhost:8080/api/entrenadores

Server response

4

W

25°C

^

Wi-Fi

Bluetooth

Battery

Volume

ESP

6:44 p. m.

22/04/2025

10

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/entrenadores' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Cristiano",
    "especialidad": "Portero",
    "id_equipo": 0
  }'
```

Request URL

http://localhost:8080/api/entrenadores

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_entrenador": 107,
  "nombre": "Cristiano",
  "especialidad": "Portero",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:05:20 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_entrenador": 0,
  "nombre": "string",
  "especialidad": "string",
  "id_equipo": 0
}
```



25°C



ESP

6:44 p. m.
22/04/2025

