

PARCIAL LINEA III 2025-1

ING. William Alexander Matallana Porras

UNIVERSIDAD DE CUNDINAMARCA

Desarrollar una API REST en Spring Boot que permita gestionar la información de un equipo de fútbol: jugadores, entrenadores, partidos y estadísticas. Se documentará con Swagger y usará Supabase como base de datos PostgreSQL.

Acciones y Etapas del Proyecto

1. Conexión con Supabase

2. Crear el Modelo de Datos (Entregar screen modelo Supabase)

3. Crear los Repositorios

4. Crear los Servicio

5. Crear los Controladores (CRUD)

6. Documentar la API con Swagger

7. Consultas nativas

- Obtener todos los jugadores de un equipo específico

- Obtener los jugadores que han marcado más de X goles

- Obtener el número total de goles marcados por un equipo en todos sus partidos

- Obtener los resultados de todos los partidos indicando los nombres de los equipos

- No funciono postman se hicieron en swagger.

Postman interface showing a POST request to `localhost:8080/api/entrenadores` with a JSON body. The response is a 404 Not Found status with a JSON error message.

Request:

```
POST localhost:8080/api/entrenadores
```

Body (JSON):

```
{  "nombre": "Nury Esperanza Pita",  "especialidad": "Cocina",  "id_equipo": 3}
```

Response:

```
{  "timestamp": "2025-04-22T22:07:03.604+00:00",  "status": 404,  "error": "Not Found",  "message": "No message available",  "path": "/api/entrenadores%0A"}
```

Status: 404 Not Found | **Time:** 471 ms | **Size:** 401 B

localhost:8080/swagger-ui/index.html

Ver Anime Online...

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos/105' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/partidos/105

Server response

Code	Details
404	<div><div>Undocumented</div><div>Error: response status is 404</div><div>Response headers</div><div><pre>connection: keep-alive content-length: 0 date: Tue, 22 Apr 2025 22:45:30 GMT keep-alive: timeout=60</pre></div></div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

W

25°C

6:20 p. m.

22/04/2025

10

Ver Anime Online...

```
"fecha": "2025-04-22",
"estadio": "Camp Nou",
"equipo_local": 1,
"equipo_visita": 2,
"goles_local": 2,
"goles_visita": 1
},
```

Request URL

http://localhost:8080/api/partidos/105

Server response

Code	Details
200	<div>Response body</div> <div><pre>{ "id_partido": 102, "fecha": "2025-04-22", "estadio": "Camp Nou", "equipo_local": 1, "equipo_visita": 2, "goles_local": 2, "goles_visita": 1 }</pre></div> <div>Response headers</div> <div>connection: keep-alive content-type: application/json date: Tue, 22 Apr 2025 22:45:16 GMT keep-alive: timeout=60 transfer-encoding: chunked</div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

25°C 6:21 p. m. 22/04/2025

DELETE

/api/partidos/{id}

Cancel

Parameters

Name	Description
id ★ required	
integer(\$int32)	1
(path)	

ExecuteClear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/partidos/1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos/1
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:46:33 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T

4

25°C

ESP

6:21 p. m.

22/04/2025

10

GET

/api/partidos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos
```

Server response

Code

Details

200

Response body

```
{
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 100,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 101,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 102,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null
}
```

4

W

25°C

6:21 p. m.

22/04/2025

10

ESP


```
{
  "id_partido": 180,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 181,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 182,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 2,
  "goles_visita": 1
}
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:46:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```



25°C



6:21 p. m.
22/04/2025



POST

/api/partidos

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/partidos' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "fecha": "2025-04-20",
    "estadio": "Estadio Monumental",
    "equipo_local": 1,
    "equipo_visita": 2,
    "goles_local": 3,
    "goles_visita": 2
  }'
```

4

W

25°C

^

Wi-Fi

Bluetooth

Battery

Volume

ESP

6:22 p. m.

22/04/2025

10

```
"fecha": "2025-04-20",
"estadio": "Estadio Monumental",
"equipo_local": 1,
"equipo_visita": 2,
"goles_local": 3,
"goles_visita": 2
}
```

Request URL

http://localhost:8080/api/partidos

Server response

Code

Details

201

Undocumented

Response body

```
{
  "id_partido": 103,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```

Download

Response headers

connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:47:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

T4

W

25°C

^

ESP

6:22 p. m.
22/04/2025

10

```
"fecha": "2025-04-20",
"estadio": "Estadio Monumental",
"equipo_local": 1,
"equipo_visita": 2,
"goles_local": 3,
"goles_visita": 2
}
```

Request URL

http://localhost:8080/api/partidos

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_partido": 183,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": 1,
  "equipo_visita": 2,
  "goles_local": 3,
  "goles_visita": 2
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:47:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_partido": 0,
  "fecha": "2025-04-22",
  "estadio": "string",
  "equipo_local": 0,
  "equipo_visita": 0,
  "goles_local": 0,
  "goles_visita": 0
}
```

GET

/api/partidos/resultados

⌵

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos/resultados' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/partidos/resultados

Server response

Code

Details

500

Undocumented

Error: response status is 500

Response body

```
slator.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)\r\n\tat org.springframework.\r\ndao.support.DataAccessUtils.translateIfNecessary(DataAccessUtils.java:242)\r\n\tat org.springframework.dao.support.PersistenceExceptionTranslationInterceptor.invoke(PersistenceExceptionTranslationInterceptor.java:152)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.data.jpa.repository.support.CrudMethodMetadataPostProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetadataPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:218)\r\n\tat jdk.proxy4/jdk.proxy4.$Proxy129.getResultsPartidosConEquipos(Unknown Source)\r\n\tat com.example.BDPostgres.Service.PartidoService.obtenerResultadosPartidosConEquipos(PartidoService.java:38)\r\n\tat com.example.BDPostgres.Controller.PartidoController.obtenerResultadosPartidosConEquipos(PartidoController.java:62)\r\n\tat java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.invoke(Method.java:588)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1003)
```

Undocumented

Error: response status is 500

Response body

```
DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1083)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterInternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:197)\r\n\tat org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:97)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:119)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:78)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:480)\r\n\tat org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.AbstractProtocolHandler.process(AbstractProtocolHandler.java:861)\r\n\tat org.apache.tomcat.util.net.NioEndpoint$NioSocketProcessor.doRun(NioEndpoint.java:1738)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)\r\n\tat java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)\r\n\tat java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)\r\n\tat java.lang.Thread.run(Thread.java:750)
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:47:23 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "data": {}
}
```

Undocumented

Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.80Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dire
ctMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:207)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n
\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispa
tch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatche
rServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:
1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r\n
\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.
doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterI
nternal(RequestContextFilter.java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applicatio
nFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)
\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat or
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apa
che.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "status": 200,
  "message": "OK"
}
```



25°C



6:25 p. m.

22/04/2025



GET

/api/partidos/goles/{equipoId}

Cancel

Parameters

Name	Description
equipoId ★ required	
integer (\$int32)	100
(path)	

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/partidos/goles/100' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos/goles/100
```

Server response

Code	Details
500	Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.80Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)\r\n\tat java.base/java.lang.reflect.Method
.invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:207)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet
.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatche
rServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav
a:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
```

4

W

25°C

6:24 p. m.

22/04/2025

10

Undocumented Error: response status is 500

Response body

```
s.Service, PartidoService.obtenerGolesPorEquipo(PartidoService, java:34)\r\n\tat com.example.800Postgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController, java:56)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor, java:103)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method, java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod, java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod, java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod, java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter, java:884)\r
\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestM
appingHandlerAdapter, java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter, java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet, java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet, java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet, jav
a:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet, java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet, java:705)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet, java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet, java:814)\r
\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain, java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain, java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter, java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain, java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.
doFilter(ApplicationFilterChain, java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterIn
ternal(RequestContextFilter, java:100)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter, java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Application
FilterChain, java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain,
 java:158)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter, java:116)\r\n\tat or
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain, java:185)\r\n\tat org.apa
che.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain, java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter, java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

0

jugador-controller

GET /api/jugadores/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)

(path)

50

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/jugadores/50' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code	Details
------	---------

404

Undocumented

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:48:47 GMT
keep-alive: timeout=60
```

Responses

Code	Description
------	-------------

Links



25°C



6:26 p. m.

22/04/2025



Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores/50' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/50
```

Server response

Code	Details
404	<div><div>Undocumented</div><div>Error: response status is 404</div><div>Response headers</div><div><pre>connection: keep-alive content-length: 0 date: Tue, 22 Apr 2025 22:48:47 GMT keep-alive: timeout=60</pre></div></div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```

OUT

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores/50' \
-H 'accept: */*'
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```

4

W

25°C

^

ESP

6:26 p. m.
22/04/2025

10

```
{
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}
```

Request URL

http://localhost:8888/api/jugadores/50

Server response

Code Details

200

Response body

```
{
  "id_jugador": 101,
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "Venezolana",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:43:27 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```



25°C



6:27 p. m.
22/04/2025



PUT

/api/jugadores/{id}

Parameters

Cancel

Reset

Name	Description
id required	
integer(\$int32)	50
(path)	

Request body required

application/json

```
{  "nombre": "jj",  "posicion": "89",  "dorsal": 12,  "fecha_nac": "2025-04-22",  "nacionalidad": "Venezolana",  "id_equipo": 0}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8080/api/jugadores/50' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "jj",
  "posicion": "89",
  "dorsal": 12
}'
```

DELETE

/api/jugadores/{id}

^

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	50
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/jugadores/50' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/50
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:49:48 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

4

W

25°C

^

ESP

6:28 p. m.

22/04/2025

10

GET

/api/partidos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/partidos' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/partidos
```

Server response

Code

Details

200

Response body

```
{
  "id_partido": 180,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 181,
  "fecha": "2025-04-20",
  "estadio": "Estadio Monumental",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 3,
  "goles_visita": 2
},
{
  "id_partido": 182,
  "fecha": "2025-04-22",
  "estadio": "Camp Nou",
  "equipo_local": null,
  "equipo_visita": null,
  "goles_local": 2,
  "goles_visita": 1
}
```

Download

4

W

25°C

^

Wi-Fi

Bluetooth

🔋

🔊

🖱️

ESP

6:29 p. m.

22/04/2025

10

```
    "estadio": "Estadio Monumental",
    "equipo_local": null,
    "equipo_visita": null,
    "goles_local": 3,
    "goles_visita": 2
  },
  {
    "id_partido": 181,
    "fecha": "2025-04-20",
    "estadio": "Estadio Monumental",
    "equipo_local": null,
    "equipo_visita": null,
    "goles_local": 3,
    "goles_visita": 2
  },
  {
    "id_partido": 182,
    "fecha": "2025-04-22",
    "estadio": "Camp Nou",
    "equipo_local": null,
    "equipo_visita": null,
    "goles_local": 2,
    "goles_visita": 1
  }
]
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:46:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_partido": 0,
    "fecha": "2025-04-22",
    "estadio": "string",
    "equipo_local": 0,
    "equipo_visita": 0,
    "goles_local": 0,
    "goles_visita": 0
  }
]
```

POST /api/partidos



25°C



6:29 p. m.

22/04/2025



10

POST

/api/partidos

Parameters

No parameters

Request body required

application/json

```
{  "fecha": "2025-04-20",  "estadio": "Estadio Monumental",  "equipo_local": 1,  "equipo_visita": 2,  "goles_local": 3,  "goles_visita": 2}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  'http://localhost:8080/api/partidos' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "fecha": "2025-04-20",  "estadio": "Estadio Monumental",  "equipo_local": 1,  "equipo_visita": 2,  "goles_local": 3,  "goles_visita": 2  }'
```

Request URL

4

W

25°C

6:29 p. m.

22/04/2025

10

```
"equipo_local": 1,  
"equipo_visita": 2,  
"goles_local": 3,  
"goles_visita": 2  
}
```

Request URL

http://localhost:8080/api/partidos

Server response

Code Details

201

Undocumented

Response body

```
{  
  "id_partido": 183,  
  "fecha": "2025-04-20",  
  "estadio": "Estadio Monumental",  
  "equipo_local": 1,  
  "equipo_visita": 2,  
  "goles_local": 3,  
  "goles_visita": 2  
}
```



Download

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Tue, 22 Apr 2025 22:47:12 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
  "id_partido": 0,  
  "fecha": "2025-04-22",  
  "estadio": "string",  
  "equipo_local": 0,  
  "equipo_visita": 0,  
  "goles_local": 0,  
  "goles_visita": 0  
}
```



25°C



6:30 p. m.
22/04/2025



Server response

Code Details

500

Undocumented

Error: response status is 500

Response body

```

r.runnable(Runnable.java:1735)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
ava:52)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:1191)\r\n\t
at org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)\r\n\tat org.apach
e.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/java.lang.Thread.ru
n(Thread.java:1583)\r\n\tCaused by: org.hibernate.exception.SQLGrammarException: JDBC exception executing SQL [SE
LECT p.fecha, e1.nombre AS equipo_local, e2.nombre AS equipo_visita, p.goles_local, p.goles_visita FROM partido
p JOIN equipo e1 ON p.equipo_local = e1.id JOIN equipo e2 ON p.equipo_visita = e2.id]\r\n\tat org.hibernate.exc
eption.internal.SQLStateConversionDelegate.convert(SQLStateConversionDelegate.java:89)\r\n\tat org.hibernate.ex
ception.internal.StandardSQLExceptionConverter.convert(StandardSQLExceptionConverter.java:56)\r\n\tat org.hiber
nate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:189)\r\n\tat org.hibernate.engine.jdbc.
spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:95)\r\n\tat org.hibernate.sql.results.jdbc.internal.Defer
redResultSetAccess.executeQuery(DeferredResultSetAccess.java:253)\r\n\tat org.hibernate.sql.results.jdbc.intern
al.DeferredResultSetAccess.getResultSet(DeferredResultSetAccess.java:146)\r\n\tat org.hibernate.sql.results.jd
bc.internal.AbstractResultSetAccess.getMetaData(AbstractResultSetAccess.java:33)\r\n\tat org.hibernate.sql.resu
lts.jdbc.internal.AbstractResultSetAccess.getColumnCount(AbstractResultSetAccess.java:49)\r\n\tat org.hibernat
e.query.results.ResultSetMappingImpl.resolve(ResultSetMappingImpl.java:187)\r\n\tat org.hibernate.sql.exec.int
ernal.JdbcSelectExecutorStandardImpl.resolveJdbcValuesSource(JdbcSelectExecutorStandardImpl.java:559)\r\n\tat or
g.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.doExecuteQuery(JdbcSelectExecutorStandardImpl.jav
a:350)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.executeQuery(JdbcSelectExecutorSt
andardImpl.java:166)\r\n\tat org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.list(JdbcSelectExc
utorStandardImpl.java:91)\r\n\tat org.hibernate.sql.exec.spi.JdbcSelectExecutor.list(JdbcSelectExecutor.java:3
1)\r\n\tat org.hibernate.query.sql.internal.NativeSelectQueryPlanImpl.performList(NativeSelectQueryPlanImpl.jav
a:183)\r\n\tat org.hibernate.query.sql.internal.NativeQueryImpl.doList(NativeQueryImpl.java:596)\r\n\tat org.hi
bernate.query.spi.AbstractSelectionQuery.list(AbstractSelectionQuery.java:363)\r\n\tat org.hibernate.query.Quer
y.getResultList(Query.java:94)\r\n\tat org.springframework.data.jpa.repository.query.JpaQueryExecution$Collecti
onExecution.doExecute(JpaQueryExecution.java:127)\r\n\tat org.springframework.data.jpa.repository.query.JpaQuer
yExecution.execute(JpaQueryExecution.java:90)\r\n\tat org.springframework.data.jpa.repository.query.AbstractJpa
Query.doExecute(AbstractJpaQuery.java:148)\r\n\tat org.springframework.data.jpa.repository.query.JpaQueryExecu
tion.execute(AbstractJpaQuery.java:136)\r\n\tat org.springframework.data.repository.core.support.RetryingReposit
oryInvoker.invoke(RepositoryMethodInvoker.java:136)\r\n\tat org.springframework.data.repository.core.support.Retry

```

Download

Response headers

```

connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:47:23 GMT
transfer-encoding: chunked

```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>+/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[[{}]]</pre></div>	No links

GET

/api/partidos/goles/{equipoId}

^

4

25°C

ESP

6:32 p. m.

22/04/2025

10

GET

/api/partidos/goles/{equipoId}

⬆

Parameters

Cancel

Name	Description
equipoId * required	
integer(\$int32)	100
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/partidos/goles/100' \
  -H 'accept: */*'

```

Request URL

http://localhost:8080/api/partidos/goles/100

Server response

Code	Details
500	Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.BDPostgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1080)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav
a:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat

```

4

W

25°C

6:32 p. m.

22/04/2025

10

500

Undocumented

Error: response status is 500

Response body

```
s.Service.PartidoService.obtenerGolesPorEquipo(PartidoService.java:34)\r\n\tat com.example.BDPostgres.Controlle
r.PartidoController.obtenerGolesPorEquipo(PartidoController.java:56)\r\n\tat java.base/jdk.internal.reflect.Dir
ectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.
invoke(Method.java:580)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(Invocabl
eHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest
(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.
mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r
\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(Request
MappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapte
r.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDisp
atch(DispatcherServlet.java:1888)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(Dispatch
erServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.jav
a:1893)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakar
ta.servlet.http.HttpServlet.service(HttpServlet.java:705)\r\n\tat org.springframework.web.servlet.FrameworkServ
let.service(FrameworkServlet.java:888)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r
\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.
tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterC
hain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.
doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilter(I
nternal(RequestContextFilter.java:180)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(Once
PerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Application
FilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)
\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org
g.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.a
pache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.s
web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat org.s
```

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:48:09 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
8
```

jugador-controller

GET /api/jugadores/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)

(path)

50

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/jugadores/50' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code	Details
------	---------

404

Undocumented

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:48:47 GMT
keep-alive: timeout=60
```

Responses

Code	Description
------	-------------

Links



25°C

^

Wi-Fi

Bluetooth

Mobile Data

Battery

Volume

Microphone

ESP

6:32 p. m.

22/04/2025

10

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```



25°C



ESP

6:33 p. m.
22/04/2025



PUT

/api/jugadores/{id}

^

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	50
(path)	

Request body required

application/json

Execute

Clear

Responses

Curl

curl -X 'PUT' \n'http://localhost:8080/api/jugadores/50' \n-H 'accept: */*' \n-H 'Content-Type: application/json' \n-d '{\n "nombre": "jj",\n "position": "89",\n "dorsal": 12,\n "fecha_nac": "2025-04-22",\n "nacionalidad": "Venezolana",\n "id_equipo": 0\n}'\n

<http://localhost:8080/api/jugadores/50>

Code Details

Response body

Response headers

Responses

Links

OK

No links

Media type

主

Controls Accept header.

Example Value | Schema

DELETE

/api/jugadores/{id}

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	50
(path)	

ExecuteClear

Responses

Curl

curl -X 'DELETE' \n'http://localhost:8080/api/jugadores/50' \n-H 'accept: */*'

Request URL

http://localhost:8080/api/jugadores/50

Server response

Code	Details
404	Error: response status is 404

Response headers

connection: keep-alive\ncontent-length: 0\ndate: Tue, 22 Apr 2025 22:49:48 GMT\nkeep-alive: timeout=60

Responses

Code	Description	Links
200	OK	No links

4

W

25°C

^

ESP

6:33 p. m.

22/04/2025

10

```
id_equipo": null
},
{
  "id_jugador": 11,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 12,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 13,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:49:56 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_jugador": 0,
    "nombre": "string",
    "posicion": "string",
    "dorsal": 0,
    "fecha_nac": "2025-04-22",
    "nacionalidad": "string",
    "id_equipo": 0
  }
]
```

GET

/api/jugadores

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores
```

Server response

Code

Details

200

Response body

```
{
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 9,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
},
{
  "id_jugador": 10,
  "nombre": "Lionel Messi",
  "posicion": "Delantero",
  "dorsal": 10,
  "fecha_nac": "1987-06-24",
  "nacionalidad": "Argentina",
  "id_equipo": null
}
]
```

4

W

25°C

^

ESP

6:34 p. m.

22/04/2025

10

POST

/api/jugadores

Parameters

No parameters

Request body required

application/json

```
{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/jugadores' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}'
```

Request URL

http://localhost:8080/api/jugadores

```
-d '{
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}'
```

Request URL

http://localhost:8080/api/jugadores

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_jugador": 102,
  "nombre": "luca",
  "posicion": "central",
  "dorsal": 1,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "polonia",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:50:37 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_jugador": 0,
  "nombre": "string",
  "posicion": "string",
  "dorsal": 0,
  "fecha_nac": "2025-04-22",
  "nacionalidad": "string",
  "id_equipo": 0
}
```



25°C



6:34 p. m.

22/04/2025



10


```
let.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)
\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1003)\r\n\tat org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:895)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:889)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:814)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.RequestContextFilter.doFilterInternal(RequestContextFilter.java:180)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:281)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)
```

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:58:47 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

2/2

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_jugador": 0,
    "nombre": "string",
    "posicion": "string",
    "dorsal": 0,
    "fecha_nac": "2025-04-22",
    "nacionalidad": "string",
    "id_equipo": 0
  }
]
```

GET [/api/jugadores/equipo/{equipoId}](#)

GET

/api/jugadores/equipo/{equipoId}

Parameters

Cancel

Name	Description
equipoId required	
integer(int32)	1
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/jugadores/equipo/1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/jugadores/equipo/1
```

Server response

Code	Details
500	Error: response status is 500

Response body

```
{
  "timestamp": "2025-04-22T22:51:51.621+00:00",
  "status": 500,
  "error": "Internal Server Error",
  "trace": "org.springframework.dao.InvalidDataAccessResourceUsageException: JDBC exception executing SQL [SELECT * FROM jugador WHERE equipo_id = ?]; SQL [n/a]\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.convertHibernateAccessException(HibernateJpaDialect.java:257)\r\n\tat org.springframework.orm.jpa.vendor.HibernateJpaDialect.translateExceptionIfPossible(HibernateJpaDialect.java:233)\r\n\tat org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.translateExceptionIfPossible(AbstractEntityManagerFactoryBean.java:550)\r\n\tat org.springframework.dao.support.ChainedPersistenceExceptionTranslator.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)\r\n\tat org.springframework.dao.support.DataAccessUtils.translateIfNecessary(DataAccessUtils.java:242)\r\n\tat org.springframework.dao.support.PersistenceExceptionTranslationInterceptor.invoke(PersistenceExceptionTranslationInterceptor.java:152)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.data.jpa.repository.support.CrudMethodMetadataPostProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetadataPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(Exp
```

4

W

25°C

6:36 p. m.

22/04/2025

10

taPostProcessor.java:134)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)\r\n\tat org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)\r\n\tat org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:218)\r\n\tat jdk.proxy4/jdk.proxy4.\$Proxy128.buscarEquiposPorId(Unknown Source)\r\n\tat com.example.BDPostgres.Service.JugadorService.obtenerJugadoresPorEquipo(JugadorService.java:34)\r\n\tat com.example.BDPostgres.Controller.JugadorController.obtenerJugadoresPorEquipo(JugadorController.java:56)\r\n\tat java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:183)\r\n\tat java.base/java.lang.reflect.Method.invoke(Method.java:588)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:287)\r\n\tat org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:152)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:884)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:797)\r\n\tat org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088)\r\n\tat org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:973)\r\n\tat org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:895)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:785)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:880)\r\n\tat jakarta.servlet.http.HttpServlet.service(HttpServlet.java:705)\r\n\tat org.springframework.web.servlet.FrameworkServlet.service(HttpServlet.java:814)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:223)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:158)\r\n\tat org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:185)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:135)\r\n\tat org.apache.catalina.core.StandardWrapperValve.valve(StandardWrapperValve.java:165)\r\n\tat org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:140)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:74)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:369)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:90)\r\n\tat org.apache.coyote.AbstractProtocol.handle(AbstractProtocol.java:541)\r\n\tat org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor.doRun(NioEndpoint.java:1700)\r\n\tat org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor.run(NioEndpoint.java:1690)\r\n\tat java.base/java.lang.Thread.run(Thread.java:833)

Download

Response headers

```
connection: close
content-type: application/json
date: Tue, 22 Apr 2025 22:51:51 GMT
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_jugador": 0,
    "nombre": "string",
    "posicion": "string",
    "dorsal": 0,
    "fecha_nac": "2025-04-22",
    "nacionalidad": "string",
    "id_equipo": 0
  }
]
```

estadisticas-jugador-controller

estadisticas-jugador-controller

GET /api/estadisticas-jugadores/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)

(path)

45

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/estadisticas-jugadores/45' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/api/estadisticas-jugadores/45

Server response

Code	Details
------	---------

404

Undocumented

Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:52:26 GMT
keep-alive: timeout=60
```

Responses

Code	Description
------	-------------

Links

200

OK

No links



25°C



6:37 p. m.

22/04/2025



Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/estadisticas-jugadores/45' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/estadisticas-jugadores/45
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:52:26 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_estadistica": 0,
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 0,
  "goles": 0,
  "asistencias": 0,
  "tarjetas_amarillas": 0,
  "tarjetas_rojas": 0
}
```

PUT

/api/estadisticas-jugadores/{id}

Parameters

Cancel

Reset

Name	Description
id <small>* required</small>	
integer(\$int32)	78
(path)	

Request body required

application/json

```
{
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 32,
  "goles": 4,
  "asistencias": 3,
  "tarjetas_amarillas": 2,
  "tarjetas_rojas": 2
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8080/api/estadisticas-jugadores/78' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "id_jugador": 0,
```

T4

W

25°C

6:37 p. m.

22/04/2025

10

```
"minutos_jugados": 32,  
"goles": 4,  
"asistencias": 3,  
"tarjetas_amarillas": 2,  
"tarjetas_rojas": 2  
},
```

Request URL

http://localhost:8080/api/estadisticas-jugadores/78

Server response

Code Details

200

Response body

```
{  
  "id_estadistica": 182,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 32,  
  "goles": 4,  
  "asistencias": 3,  
  "tarjetas_amarillas": 2,  
  "tarjetas_rojas": 2  
}
```



Download

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Tue, 22 Apr 2025 22:53:11 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
  "id_estadistica": 0,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 0,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```



25°C



ESP

6:37 p. m.
22/04/2025



DELETE

/api/estadisticas-jugadores/{id}

^

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	23
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/estadisticas-jugadores/23' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/estadisticas-jugadores/23
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:53:27 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

4

W

25°C

^

Wi-Fi

Bluetooth

Battery

Volume

ESP

6:38 p. m.

22/04/2025

10

GET

/api/estadisticas-jugadores

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/estadisticas-jugadores' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/estadisticas-jugadores
```

Server response

Code

Details

200

Response body

```
[
  {
    "id_estadistica": 1,
    "id_jugador": null,
    "id_partido": null,
    "minutos_jugados": 0,
    "goles": 0,
    "asistencias": 0,
    "tarjetas_amarillas": 0,
    "tarjetas_rojas": 0
  },
  {
    "id_estadistica": 2,
    "id_jugador": null,
    "id_partido": null,
    "minutos_jugados": 78,
    "goles": 2,
    "asistencias": 1,
    "tarjetas_amarillas": 1,
    "tarjetas_rojas": 0
  },
  {
    "id_estadistica": 3,
    "id_jugador": null,
    "id_partido": null,
    "minutos_jugados": 78,
    "goles": 2,
    "asistencias": 1,
    "tarjetas_amarillas": 1,
    "tarjetas_rojas": 0
  }
]
```

4

W

25°C

6:38 p. m.

22/04/2025

10

ESP

```
"id_jugador": null,
"id_partido": null,
"minutos_jugados": 0,
"goles": 0,
"asistencias": 0,
"tarjetas_amarillas": 0,
"tarjetas_rojas": 0
},
{
  "id_estadistica": 2,
  "id_jugador": null,
  "id_partido": null,
  "minutos_jugados": 70,
  "goles": 2,
  "asistencias": 1,
  "tarjetas_amarillas": 1,
  "tarjetas_rojas": 0
},
{
  "id_estadistica": 3,
  "id_jugador": null,
  "id_partido": null,
  "minutos_jugados": 70,
  "goles": 2,
  "asistencias": 1,
  "tarjetas_amarillas": 1,
  "tarjetas_rojas": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:53:36 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_estadistica": 0,
    "id_jugador": 0,
    "id_partido": 0,
    "minutos_jugados": 0,
    "goles": 0,
    "asistencias": 0,
    "tarjetas_amarillas": 0,
    "tarjetas_rojas": 0
  }
]
```

POST

/api/estadisticas-jugadores

Parameters

No parameters

Request body required

application/json

```
{
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 12,
  "goles": 0,
  "asistencias": 0,
  "tarjetas_amarillas": 0,
  "tarjetas_rojas": 0
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/estadisticas-jugadores' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "id_jugador": 0,
  "id_partido": 0,
  "minutos_jugados": 12,
  "goles": 0,
  "asistencias": 0,
  "tarjetas_amarillas": 0,
  "tarjetas_rojas": 0
}'
```

```
"asistencias": 0,  
"tarjetas_amarillas": 0,  
"tarjetas_rojas": 0  
},
```

Request URL

<http://localhost:8080/api/estadisticas-jugadores>

Server response

Code Details

201

Undocumented

Response body

```
{  
  "id_estadistica": 103,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 12,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```



Download

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Tue, 22 Apr 2025 22:54:21 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
  "id_estadistica": 0,  
  "id_jugador": 0,  
  "id_partido": 0,  
  "minutos_jugados": 0,  
  "goles": 0,  
  "asistencias": 0,  
  "tarjetas_amarillas": 0,  
  "tarjetas_rojas": 0  
}
```

equipo-controller

GET /api/equipos/{id}

Parameters

Cancel

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

12

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/equipos/12' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/equipos/12
```

Server response

Code	Details
------	---------

200

Response body

```
{
  "id_equipo": 12,
  "nombre": "Club Deportivo Barcelona",
  "ciudad": "Barcelona",
  "fundacion": "1899-11-29"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:54:39 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>*/*</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id_equipo": 0, "nombre": "string", "ciudad": "string", "fundacion": "2025-04-22"}</pre></div>	No links

4

25°C

ESP

6:40 p. m.

22/04/2025

10

PUT

/api/equipos/{id}

^

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	13
(path)	

Request body required

application/json

```
{  "nombre": "Jinbei",  "ciudad": "Kasûl",  "fundacion": "2025-04-22"}
//
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8080/api/equipos/13' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
```


Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/equipos/13' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Jinbei",
    "ciudad": "Kabul",
    "fundacion": "2025-04-22"
  }'
```

Request URL

http://localhost:8080/api/equipos/13

Server response

Code Details

200

Response body

```
{
  "id_equipo": 13,
  "nombre": "Jinbei",
  "ciudad": "Kabul",
  "fundacion": "2025-04-22"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:55:20 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_equipo": 0,
  "nombre": "string",
  "ciudad": "string",
  "fundacion": "2025-04-22"
}
```



DELETE /api/equipos/{id}

Parameters

Name	Description
id <small>required</small>	
integer(\$int32)	16
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/equipos/16' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/equipos/16
```

Server response

Code	Details
204	
Undocumented	<div>Response headers<div>connection: keep-alive date: Tue, 22 Apr 2025 22:55:34 GMT keep-alive: timeout=60</div></div>

Responses

Code	Description	Links
200	OK	No links

GET /api/equipos

GET

/api/equipos

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/equipos' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/equipos
```

Server response

Code

Details

200

Response body

```
[
  {
    "id_equipo": 2,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  },
  {
    "id_equipo": 3,
    "nombre": "Equipo Visita",
    "ciudad": "Ciudad Visita",
    "fundacion": "1995-05-15"
  },
  {
    "id_equipo": 1,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 4,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 5,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  }
]
```

Download

25°C

6:41 p. m.

22/04/2025

10

200

Response body

```
[
  {
    "id_equipo": 2,
    "nombre": "Equipo Local",
    "ciudad": "Ciudad Local",
    "fundacion": "2000-01-01"
  },
  {
    "id_equipo": 3,
    "nombre": "Equipo Visita",
    "ciudad": "Ciudad Visita",
    "fundacion": "1995-05-15"
  },
  {
    "id_equipo": 1,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 4,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  },
  {
    "id_equipo": 5,
    "nombre": "Club Deportivo Barcelona",
    "ciudad": "Barcelona",
    "fundacion": "1899-11-29"
  }
]
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:55:52 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_equipo": 0,
    "nombre": "string",
    "ciudad": "string",
    "fundacion": "2025-04-22"
  }
]
```



25°C



ESP

6:42 p. m.
22/04/2025



POST

/api/equipos

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "nombre": "Simon",
  "ciudad": "maracaibo",
  "fundacion": "2025-04-22"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/equipos' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "nombre": "Simon",
  "ciudad": "maracaibo",
  "fundacion": "2025-04-22"
}'
```

Request URL

http://localhost:8080/api/equipos

Server response

4

W

25°C

^

ESP

6:42 p. m.

22/04/2025

10

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/equipos' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Simon",
    "ciudad": "maracaibo",
    "fundacion": "2025-04-22"
  }'
```

Request URL

http://localhost:8080/api/equipos

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_equipo": 101,
  "nombre": "Simon",
  "ciudad": "maracaibo",
  "fundacion": "2025-04-22"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 22:58:49 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_equipo": 0,
  "nombre": "string",
  "ciudad": "string",
  "fundacion": "2025-04-22"
}
```

GET

/api/entrenadores/{id}

⌵

Parameters

Cancel

Name	Description
id ★ required	
integer(\$int32)	12
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/entrenadores/12' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/entrenadores/12
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 22:59:01 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T4

W

☁

25°C

⬆

📶

🖥

🔋

🔊

🖱

⌨

ESP

6:42 p. m.

22/04/2025

10

PUT

/api/entrenadores/{id}

Parameters

Cancel

Reset

Name	Description
id ★ required	
integer(\$int32) (path)	15

Request body required

application/json

```
{  
  "nombre": "Jairo waltero",  
  "especialidad": "cocina",  
  "id_equipo": 0  
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  
  'http://localhost:8080/api/entrenadores/15' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "nombre": "Jairo waltero",  
    "especialidad": "cocina",  
    "id_equipo": 0  
  }'
```

4

25°C

ESP

6:43 p. m.

22/04/2025

10

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/entrenadores/15' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Jairo waltero",
    "especialidad": "cocina",
    "id_equipo": 0
  }'
```

Request URL

http://localhost:8080/api/entrenadores/15

Server response

Code Details

200

Response body

```
{
  "id_entrenador": 100,
  "nombre": "Jairo waltero",
  "especialidad": "cocina",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:01:19 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_entrenador": 0,
  "nombre": "string",
  "especialidad": "string",
  "id_equipo": 0
}
```



25°C



ESP

6:43 p. m.
22/04/2025



DELETE

/api/entrenadores/{id}

^

Parameters

Cancel

Name	Description
id ★ required	
integer(\$int32)	20
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/entrenadores/20' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/entrenadores/20
```

Server response

Code	Details
404	Error: response status is 404

Response headers

```
connection: keep-alive
content-length: 0
date: Tue, 22 Apr 2025 23:01:34 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

T4

W

25°C

^

Wi-Fi

Bluetooth

🔋

🔊

🖱️

ESP

6:43 p. m.

22/04/2025

10

The screenshot shows a REST client interface with the following sections:

- Parameters:** A section with a "Cancel" button and the text "No parameters".
- Execute:** A blue button labeled "Execute" and a grey button labeled "Clear".
- Responses:** A section containing:
 - Curl:** A code block with the command:

```
curl -X 'GET' \
'http://localhost:8080/api/entrenadores' \
-H 'accept: */*'
```
 - Request URL:** A text field containing `http://localhost:8080/api/entrenadores`.
 - Server response:** A table with two columns: "Code" and "Details".
 - Code:** 200
 - Details:** A "Response body" section showing a JSON array of four coach objects:

```
[
  {
    "id_entrenador": 1,
    "nombre": "string",
    "especialidad": "string",
    "id_equipo": null
  },
  {
    "id_entrenador": 2,
    "nombre": "Lucas Andres Carambi",
    "especialidad": "Ninguna",
    "id_equipo": null
  },
  {
    "id_entrenador": 3,
    "nombre": "Nury Esperanza Pita",
    "especialidad": "Cocina",
    "id_equipo": null
  },
  {
    "id_entrenador": 4,
    "nombre": "John Doe",
    "especialidad": "Fútbol",
    "id_equipo": null
  }
]
```

```
{
  "id_entrenador": 14,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 15,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 16,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 17,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
},
{
  "id_entrenador": 18,
  "nombre": "John Doe",
  "especialidad": "Fútbol",
  "id_equipo": null
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:01:45 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "id_entrenador": 0,
    "nombre": "string",
    "especialidad": "string",
    "id_equipo": 0
  }
]
```

POST /api/entrenadores



25°C



6:44 p. m.
22/04/2025



Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/entrenadores' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "Cristiano",
    "especialidad": "Portero",
    "id_equipo": 0
  }'
```

Request URL

<http://localhost:8080/api/entrenadores>

Server response

Code Details

201

Undocumented

Response body

```
{
  "id_entrenador": 107,
  "nombre": "Cristiano",
  "especialidad": "Portero",
  "id_equipo": 0
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 22 Apr 2025 23:05:20 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id_entrenador": 0,
  "nombre": "string",
  "especialidad": "string",
  "id_equipo": 0
}
```



25°C



ESP

6:44 p. m.
22/04/2025



10