RELATIONAL SCHEMA

Computer Repair Appointment and Service Management System

1. CUSTOMERS

Attribute	Key	Description
customer_id	PK	Primary Key
customer_name		
contact_number		
email		
address		

2. COMPUTERS

Attribute	Key	Description
computer_id	PK	Primary Key
customer_id	FK	Foreign Key
device_type		
brand		
model		
serial_number		
reported_problem		

3. APPOINTMENTS

Attribute	Key	Description
appointment_id	PK	Primary Key
customer_id	FK	Foreign Key
computer_id	FK	Foreign Key
appointment_date		
appointment_time		
purpose		
appointment_status		

4. REPAIR_REQUESTS

Attribute	Key	Description
repair_request_id	PK	Primary Key
computer_id	FK	Foreign Key
technician_id	FK	Foreign Key
service_id	FK	Foreign Key
reported_problem		

diagnosis		
repair_status		
estimated_cost		
final_cost		

5. TECHNICIANS

Attribute	Key	Description
technician_id	PK	Primary Key
technician_name		
contact_number		
specialization		
availability		

6. REPAIR_SERVICES

Attribute	Key	Description
service_id	PK	Primary Key
service_name		
description		
service_price		

7. PAYMENTS

Attribute	Key	Description
payment_id	PK	Primary Key
repair_request_id	FK	Foreign Key
amount_paid		
payment_date		
payment_status		

Foreign Key References

- COMPUTERS.customer_id → CUSTOMERS.customer_id
- APPOINTMENTS.customer_id → CUSTOMERS.customer_id
- APPOINTMENTS.computer_id → COMPUTERS.computer_id
- REPAIR_REQUESTS.computer_id → COMPUTERS.computer_id
- REPAIR_REQUESTS.technician_id → TECHNICIANS.technician_id
- REPAIR_REQUESTS.service_id → REPAIR_SERVICES.service_id
- PAYMENTS.repair_request_id → REPAIR_REQUESTS.repair_request_id

Relationship Summary

Parent	Child	Relationship

Customers	Computers	1:M
Customers	Appointments	1:M
Computers	Appointments	1:M
Computers	Repair Requests	1:M
Technicians	Repair Requests	1:M
Repair Services	Repair Requests	1:M
Repair Requests	Payments	1:M