CPG · ACCEPTANCE BASELINE

Acceptance test catalogue

Detailed Given / When / Then checks for building and validating the CPG MVP. Every case tests agreed functional behavior or a documented minimal default; no extra product modules.

Functional MVP only | P0 / P1 / P2 priorities | Positive & negative paths | User interface & API parity

How to use these tests

Every scenario contains a **precondition (Given)**, **user/API action (When)** and **observable result (Then)**. The expected result is the acceptance criterion, not a suggested implementation architecture. Test setup may control a fixed business date and create minimal records without imposing a production UI or service design.

Execution channels

Both means the same underlying behavior must be verifiable through the UI and equivalent bearer-authenticated API. **API** and **UI** identify channel-specific checks. Cross-cutting rules (permissions, locking, ledger, audit) also apply inside multi-step flows.

Priorities

P0 — integrity, security, correctness and critical workflow. **P1** — core expected path and important edge cases. **P2** — presentation, usability and noncritical details. Priorities are validation guidance, not permission to drop required functionality.

Every case has a stable ID Use search and filters Expand a case for steps and expected output

All tests unexecuted; this is a specification, not a test-results report

Scenario index

The catalogue covers authentication and tenants, material/BOM masters, purchasing and sales, manufacturing, inventory/transfers, forecast and MRP, imports, reversals, audit, concurrency, API retry protection, and localized user experience.

19 functional areas · 535 detailed acceptance scenarios

Tenant isolation, users & read-only operation
Material master data, unit conversions & planning parameters
BOM alternatives, immutable revisions & recipe validity
Master-data & BOM spreadsheet imports
Customer orders, forecasts, shipments & goods issues
Procurement: requisitions, POs & actual receipts
Production planning, execution & variance tracking
Physical inventory, postings & stock integrity
Corrections and reversible physical postings
Location transfers, in-transit balances & exceptions
Demand forecast, safety stock & firm-order prioritization
MRP time buckets, BOM explosion, netting & shortages
MRP reruns, proposal acceptance & automatic creation
Excel opening balances & physical inventory corrections
Bearer tokens, API parity, errors & idempotency
Audit, concurrency & transactional atomicity
Reports, help, localization, theme & scope boundaries
Lifecycle states & master deactivation guardrails
Cross-domain end-to-end regression journeys

Tenant isolation, users & read-only operation

30 scenarios

Normative requirement: Main specification / access

TEN-001	Two tenants at initialization	P0 · Both
TEN-002	No administrator password prevents startup	P0 · Both
TEN-003	Single administrator exists	P0 · Both

TEN-004	Normal user creation	P1 · Both
TEN-005	Users cannot change passwords	P1 · Both
TEN-006	Admin resets user password	P0 · Both
TEN-007	Admin deactivates user	P0 · Both
TEN-008	Users never hard-deleted	P0 · Both
TEN-009	Shared sessions permitted	P1 · Both
TEN-010	All active users access both tenants	P1 · Both
TEN-011	Tenant clearly identified	P1 · UI
TEN-012	Same material ID across tenants	P0 · Both
TEN-013	Tenant-specific stock isolation	P0 · Both
TEN-014	Cross-tenant reference rejected	P0 · Both
TEN-015	Tenant read-only blocks normal writes	P0 · Both
TEN-016	Read-only also blocks administrator	P0 · Both
TEN-017	Read-only covers API writes	P0 · API
TEN-018	Read-only allows reads	P1 · Both

TEN-019	Read-only blocks new MRP	P0 · Both
TEN-020	Global account operations during tenant read-only	P1 · Both
TEN-021	Read-only flags independent	P0 · Both
TEN-022	Test reset when previously writable	P0 · Both
TEN-023	Test reset when previously read-only	P0 · Both
TEN-024	Test reset preserves global identities	P0 · Both
TEN-025	Test reset excludes Prod	P0 · Both
TEN-026	Reset concurrent write safety	P0 · Both
TEN-027	Reset failure atomicity	P0 · Both
TEN-028	Global audit reset survival	P0 · Both
TEN-029	Test reset restarts all business ID counters	P0 · Both
TEN-030	Old Test generation mutation is rejected	P0 · Both

Material master data, unit conversions & planning parameters

32 scenarios

Normative requirement: Main specification / model

MAT-001	Sequential first material ID	P1 · Both
MAT-002	Sequential next IDs	P1 · Both
MAT-003	Tenant-local sequence	P0 · Both
MAT-004	ID cannot be edited	P0 · Both
MAT-005	Type required	P1 · Both
MAT-006	Three allowed types	P1 · Both
MAT-007	Invalid material type	P1 · Both
MAT-008	Description and BUoM mandatory	P1 · Both
MAT-009	BUoM can change before transactional use	P1 · Both
MAT-010	BUoM locked after posted stock movement	P0 · Both
MAT-011	Type locked when BOM references	P0 · Both
MAT-012	Type locked after transaction	P0 · Both
MAT-013	Type editable while unused	P1 · Both
MAT-014	Raw material Buy-only	P0 · Both
MAT-015	Intermediate Make or Buy	P1 · Both

MAT-016	Site planning parameters present	P1 · Both
MAT-017	Missing parameters explicit	P0 · Both
MAT-018	Calendar-day lead time	P1 · Both
MAT-019	Convert case to each at input	P0 · Both
MAT-020	Convert tonne to kg	P0 · Both
MAT-021	Numerator/denominator inverse	P1 · Both
MAT-022	Invalid zero denominator	P0 · Both
MAT-023	Missing alternative conversion	P0 · Both
MAT-024	Exact six-decimal quantity	P0 · Both
MAT-025	Supply rounding upward	P0 · Both
MAT-026	Minimum and lot multiple	P0 · Both
MAT-027	Conversion update future only	P0 · Both
MAT-028	No retroactive BOM revision from conversion	P0 · Both
MAT-029	Inactive material excluded from new entries	P1 · Both
MAT-030	BUoM locked by any historic BOM reference	P0 · Both

MAT-031	BUoM locked by operational document without posting	P0 · Both
MAT-032	Non-terminating UoM conversion rounds once	P0 · Both

BOM alternatives, immutable revisions & recipe validity

30 scenarios

Normative requirement: Main specification / model

BOM-001	Finished material may have BOM	P1 · Both
BOM-002	Intermediate material may have BOM	P1 · Both
BOM-003	Raw material cannot be BOM output	P0 · Both
BOM-004	Finished material not permitted as component	P0 · Both
BOM-005	Raw and intermediate components allowed	P1 · Both
BOM-006	Recipe per one output BUoM	P0 · Both
BOM-007	Partial finished quantity scales recipe	P0 · Both
BOM-008	BOM alternative count	P1 · Both
BOM-009	Highest priority selected when feasible	P1 · Both
BOM-010	Fallback to lower-priority feasible BOM	P0 · Both

BOM-011	No feasible BOM	P0 · Both
BOM-012	Validity before starting date	P1 · Both
BOM-013	Validity end inclusive	P1 · Both
BOM-014	Validity end exceeded	P1 · Both
BOM-015	Partially overlapping equal priority	P0 · Both
BOM-016	Fully overlapping equal priority	P0 · Both
BOM-017	Different periods same priority	P1 · Both
BOM-018	Priority checks on validity edit	P0 · Both
BOM-019	Priority checks on any BOM update	P0 · Both
BOM-020	First revision immutable after change	P0 · Both
BOM-021	Validity edit creates revision	P0 · Both
BOM-022	Logical BOM deactivation does not create recipe revision	P0 · Both
BOM-023	Unchanged content no new revision	P1 · Both
BOM-024	Cyclic direct ingredient blocked	P0 · Both
BOM-025	Cyclic indirect dependency blocked	P0 · Both

BOM-026	Change can't modify existing order recipe	P0 · Both
BOM-027	No mandatory auto-BOM on new Make master	P1 · Both
BOM-028	Manual BOM override restricted by dates	P1 · Both
BOM-029	Logical status toggle preserves revision count	P0 · Both
BOM-030	Reactivation validates competing BOM priorities	P0 · Both

Master-data & BOM spreadsheet imports

28 scenarios

Normative requirement: index.html#access

XLS-001	Documented material template	P1 · Both
XLS-002	Material import auto-generates ID	P0 · Both
XLS-003	Known material ID updates record	P1 · Both
XLS-004	Unknown explicit material ID errors	P0 · Both
XLS-005	Duplicate material IDs in workbook	P0 · Both
XLS-006	Missing required material type	P1 · Both
XLS-007	Missing referenced location	P0 · Both
XLS-008	Wrong template order	P1 · Both

XLS-009	Dry run reports multiple errors	P1 · Both
XLS-010	Dry run does not modify data	P0 · Both
XLS-011	Dry run summarizes effect	P1 · Both
XLS-012	Commit requires successful dry run	P0 · Both
XLS-013	Import is atomic across valid rows	P0 · Both
XLS-014	Conflict after dry run	P0 · Both
XLS-015	Tenant read-only forbids import	P0 · Both
XLS-016	Tenant isolation during import	P0 · Both
XLS-017	BOM workbook structure	P1 · Both
XLS-018	New BOM temp reference	P0 · Both
XLS-019	Two new BOMs same upload	P0 · Both
XLS-020	Update existing logical BOM by ID	P0 · Both
XLS-021	Omitted component removed in new revision	P0 · Both
XLS-022	Identical BOM is no-op	P1 · Both
XLS-023	BOM import priority conflict	P0 · Both

XLS-024	BOM import cycle	P0 · Both
XLS-025	BOM import identifies specific changes	P1 · Both
XLS-026	Atomic multi-sheet BOM import	P0 · Both
XLS-027	Stable BOM ID never overwritten	P0 · Both
XLS-028	BOM import status-only change does not version recipe	P0 · Both

Customer orders, forecasts, shipments & goods issues

25 scenarios

Normative requirement: index.html#process

SAL-001	Customer master required for order	P0 · Both
SAL-002	Order header one location	P1 · Both
SAL-003	Multiple dates per customer order	P1 · Both
SAL-004	No cross-location line override	P1 · Both
SAL-005	Customer order lifecycle begins Open	P1 · Both
SAL-006	Create shipment against order	P1 · Both
SAL-007	Shipment can contain several lines of one order	P1 · Both

SAL-008	Shipment cannot combine customer orders	P0 · Both
SAL-009	Shipment creation does not decrement inventory	P0 · Both
SAL-010	Partial GI fulfills only its line	P0 · Both
SAL-011	Multiple GI posts accumulate	P0 · Both
SAL-012	Over-issue blocked	P0 · Both
SAL-013	Exact final GI marks fulfilled	P1 · Both
SAL-014	Fully delivered order consumes forecast	P0 · Both
SAL-015	Early close releases abandoned forecast consumption	P0 · Both
SAL-016	Cancellation restores forecast	P0 · Both
SAL-017	Open overdue order due today for MRP	P0 · Both
SAL-018	No customer over-delivery by shipment line	P0 · Both
SAL-019	Change ordered quantity with no delivery	P1 · Both
SAL-020	Quantity cannot drop below delivered	P0 · Both
SAL-021	Partially delivered line immutable identity	P0 · Both
SAL-022	Partially delivered location immutable	P0 · Both

SAL-023	Status across multi-line order	P1 · Both
SAL-024	No customer-return workflow	P1 · Both
SAL-025	Inactive customer existing order	P1 · Both

Procurement: requisitions, POs & actual receipts

26 scenarios

Normative requirement: index.html#process

BUY-001	MRP Buy recommendation creates PR	P0 · Both
BUY-002	Direct manual PO allowed	P1 · Both
BUY-003	PO from requisition creates link	P0 · Both
BUY-004	Requisition may split across POs	P1 · Both
BUY-005	Suppliers unrestricted per material	P1 · Both
BUY-006	Supplier site single header	P1 · Both
BUY-007	PO cannot mix locations	P0 · Both
BUY-008	Different delivery dates per PO line	P1 · Both
BUY-009	PR and PO do not create incoming stock	P0 · Both
BUY-010	Partial goods receipt	P0 · Both

BUY-011	Multiple receipts against same PO line	P0 · Both
BUY-012	Multi-line GR from one PO	P0 · Both
BUY-013	Multi-PO GR forbidden	P0 · Both
BUY-014	Supplier short delivery remains open	P1 · Both
BUY-015	PO over-delivery permitted	P0 · Both
BUY-016	Exact receipt completes PO	P1 · Both
BUY-017	PO closure after partial receipt	P0 · Both
BUY-018	Cancelled PR no planned supply	P1 · Both
BUY-019	Overdue PO considered today	P0 · Both
BUY-020	Partially received PO supplier locked	P0 · Both
BUY-021	Partially received PO location locked	P0 · Both
BUY-022	Received PO line material/UoM locked	P0 · Both
BUY-023	PO quantity not below received	P0 · Both
BUY-024	PO date editable after receipt	P1 · Both
BUY-025	Inactive supplier blocks new PO	P1 · Both

BUY-026	PR to PO supply not double counted	P0 · Both

Production planning, execution & variance tracking

30 scenarios

Normative requirement: index.html#process

PRD-001	New production order pins exact BOM version	P0 · Both
PRD-002	Automatic BOM selection feasible	P1 · Both
PRD-003	Manual BOM override allowed	P1 · Both
PRD-004	Manual order allows component shortage	P1 · Both
PRD-005	BOM validity checked on new order	P0 · Both
PRD-006	Existing order survives BOM change	P0 · Both
PRD-007	Planned start from lead time	P1 · Both
PRD-008	No capacity scheduling required	P1 · Both
PRD-009	No stock at order creation	P0 · Both
PRD-010	Production expected consumption prefill	P1 · Both
PRD-011	Production partial completion	P0 · Both
PRD-012	Repeated partial completions	P0 · Both

PRD-013	Actual consumption below BOM	P0 · Both
PRD-014	Actual consumption above BOM	P0 · Both
PRD-015	Add extra raw input	P1 · Both
PRD-016	Add extra intermediate input	P1 · Both
PRD-017	Reject extra finished component	P0 · Both
PRD-018	Zero-output waste	P0 · Both
PRD-019	Overproduction warning but accept	P0 · Both
PRD-020	Negative ingredient stock blocks completion	P0 · Both
PRD-021	Atomic inputs plus output	P0 · Both
PRD-022	Physical stock unchanged by planning	P0 · Both
PRD-023	Post completion dated today	P1 · Both
PRD-024	Production order partial edit locks recipe	P0 · Both
PRD-025	Production target may increase	P1 · Both
PRD-026	Production target cannot drop below actual	P0 · Both
PRD-027	Production planned finish editable	P1 · Both

PRD-028	Past variance not extrapolated	P0 · Both
PRD-029	Close partial order early	P0 · Both
PRD-030	Completed order no unfinished requirement	P0 · Both

Physical inventory, postings & stock integrity

25 scenarios

Normative requirement: index.html#process

INV-001	Inventory balance starts zero	P1 · Both
INV-002	Goods receipt increases only target material/site	P0 · Both
INV-003	Goods issue reduces only target stock	P0 · Both
INV-004	Production posts both signs	P0 · Both
INV-005	No negative stock on GI	P0 · Both
INV-006	No negative stock on manual correction	P0 · Both
INV-007	Zero stock is permitted	P1 · Both
INV-008	Negative projected stock differs from actual	P0 · Both
INV-009	Transfer in-transit not physical	P0 · Both
INV-010	Daily posting not backdated	P0 · Both

INV-011	Cannot future-date goods issue	P0 · Both
INV-012	All stock movements have source	P0 · Both
INV-013	Stock ledger is separate from audit	P1 · Both
INV-014	Manual correction requires reason	P0 · Both
INV-015	Both roles can adjust stock	P1 · Both
INV-016	Opening balance uses ordinary posting	P0 · Both
INV-017	Customer physical return as adjustment	P1 · Both
INV-018	Physical balances tenant-local	P0 · Both
INV-019	Invalid material reference	P0 · Both
INV-020	Inactive location blocks new business posting	P1 · Both
INV-021	Physical stock never below zero in race	P0 · Both
INV-022	Read-only blocks physical stock changes	P0 · Both
INV-023	Stock calculations BUoM only	P0 · Both
INV-024	Purchase order expected, goods receipt physical	P0 · Both
INV-025	Physical stock updated once per completion	P0 · Both

Corrections and reversible physical postings

21 scenarios

Normative requirement: index.html#process

REV-001	Goods receipt single-line reversal	P0 · Both
REV-002	GR reversal blocked by insufficient stock	P0 · Both
REV-003	GI line reversal restores stock	P0 · Both
REV-004	Other GR lines unaffected	P0 · Both
REV-005	Other GI lines unaffected	P0 · Both
REV-006	Partial mistaken GR corrected via two postings	P0 · Both
REV-007	Double reversal rejected	P0 · Both
REV-008	Reversal requires reason	P0 · Both
REV-009	Reversal dated today only	P1 · Both
REV-010	Manual adjustment reversal	P0 · Both
REV-011	Production completion full reversal	P0 · Both
REV-012	Production reversal output check	P0 · Both
REV-013	Production zero-output waste reversal	P0 · Both
REV-014	One partial completion reversal leaves others	P0 · Both

REV-015	Reversal recomputes document state	P1 · Both
REV-016	PO receipt reversal recomputes received amount	P1 · Both
REV-017	Reversal respects tenant read-only	P0 · Both
REV-018	Production reversal is atomic across components	P0 · Both
REV-019	API duplicate reversal prevented	P0 · Both
REV-020	Audit ties correction to original	P1 · Both
REV-021	Rare full reversal with reversible temporary stock	P0 · Both

Location transfers, in-transit balances & exceptions

27 scenarios

Normative requirement: index.html#process

TRF-001	Transfer requires two physical locations	P1 · Both
TRF-002	Transfer single material	P1 · Both
TRF-003	Transfer creation no physical effect	P0 · Both
TRF-004	Partial dispatch adds in-transit	P0 · Both
TRF-005	Further dispatch of outstanding	P0 · Both
TRF-006	Partial destination receipt	P0 · Both

TRF-007	Cannot receive more than dispatched	P0 · Both
TRF-008	Cannot dispatch more than source physical stock	P0 · Both
TRF-009	Transfer can be partially dispatched	P1 · Both
TRF-010	In-transit not available at source	P0 · Both
TRF-011	In-transit not available at destination	P0 · Both
TRF-012	Transfer cannot close with transit	P0 · Both
TRF-013	Write-off lost transit quantity	P0 · Both
TRF-014	Write-off not generic inventory adjustment	P0 · Both
TRF-015	Close Early after clearing in-transit	P0 · Both
TRF-016	Overdue transfer arrival in MRP	P0 · Both
TRF-017	Insufficient planned source transfer stock	P0 · Both
TRF-018	No automatic transfers	P0 · Both
TRF-019	Reverse destination receipt	P0 · Both
TRF-020	Source dispatch reversal blocked by downstream receipt	P0 · Both
TRF-021	Source dispatch reversal after downstream unwound	P0 · Both

TRF-022	Transfer cannot mix tenants	P0 · Both
TRF-023	Transfer plan and actual dates separate	P1 · Both
TRF-024	Transfer stock ledger traceable	P0 · Both
TRF-025	Lost quantity resolves as Closed Early	P0 · Both
TRF-026	Transfer distinct sites and chronological dates	P0 · Both
TRF-027	Write-off reversal can reopen previously closed transfer	P0 · Both

Demand forecast, safety stock & firm-order prioritization

25 scenarios

Normative requirement: index.html#mrp

DEM-001	Forecast no customer dimension	P1 · Both
DEM-002	Forecast and order same day net demand	P0 · Both
DEM-003	Firm orders greater than forecast	P0 · Both
DEM-004	No order leaves forecast	P1 · Both
DEM-005	Forecast isolated by material	P0 · Both
DEM-006	Forecast isolated by location	P0 · Both

DEM-007	Forecast isolated by original date	P0 · Both
DEM-008	Partial fulfillment no double count	P0 · Both
DEM-009	Fully fulfilled order doesn't restore forecast	P0 · Both
DEM-010	Early closure releases undelivered forecast consumption	P0 · Both
DEM-011	Cancellation before fulfillment releases all	P0 · Both
DEM-012	Overdue outstanding demand today	P0 · Both
DEM-013	Overdue fulfillment retains original forecast mapping	P0 · Both
DEM-014	Safety target default zero	P1 · Both
DEM-015	Safety target becomes valid from date	P1 · Both
DEM-016	Safety target changes over time	P0 · Both
DEM-017	Same-day duplicate safety target forbidden	P0 · Both
DEM-018	No safety replenishment ahead of firm demand	P1 · Both
DEM-019	Firm demand priority over forecast	P0 · Both
DEM-020	Older customer due date priority	P0 · Both
DEM-021	Equal-date customer orders equal business priority	P1 · Both

DEM-022	Forecast ahead of safety target	P0 · Both
DEM-023	Safety replenishment respects lot rules	P0 · Both
DEM-024	Order state/quantity changes re-net forecast	P0 · Both
DEM-025	Historical forecast residual does not roll over	P0 · Both

MRP time buckets, BOM explosion, netting & shortages

51 scenarios

Normative requirement: index.html#mrp

MRP-001	Manual run covers all tenant locations	P0 · Both
MRP-002	MRP does not cross tenants	P0 · Both
MRP-003	90 days includes today	P0 · Both
MRP-004	90-day projection with separate later supply dates	P1 · Both
MRP-005	Daily granularity retained	P0 · Both
MRP-006	Weekly display not mutate data	P1 · UI
MRP-007	Initial physical stock incorporated	P0 · Both
MRP-008	Negative projected balance is diagnostic	P0 · Both

MRP-009	Suggested replenishment restores safety target	P0 · Both
MRP-010	No duplicate planned supply after GR	P0 · Both
MRP-011	No duplicate planned production after completion	P0 · Both
MRP-012	Converted requisition not extra supply	P0 · Both
MRP-013	Cancelled supply ignored	P0 · Both
MRP-014	Closed Early supply ignored	P0 · Both
MRP-015	Overdue PO shifted to today	P0 · Both
MRP-016	Overdue production shifted to today	P0 · Both
MRP-017	Production due date is finished output date	P0 · Both
MRP-018	Components required at start date	P0 · Both
MRP-019	No physical reservation added	P0 · Both
MRP-020	Later demand reveals component shortage	P0 · Both
MRP-021	Remaining component need after partial output	P0 · Both
MRP-022	Past-due component need shifted today	P0 · Both
MRP-023	Finished output not available before planned completion	P0 · Both

MRP-024	Top priority valid feasible BOM	P0 · Both
MRP-025	Fallback transparently captures shortage	P0 · Both
MRP-026	No infeasible parent auto-production	P0 · Both
MRP-027	Recursive intermediate replenishment	P0 · Both
MRP-028	No circular BOM explosion	P0 · Both
MRP-029	Multiple parent demands net same raw supply	P0 · Both
MRP-030	Buy material yields PR proposal	P0 · Both
MRP-031	Make intermediate yields production proposal if feasible	P0 · Both
MRP-032	Finished Buy yields purchase proposal	P1 · Both
MRP-033	Raw Make mode rejected before MRP	P0 · Both
MRP-034	Missing planning parameters isolated	P0 · Both
MRP-035	Missing BOM isolated	P0 · Both
MRP-036	Invalid conversion explicit exception	P0 · Both
MRP-037	Late lead-time warning	P0 · Both
MRP-038	No backwards production starts	P0 · Both

MRP-039	Infeasible transfer not fully counted	P0 · Both
MRP-040	Overdue in-transit transfer projected today	P0 · Both
MRP-041	Tentative PR not reliable BOM availability	P0 · Both
MRP-042	Planned receipts same day can cover requirement	P1 · Both
MRP-043	Safety-stock date transition	P0 · Both
MRP-044	MRP prioritizes firm before tentative forecast	P0 · Both
MRP-045	Lot-size never underplans	P0 · Both
MRP-046	Lot rounding precedes BOM feasibility	P0 · Both
MRP-047	Complete multilevel provisional plan is not dependable	P0 · Both
MRP-048	Past residual forecast expires	P0 · Both
MRP-049	Beyond-horizon feasible finish separately visible	P0 · Both
MRP-050	Inactive-input alternative triggers fallback or parent exception	P0 · Both
MRP-051	Open production with inactive pinned component is at risk	P0 · Both

MRP reruns, proposal acceptance & automatic creation

25 scenarios

Normative requirement: index.html#mrp

RUN-001	On-demand only	P1 · Both
RUN-002	Manual run records timestamp and ID	P1 · Both
RUN-003	Default manual mode	P0 · Both
RUN-004	One-click create with confirmation	P1 · UI
RUN-005	Manual Buy acceptance creates PR only	P0 · Both
RUN-006	Manual Make acceptance creates production order	P0 · Both
RUN-007	Automatic mode explicit opt-in	P0 · Both
RUN-008	Immediate identical rerun does not duplicate	P0 · Both
RUN-009	MRP demand grows incremental	P0 · Both
RUN-010	MRP demand shrinks no auto-cancel	P0 · Both
RUN-011	Recalculation supersedes old proposals	P0 · Both
RUN-012	Accepted documents survive rerun	P0 · Both
RUN-013	No edits to existing transactional docs	P0 · Both
RUN-014	Atomic automatic order batch	P0 · Both
RUN-015	Automatic creation one invalid document	P0 · Both

RUN-016	Independent exceptions do not suppress valid planning	P1 · Both
RUN-017	Stale manual recommendation	P0 · Both
RUN-018	Stale auto creation	P0 · Both
RUN-019	Concurrent automatic runs serialized	P0 · Both
RUN-020	Manual rerun respects canceled PR	P0 · Both
RUN-021	MRP cannot run in read-only mode	P0 · Both
RUN-022	Manual suggestions tied to current tenant	P0 · Both
RUN-023	Failure visibly identifies candidate	P1 · Both
RUN-024	API repeat of automatic run	P0 · API
RUN-025	Provisional Make orders never auto-created	P0 · Both

Excel opening balances & physical inventory corrections

21 scenarios

Normative requirement: index.html#access

STX-001	Opening balance template available	P1 · Both
STX-002	Opening balance creates ordinary movements	P0 · Both

STX-003	Actual balance not delta	P0 · Both
STX-004	Increase current balance	P0 · Both
STX-005	Unchanged physical value no movement	P1 · Both
STX-006	Partial location selection	P0 · Both
STX-007	Partial material selection	P0 · Both
STX-008	No implicit zero for missing rows	P0 · Both
STX-009	Zero desired quantity allowed	P0 · Both
STX-010	Negative factual quantity rejected	P0 · Both
STX-011	Unknown material in correction	P0 · Both
STX-012	Unknown location in correction	P0 · Both
STX-013	Duplicate material-location correction	P0 · Both
STX-014	Mandatory reason for bulk correction	P0 · Both
STX-015	Different existing conversion	P0 · Both
STX-016	Stock changed after dry run	P0 · Both
STX-017	Multiple corrections all-or-nothing	P0 · Both

STX-018	Role parity for correction	P1 · Both
STX-019	Tenant read-only blocks corrections	P0 · Both
STX-020	In-transit excluded from XLS corrections	P0 · Both
STX-021	Audit signed deltas from absolute input	P0 · Both

Bearer tokens, API parity, errors & idempotency

34 scenarios

Normative requirement: index.html#governance

API-001	Normal user issues token only in interactive UI	P0 · Both
API-002	Administrator issues token only in interactive UI	P0 · Both
API-003	Unique token names per account	P1 · Both
API-004	Same token name in different accounts	P1 · Both
API-005	Many tokens permitted	P1 · Both
API-006	Token secret only shown once	P0 · Both
API-007	Token last used time recorded	P1 · Both
API-008	Token revocation effective immediately	P0 · Both
API-009	Never-expiring token without explicit revocation	P0 · Both

API-010	Token inherits role restrictions	P0 · API
API-011	Token reflects user deactivation	P0 · API
API-012	Token invalid after password reset	P0 · API
API-013	API explicitly scopes tenant	P0 · API
API-014	API/UI role parity for reports	P1 · Both
API-015	API/UI parity for dry run	P1 · Both
API-016	API/UI parity for reversals	P0 · API
API-017	API/UI parity for admin reset	P0 · API
API-018	API error has stable code and message	P1 · API
API-019	Missing API idempotency key	P0 · API
API-020	First keyed API write	P0 · API
API-021	Same key same body returns cached result	P0 · API
API-022	Same key different body rejected	P0 · API
API-023	Same key another operation rejected	P0 · API
API-024	Keys isolated per tenant	P0 · API

API-025	Keys isolated per user	P0 · API
API-026	24-hour retention boundary	P0 · API
API-027	MRP auto-run idempotency	P0 · API
API-028	Excel import idempotency	P0 · API
API-029	Optimistic API version conflict	P0 · API
API-030	API cannot bypass tenant read-only	P0 · API
API-031	Global API actions scoped without tenant data leakage	P0 · API
API-032	Token minting is not available through bearer API	P0 · Both
API-033	Old Test idempotency request cannot mutate reused ID	P0 · Both
API-034	Tenant metadata supplies current Test-generation precondition	P0 · Both

Audit, concurrency & transactional atomicity

30 scenarios

Normative requirement: index.html#governance

AUD-001	All creates audited	P0 · Both
AUD-002	All edits audited	P0 · Both
AUD-003	Deactivation audited not hard deletion	P0 · Both

AUD-004	Reversal audits both original and reverse	P0 · Both
AUD-005	Audit includes tombstone on permitted deletion	P0 · Both
AUD-006	UI edits show source channel	P1 · Both
AUD-007	API edits show named token	P0 · Both
AUD-008	Share account attribution is session-level	P1 · Both
AUD-009	Audit read available to normal users	P1 · Both
AUD-010	Audit cannot be edited by admin	P0 · Both
AUD-011	Prod retention through Test reset	P0 · Both
AUD-012	Test audit cleared on reset	P0 · Both
AUD-013	Global audit retained across resets	P0 · Both
AUD-014	Global audit covers token changes	P0 · Both
AUD-015	Global audit covers password reset	P0 · Both
AUD-016	Global audit covers read-only toggle	P0 · Both
AUD-017	Atomic production completion under concurrent stock loss	P0 · Both
AUD-018	Atomic multi-line goods receipt	P0 · Both

AUD-019	Atomic transfer dispatch	P0 · Both
AUD-020	Atomic transfer receipt	P0 · Both
AUD-021	Atomic production reversal	P0 · Both
AUD-022	Atomic XLS import	P0 · Both
AUD-023	Atomic auto-MRP batch	P0 · Both
AUD-024	Optimistic locking in UI	P0 · UI
AUD-025	Optimistic locking in API	P0 · API
AUD-026	Concurrent GI on limited stock	P0 · Both
AUD-027	Data references enforced	P0 · Both
AUD-028	No password in audit snapshots	P0 · Both
AUD-029	No bearer secret in audit snapshots	P0 · Both
AUD-030	Business date and audit timestamp distinct	P1 · Both

Reports, help, localization, theme & scope boundaries

27 scenarios

Normative requirement: index.html#reports

UX-001	English by default	P2 · UI
UX-002	Polish language selection	P1 · UI
UX-003	Language preference per account	P1 · UI
UX-004	Language preference across tenants	P1 · UI
UX-005	Light mode selectable	P2 · UI
UX-006	Dark mode selectable	P2 · UI
UX-007	Theme preference persists in user settings	P1 · UI
UX-008	Footer present on login page	P1 · UI
UX-009	Footer present on transaction page	P1 · UI
UX-010	Footer present on admin/help/report page	P1 · UI
UX-011	OpenMercato Skills link correct	P2 · UI
UX-012	AITechLeaders link correct	P2 · UI
UX-013	Searchable in-app documentation available	P1 · UI
UX-014	Contextual field tooltip	P1 · UI
UX-015	Guided how-to in Polish	P1 · UI

UX-016	Material XLS error helpful for newcomer	P1 · UI
UX-017	Inventory report physical vs in-transit	P0 · Both
UX-018	MRP report overdue indicators	P1 · Both
UX-019	MRP report daily/weekly presentation	P1 · UI
UX-020	MRP report BOM rejection explanations	P1 · Both
UX-021	Report API parity	P1 · API
UX-022	Audit readable in both languages	P2 · UI
UX-023	No price or accounting workflow	P2 · Both
UX-024	No capacity/work-center scheduling	P2 · Both
UX-025	No SSO required	P1 · UI
UX-026	No hard reservation required	P0 · Both
UX-027	Weekly aggregation distinguishes flow and balances	P0 · Both

Lifecycle states & master deactivation guardrails

27 scenarios

Normative requirement: index.html#process

LFC-001	New document starts Open	P1 · Both

LFC-002	Partially fulfilled document remains Open	P1 · Both
LFC-003	Exact fulfillment becomes Completed	P1 · Both
LFC-004	Partial document Closed Early	P0 · Both
LFC-005	Cannot cancel processed PO	P0 · Both
LFC-006	Cancel never-processed PO	P1 · Both
LFC-007	Cancellation of processed customer order blocked	P0 · Both
LFC-008	No manual reopening completed document	P0 · Both
LFC-009	Order header status from lines	P1 · Both
LFC-010	All lines fully fulfilled	P1 · Both
LFC-011	Mixed completed and abandoned lines	P1 · Both
LFC-012	Material blocked from deactivation with stock	P0 · Both
LFC-013	Material blocked from deactivation with open PO	P0 · Both
LFC-014	Material blocked from deactivation with open customer demand	P0 · Both
LFC-015	Material deactivation after cleanup	P1 · Both
LFC-016	Location blocked with physical stock	P0 · Both

LFC-017	Location blocked with in-transit stock	P0 · Both
LFC-018	Location blocked with outstanding documents	P0 · Both
LFC-019	Location can deactivate after clearing	P1 · Both
LFC-020	Customer can deactivate with open order	P1 · Both
LFC-021	Supplier can deactivate with open PO	P1 · Both
LFC-022	BOM deactivation doesn't strand production	P0 · Both
LFC-023	Inactive supplier excluded from new PO	P1 · Both
LFC-024	Closed Early line not counted by MRP	P0 · Both
LFC-025	Active BOM dependency alone does not block deactivation	P0 · Both
LFC-026	No usable BOM with inactive component raises exception	P0 · Both
LFC-027	Deactivated BOM-only material risks existing parent production	P0 · Both

Cross-domain end-to-end regression journeys

21 scenarios

Normative requirement: index.html#overview

E2E-001	Raw purchase to finished customer shipment	P0 · Both
E2E-002	Intermediate material multi-level supply	P0 · Both

E2E-003	BOM fallback due to unavailable ingredient	P0 · Both
E2E-004	BOM version edit while executing production	P0 · Both
E2E-005	Demand falls after PR auto-created	P0 · Both
E2E-006	Two simultaneous order postings against stock	P0 · Both
E2E-007	Goods receipt correction affects MRP	P0 · Both
E2E-008	Customer return without return module	P1 · Both
E2E-009	Partial transfer with loss	P0 · Both
E2E-010	Test reset while Prod operations continue	P0 · Both
E2E-011	Read-only Prod protects production	P0 · Both
E2E-012	Inventory XLS correction after production variance	P0 · Both
E2E-013	Agent API retry during network failure	P0 · API
E2E-014	Normal user cannot modify master via agent	P0 · API
E2E-015	Import full BOM into production planning	P0 · Both
E2E-016	Safety target increases during horizon	P1 · Both
E2E-017	Inactivated supplier but existing procurement completes	P1 · Both

E2E-018	Language/theme/help survive Test reset	P1 · UI
E2E-019	Full-run integrity after stock reversal	P0 · Both
E2E-020	Reused Test IDs are safe after full reset	P0 · Both
E2E-021	Provisional multi-level visibility without unsafe order creation	P0 · Both

Test execution and traceability

Use isolated Test-tenant fixtures. For comparisons of today / due dates, freeze the application business date in the test environment. For race conditions, coordinate two independent sessions/clients and assert one atomic outcome. For idempotency, retain the first request's payload, key and result. After each write, verify the stored business document, affected balances, movement ledger and audit — not just the UI toast or HTTP success code.

At minimum, critical acceptance requires all P0 scenarios to pass against the chosen runtime and parity checks through API. P1 and P2 remain mandatory MVP requirements; they may be scheduled later in the implementation sequence, not silently excluded. If a scenario conflicts with a newer approved requirement, update the specification and this catalogue together instead of implementing two contradictory behaviors.

Source of requirements: Full specification and Decision register. No additional modules, pricing/accounting, physical batch tracking, hard reservations, customer return documents, production capacity scheduler or technology choices are implied.