CPG · MVP REQUIREMENTS

Decision register and acceptance checks

Decisions from the product-owner interview and follow-up grilling, with minimal clarifications selected at the owner's request. This is human-readable implementation guidance, not a request for additional product features.

Baseline: Closed | 74 decisions | 30 acceptance scenarios | Scope creep prohibited

How to use this register

Approved includes explicit product-owner confirmations in the original interview/grilling and the subsequent clarifications approved on 19 October 2026. **MVP default** means a small deterministic choice made to resolve an underspecified edge case at the owner's instruction (including agreed arithmetic rounding); it must not introduce a new business module or expand scope.

> **Authority:** Use the full functional specification for normative behavior and the visual conceptual model for business entities and relationships. This register provides traceability, examples and settled defaults. If an implementation detail is not described, choose the simplest behavior consistent with these constraints and do not assume enterprise ERP functionality.

01 / Product identity and master data

15 recorded decisions.

Decision	Requirement	Origin
Product name	Name is CPG only; Caveman Planning Good! is the footer footnote.	**Approved**
Core masters	Materials, UoM, locations, customers/suppliers, site planning, safety targets and BOM alternatives/revisions.	**Approved**
Material IDs	Eight-digit numeric, zero-padded sequential per tenant dataset generation from 00000001, immutable and never reused *within that generation*. Prod never restarts; complete Test reset restarts every Test-local business sequence at 00000001 in a fresh generation.	**Approved**
Material type	Raw, intermediate, finished; raw Buy-only/no BOM; output intermediate/finished; BOM inputs raw/intermediate; type locked once referenced.	**Approved**
Base UoM	Mandatory per material; immutable once referenced by any BOM revision, operational document or inventory movement, not merely after first posted transaction. Convert entries into BUoM, retain original unit/factor.	**Approved**
Conversion evolution	Editing UoM conversion changes future entry only; historical BOM/transactions stay in stored BUoM; no automatic BOM revision.	**Approved**
BOM amount	Each recipe specifies components needed to produce exactly one output BUoM; production scales proportionally.	**Approved**
Quantity precision	BUoM authority is exact six-decimal fixed precision; calculate in high-precision decimal, never float. Convert human-entered alternate UoM to BUoM once with half-up rounding; component needs and new MRP supply round upward. Apply output minimum/lot multiples *before* final BOM-component feasibility check.	**Approved**
BOM revisions	Recipe/component/priority/validity changes make immutable versions, and production pins original revision. Logical BOM activation/deactivation is an independently audited flag toggle, not a new recipe revision. Identical imports create no version.	**Approved**

BOM priority	Different active selectable alternatives for same material cannot share priority over any overlapping validity range; validate every edit.	**Approved**
BOM validity and cycles	Allow date-valid alternatives; reject direct/indirect circular recipes with full material cycle path.	**Approved**
Validity endpoints	Date ranges include both from and through dates. Adjacent non-overlapping intervals are permitted.	**MVP default**
BOM deactivation	Logical BOM owns active/inactive flag; toggling it updates audited logical status only, without new immutable recipe revision. Inactive BOM unavailable to new planning/orders; pinned historic production remains executable.	**Approved**
Material/location deactivation	Block deactivation with nonzero stock/in-transit or unfinished *direct* operational references. Active BOM-only references do not block material deactivation: new Make selection using that inactive component fails with Inactive BOM Component/Missing Usable BOM unless alternative exists. A historic pinned production order remains in place but its expected output becomes flagged at risk and is not dependable for MRP; no duplicate auto-replacement.	**Approved**
Supplier/customer deactivation	Existing orders may still fulfill; no new orders reference inactive masters.	**Approved**

02 / Planning and demand

21 recorded decisions.

Decision	Requirement	Origin
90-day horizon	On-demand MRP calculates all tenant sites from today through day 89 (90 daily buckets). Supply earliest feasible beyond day 89 appears as separately dated Beyond Horizon proposal/warning, never in the 90-day inventory balances.	**Approved**
Material-location parameters	Make/Buy, whole-calendar-day lead time, minimum quantity and lot multiple; missing required data raises exception.	**Approved**

Safety targets	Effective-from per material/site; target continues until superseded; zero default.	**Approved**
Forecast consumption	Order consumes same material/site/*original due date* forecast; historical residual forecast for dates before today expires instead of rolling forward. Overdue unfulfilled firm demand moves to today without altering its original consumption date.	**Approved**
Demand fulfillment	Posted GI fulfills customer line and reduces firm outstanding demand without restoring forecast already consumed.	**Approved**
Early closure	Abandoned undelivered customer amount releases consumption, returning to residual forecast.	**Approved**
Demand priority	Firm customer demand by earliest due first (same day equal), then residual forecast, finally safety gap.	**Approved**
Overdue requirements	Past-due firm outstanding quantities require supply today, retaining original due date for consumption and business priority. Past-day residual forecast has expired, not catch-up demand.	**Approved**
Overdue supply	Unreceived PO/unproduced order or overdue in-transit receipt projected today and flagged, not posted to physical stock.	**Approved**
BOM fallback	After rounding recommended output to six-place precision/minimum/lot multiple, validate complete calculated component needs and dependable projected supply. Active date-valid recipes with inactive components cannot produce new MRP orders; fall back where eligible or raise parent exception with exact shortages.	**Approved**
Multi-level shortage	MRP displays complete hypothetical multilevel dependency chain including blocked parent/intermediate actions, not as dependable supply. Independently feasible lower-level PR/production suggestions stay executable; no same-run hypothetical supply makes parent feasible and no infeasible parent is created.	**Approved**
Component start date	MRP projects outstanding BOM component need on production start date, finished supply on completion date; physical movement only at posted completion.	**Approved**
Partial production demand	For unfinished output, project proportional remaining BOM input without extrapolating past actual variance; overdue start requirements due today.	**Approved**

Tentative PR and reliable supply	Open PR tentatively suppresses duplicate PR but is not dependable for BOM feasibility. Existing PO/production pipeline counts once. A production order whose pinned recipe references newly inactive input stays in records but its future output is At-Risk Existing Production, not dependable for BOM feasibility; show parent exception and block automatic replacement until the user resolves that order.	**Approved**
MRP repeat	Recompute results/recommendations from scratch, but never edit/delete prior supply documents; net outstanding quantities.	**Approved**
Manual versus auto	Default one-click user-confirmed PR/feasible production order; optional automatic creation all-or-nothing, separate from persisted calculation.	**Approved**
Stale proposal	Revalidate current stock/demand/documents before creation, reject stale recommendation and request fresh run.	**Approved**
Late start	Never propose start in past: start today, flag Late Supply and quantify lateness. If earliest finish exceeds day 89, retain as Beyond Horizon dated recommendation without extending daily stock buckets.	**Approved**
Projected negative stock	Allowed for MRP explanation only; physical and in-transit balances never negative.	**Approved**
Daily bucket tie	Same-day planned receipts can offset same-day planning requirements. Stable ID sorting only breaks technical ties.	**MVP default**
No autonomous transfers	MRP accounts for manual planned transfers but never creates or modifies transfer orders.	**Approved**

03 / Operational documents and inventory

18 recorded decisions.

Decision	Requirement	Origin
Minimal statuses	Open, Completed, Closed Early, Cancelled. Partial progress from quantities; no user-driven reopen; reversals may recompute state.	**Approved**

Customer/PO lines	One header-level site, many dated material/UoM/quantity lines; order status derived from line progress.	**Approved**
Production order	One output material and immutable selected BOM revision, planned finish date and derived lead-time start.	**Approved**
Partial completion	Allows actual consumption variance/added materials, overproduction warning, or zero finished output with consumed waste.	**Approved**
Receipts vs shipments	Only actual GR changes incoming inventory, and only actual GI changes outgoing inventory. Shipment is context, not a posting.	**Approved**
Supplier over-delivery	PO receipts may exceed ordered amount with warning; PO completes when line receipts reach or exceed ordered quantity.	**Approved**
Customer no over-delivery	Customer goods issue may never exceed outstanding order-line amount; increase order via audited edit first.	**Approved**
Goods receipt composition	One GR may include several lines but only one PO; all line updates post atomically.	**Approved**
Outgoing shipment composition	One shipment may include several lines, all from one customer order; GI fulfills individual lines.	**Approved**
Reversal granularity	Posted GR/GI line, individual completion, adjustment or transfer posting: full amount once only; reversal today with reason and original link.	**Approved**
Production reversal	Subtract finished output; restore actual consumed components and order progress atomically; block when output stock insufficient.	**Approved**
Manual correction	Actual target physical balance specified per material/site, delta calculated; reason and movement/audit required; no negative stock.	**Approved**
Opening stock and XLS correction	Download templates, dry run then atomic apply of desired balances; partial site/material file leaves omitted inventory untouched.	**Approved**
Customer returns	No special return workflow. Physically returned goods can be recorded via a reasoned positive inventory adjustment.	**Approved**

Transfers and in-transit	Manual transfer has source/destination and dispatch/arrival dates; partial dispatch+receipt, in-transit stock, write-offs with reasons.	**Approved**
Transfer close and reversal	Cannot close while transit remains. Completed requires all planned amount physically received and zero loss; any write-off or abandonment → Closed Early when transit zero. Reverse destination receipts/write-offs before source dispatch; such reversals may automatically reopen the transfer, with no negative balances.	**Approved**
Posting date	All actual inventory events and reversals are dated today; planning/document dates may be before or after today.	**Approved**
No hard reservations	Physical quantities free until posted; MRP projected availability already accounts for planned component needs and detects shortages.	**Approved**

04 / Tenants, security, import, user experience

20 recorded decisions.

Decision	Requirement	Origin
Strict tenant isolation	Test/Prod independently hold master data, orders, audit, stock, forecasts, results, IDs. All active users have both; tenant selection obvious.	**Approved**
One administrator	Exactly one built-in admin password from required environment variable; missing means no startup; only normal users can be created.	**Approved**
Admin user control	Admin creates/sets/resets normal passwords or deactivates, but cannot hard-delete users. Users cannot change their own passwords.	**Approved**
Invalidate credentials	Password reset and deactivation immediately invalidate all existing sessions and API tokens for affected user.	**Approved**
Concurrent sessions	Multiple humans/sessions per one account allowed; no individual-human identification claim.	**Approved**

Named bearer tokens	Any active user/admin creates unlimited uniquely named, never-expiring tokens through an authenticated, explicitly confirmed **interactive UI-only** action. No bearer-token API may mint tokens; UI/API can list and revoke. Secret is shown once, last-use recorded.	**Approved**
All-write API idempotency	All *exposed* mutating bearer API requests require account/scope key, retained for 24h. Token creation is UI-only, not an API mutation. Test-scope requests require current dataset generation; retries using an old generation are rejected even if an ID recurs after reset.	**Approved**
UI/API parity	Full API parity for business/admin operations, reports, audits, dry runs, MRP, help and token listing/revocation. **Sole intentional exception: new bearer-token issuance only via authenticated explicitly confirmed UI**; bearer-token API cannot create tokens.	**Approved**
Atomic operations and locking	All multi-row physical postings, bulk XLS and auto-MRP creations commit all or nothing; UI/API optimistic locking and clear 409 errors.	**Approved**
Tenant read-only	Admin controls Test and Prod flags independently; business writes and fresh MRP blocked through UI/API even for admin; global user/token/preferences remain available.	**Approved**
Test reset	Temporarily force Test read-only, atomically replace with fresh demo dataset, clear Test business data and Test audit and restart all Test business IDs from 00000001 in a new generation; restore original read-only state. Reject old Test API generation, MRP suggestions and import previews/idempotent retries. Prod and Global users/sessions/tokens/preferences/audit remain unaffected.	**Approved**
Global audit	User/password/token/tenant-flag/reset administration logged separately as Global, retained indefinitely and visible read-only for both roles.	**Approved**
Master XLS	Explain blank ID create/existing ID update/unknown ID error, dependency order, duplicate keys, row errors and all-or-nothing dry run+commit.	**Approved**
BOM XLS	Header/line sheets, stable logical BOM ID, blank/new or existing/update, Import Reference for new header/lines, full-recipe replace with version.	**Approved**

Import no-change	Identical logical BOM upload is no-op rather than creating an artificial revision.	**Approved**
Import errors and freshness	Show complete field/row correction advice and create/update previews; reject commit if related records changed since dry run.	**Approved**
Bilingual help	English/Polish full searchable in-app docs, guides, examples and contextual tooltips, accessible from all screens.	**Approved**
Theme and branding	User-selectable light/dark mode; exact Caveman Planning Good! footer with two hyperlinks on every page.	**Approved**
Nonfunctional targets	Best effort small-enterprise performance, no numerical SLA/throughput/storage target; stack and deployment outside spec.	**Approved**
Business date and reversible records	Use a single configured business date across clients; actual stock postings/reversals dated today with immutable originals. Source/destination transfer sites must differ; planned arrival cannot precede dispatch. Transfer writes off/lost or abandoned quantity → Closed Early once transit zero; only fully physically received, lossless transfer → Completed.	**MVP default**

05 / Minimum behavioral acceptance scenarios

These 30 examples are a compact summary, not the complete test plan. The dedicated Acceptance Test Catalogue contains 535 independent Given / When / Then scenarios across 19 areas, including negative paths, concurrency and end-to-end journeys.

These examples are deliberately measurable. They demonstrate approved behavior using small numbers, without requiring a particular testing framework, database or UI.

Scenario	Expected observable behavior
F-01: Forecast consumption	Forecast 100, customer order 60 for same material/site/day → 60 firm + 40 residual, total 100.
F-02: Fulfilled order	Goods-issue 60 of original 60 ordered → firm 0; residual forecast remains 40, not 100.

F-03: Early closure	Order 60, ship 30, close remaining 30 early → residual forecast rises to 70, no outstanding firm order.
M-01: Rerun without change	MRP proposes 100 units and auto-creates production order; rerun unchanged → creates 0 further orders.
M-02: Demand increase/decrease	Demand rises 100→120 after order 100 → propose 20. Falls 120→80 → never cancel real order; show excess.
M-03: BOM fallback	High-priority BOM missing 2 kg input; lower-priority date-valid recipe feasible → pick lower, show rejected recipe and 2 kg shortage.
M-04: Unfeasible parent	Neither parent BOM feasible → show complete provisional parent/intermediate hierarchy and dependency shortages separately, propose only independently feasible lower-level supply; do not create infeasible parent.
M-05: Partial production plan	Order 100 with 40 posted output → outstanding 60; project BOM consumption on 60 only, without extrapolating actual variance.
M-06: Planned vs actual	100 kg on-hand, production A planned 80 kg consumption Monday, actual posted Friday → on-hand Monday 100; MRP-available Monday 20.
M-07: Late lead time	Need day +3, lead time 7 → start today, finish day +7, Late Supply 4 days; if completion after day 89, separately show Beyond Horizon.
M-08: Tentative PR	Buy PR 100 issued, no PO yet → no duplicate PR; exception marks dependency tentative, not physical component stock.
M-09: Stale auto-create	Supply/stock changes between MRP compute and batch creation → no partial order creation; revalidate and require fresh MRP.
P-01: Multi-line GR	One PO with two material lines, goods receipt both atomically; invalid line means nothing posts.
P-02: Supplier over-receipt	PO line 100, received 105 → warning, 105 physical stock added, line Completed.
C-01: Customer issue cap	Customer line quantity 60, fulfilled 50 → GI for 11 rejected; GI 10 allowed.
C-02: No customer return module	Product physically returned → reasoned inventory adjustment; original delivered amount unchanged.
I-01: Inventory	On-hand 100, file specifies 85 → post –15; locations/positions missing

XLS absolute quantity	from file untouched.
I-02: Stock correction dry run	Two lines, one invalid → all reported, no stock changes; second clean submit with versions unchanged → atomic apply.
I-03: No-negative stock	Attempt GI consuming 10 against 9 on-hand → no movement, clear error, status unchanged.
R-01: Completion reversal	Completion made 10 outputs/used 25 kg A + 15 kg B → reversal subtracts 10 outputs and restores 25/15. If output stock only 9, reject.
R-02: Line-level reversal	GR with 3 lines, line 2 incorrect → reverse entire line 2 exactly once, preserve lines 1 and 3; post corrected line.
T-01: Partial transfer	Transfer 100; GI dispatch 60 → in transit 60, source –60. Receive 50 → destination +50, transit 10; remaining planned dispatch 40.
T-02: Missing transit	Cannot close transfer while transit 10; receive it or post reasoned transfer write-off 10, then close early.
A-01: Read-only	Prod read-only ON → admin, user and API business writes and fresh MRP fail; reads, preferences, user admin and toggles remain allowed.
A-02: Reset with read-only	Test already read-only → reset replaces demo data and clears Test audit; flag remains read-only, Prod and Global audit untouched.
A-03: Idempotent retry	POST GI with key K success, response lost; replay same key/payload within 24h → same result no second GI. Different payload under K → conflict.
B-01: XLS material identity	Blank material ID creates sequential ID; existing updates; explicitly unknown ID produces row/field/action error.
B-02: BOM version	Edit component amount → immutable next version. Import identical full recipe → No change, no new version; old production order keeps prior version.
B-03: BOM cycle	A→B→C→A BOM upload or edit → reject entire write and report the full cycle path.
H-01: Newcomer UX	Every page has localized contextual Help, user language and theme, and the exact footer with working links.

06 / Guardrails against scope creep

Do not add pricing, supplier-specific agreements, invoices, taxes, cash movements, general customer-return documents, batch or serial genealogy, warehouse bin hierarchy, hard stock reservation systems, work centers, machine calendars, production capacity scheduling, permissions beyond one admin/normal user, single sign-on, approval chains, automatic stock transfers, additional tenants, or a platform-specific deployment design.

Use one working business date consistently for planning and actual postings. All actual inventory movements post today. Token creation is the sole UI/API parity exception; old Test generations cannot submit API mutations. Provisional MRP hierarchies are reports, not new order types. Treat missing internal technical details as implementation choices, not a new business module.

Cross-document consistency: Main specification · Conceptual model.

Caveman Planning Good! Made in Jozefoslaw with Tokens, Coffee and OpenMercato Skills during AITechLeaders training