

pjax-pdf

Markdown → PDF with Mermaid, math and Tailwind

Piotr Józefów · 2026-08-06

CONTENTS

Text and inline formatting

Tailwind classes in Markdown

 Via markdown-it-attrs

 Via inline HTML

 Via the document wrapper

Syntax highlighting

Mathematical notation

Mermaid diagrams

Tables

Lists

Text and inline formatting

Standard Markdown works as expected: **bold**, *italic*, `inline code`, ~~strikethrough~~, and links.
Typographic replacement turns “quotes” into curly ones and – into en dashes.

Blockquotes, like every other element, are styled against the `.doc` wrapper in `theme.css` rather than through `@tailwindcss/typography`'s `prose` class.

Tailwind classes in Markdown


Because Tailwind scans the generated HTML, utility classes work three ways.

Via markdown-it-attrs

That heading carries `{.text-blue-600}` in the source.

Via inline HTML

Note the `break-inside-avoid` class — Tailwind's page-break utilities work here, so this card row is kept whole rather than split across pages.



Via the document wrapper

Classes on the `.doc` wrapper in `wrapDocument()` apply to the whole document; edit `theme.css` to change the house style for every document at once.

Syntax highlighting

Handled by `highlight.js` at build time, so there is no browser work and the output is deterministic.

```
export async function renderPdf(html: string, out: string): Promise<void> {
  const browser = await puppeteer.launch({ args: ['--no-sandbox'] });
  const page = await browser.newPage();
  await page.setContent(html, { waitUntil: 'networkidle0' });
  await page.pdf({ path: out, format: 'A4', printBackground: true });
  await browser.close();
}
```

```
select sku, sum(quantity) as qty
from inventory_movement
where warehouse = 'north'
group by sku
order by qty desc;
```

Mathematical notation

TeX is typeset by **KaTeX** at build time, alongside the syntax highlighter — the HTML that reaches the browser already contains the finished formulas.

Inline math goes between single dollars: the harmonic mean of P and R is $F = \frac{2PR}{P + R}$, and a point $x \in \mathbb{R}^n$ has $\|x\|_2 = \sqrt{\sum_i x_i^2}$.

Display math goes between double dollars, on their own lines:

$$d^2(x, u) = (x_1 - u_1)^2 + (x_2 - u_2)^2 + \cdots + (x_n - u_n)^2$$

A fenced block tagged `math` is the same thing, for editors that prefer a fence:

$$P(c \mid x) \propto P(c) \prod_{j=1}^m P(x_j \mid c)$$


Environments, alignment and boxed results all work:



$$\begin{aligned} \text{acc} &= \frac{TP + TN}{TP + FP + FN + TN} \\ P &= \frac{TP}{TP + FP} \qquad R = \frac{TP}{TP + FN} \\ F &= \frac{2PR}{P + R} = \boxed{\frac{25}{33}} \approx 0.76 \\ A &= \begin{bmatrix} 3 & 2 & 1 \\ -1 & 1 & 0 \\ 0 & 1 & -1 \end{bmatrix} \qquad \Theta(n \log n) \leq \Theta(n^2) \end{aligned}$$

To write a literal dollar sign, escape it: `$4.99` stays text.

Mermaid diagrams

Each fence is rendered in-page and **awaited** before the PDF is snapshotted — the step that `md-to-pdf` gets wrong.





Tables

Warehouse	Region	Location prefix	Units
north-1	North	N1	4,102
south-1	South	S1	6,238
south-2	South	S2	3,598

Lists

- Ordered lists survive page breaks.
- Nested items indent correctly.
 - Unordered child
 - Another child
- Task lists render as plain checkboxes:

- ☒ Mermaid rendering awaited
- ☒ Math typeset at build time
- ☒ Tailwind compiled per-document
- ☐ Cached CSS between runs