


**[PP-23] [BUG 3 - Initializing search with 0 passangers \(for one way flights\) is possible](#)** Created: 17/Apr/22 Updated: 19/Apr/22

<b>Status:</b>	In Review
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		
<b>Environment:</b>	Tested on Windows 10 Firefox 99.0.1  Letency median: <b>19.0 ms</b>		

<b>Attachments:</b>	 2022-04-17_17h21_12.png
<b>Issue links:</b>	<b>Blocks</b> blocks <a href="#">PP-20</a> TC 6.1.1. Initializing search with 0 ... Done

#### Description

How to reproduce:

- Went to: <https://www.phptravels.net/flights>
- Select ONE WAY flight from 'DEN' to 'LAX'
- left date of the flight in its default setting
- default number of passangers was set to 1 adult
- Clicked on passanger box, passanger adding dropdown opened
- By clicking “” symbol left from number of adults 1 time, I set the number of passangers to 0
- Clicked search button

Current result:

**SEARCH WAS PREFORMED FOR A TOTAL OF 0 PASSANGERS**

Expeceted result:


Search is not performed (the site stays at current URL) and information about missing passanger data should occur



[PP-22] [BUG2 Selecting the same 'return date' and 'departure date' from calendar\(s\) is impossible](#) Created: 17/Apr/22 Updated: 19/Apr/22

Status:	In Review
Project:	<a href="#">PHPTRAVELS</a>
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	<a href="#">Piotr Pelczar</a>	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	Tested on Windows 10 Firefox 99.0.1  Letency median: <b>19.0 ms</b>		

Attachments:	 2022-04-17_17h10_40.png
Issue links:	<b>Blocks</b> blocks <a href="#">PP-17</a> TC 4.1.1. Selecting the same 'return ... Done

#### Description

Hot to reproduce:

- Went to: <https://www.phptravels.net/flights>
- Clicked ROUND TRIP
- Clicked departure date box and selected 15-05-2022 in calendar
- Return date calendar opened automaticlly

Current result:

**THE DATE OF 15-05-2022 WAS UNAVAILABLE FOR SELECTION IN RETURN DATE CALENDAR**


Expected result:

15-05-2022 date should be available in departure calendar

**[PP-21] [BUG1 Selecting the same departure and destination airports is possible](#)** Created: 17/Apr/22 Updated: 20/Apr/22

<b>Status:</b>	In Review
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		
<b>Environment:</b>	Tested on Windows 10 Firefox 99.0.1  Letency median: <b>19.0 ms</b>		

<b>Attachments:</b>	 2022-04-16_19h57_29.png
<b>Issue links:</b>	<b>Blocks</b> blocks <a href="#">PP-16</a> TC 3.1.1. Selecting the same airports Done

#### Description

How to reproduce:

- Went to: <https://www.phptravels.net/flights>
- Selected ROUND TRIP
- Set BOTH Departure and Destination airports to: 'JFK'
- Left all other data in default setting
- Clicked Search button

Current result:

**NO ERROR OCCURRED AND SEARCH WAS PERFORMED**

Expected result:

Search is not performed (the site stays at current URL)

## SC 6.1. Initiating search with missing data (PP-12)

### [PP-20] TC 6.1.1. Initializing search with 0 passengers (for one way flights)

Created: 16/Apr/22 Updated: 17/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Issue links:</b>	<b>Blocks</b>
	is blocked by <a href="#">PP-23</a> BUG 3 - Initializing search with 0 pa... In Review

#### Description

Click ONE WAY flight button  
ONE WAY flight button is highlighted

Click on FLYING FROM box  
Cursor appears in the selected box

type 'DEN' in the FLYING FROM box  
First hint displayed is „Denver Intl, New York, United States”

Select „Denver Intl, United States” from hints droplist  
„Denver Intl, New York, United States” appears in FLYING FROM box

Click on TO DESTINATION box  
Cursor appears in the selected box

type 'LAX' in the DESTINATION TO box  
First hint displayed is „Los Angeles Intl,, United States”

Select „Los Angeles Intl, United States” from hints droplist  
„Los Angeles Intl, United States” appears in DESTINATION TO box

Click on DEPARTURE DATE button  
Calendar is opened

Select tomorrow's date  
Tomorrow's date days appears in the box

Click on PASSANGERS button  
A dropdown with Adults, Children and occurs

Make sure that number of adults, children and infants in the tab = 0 and click anywhere on empty field  
Tab is closed and PASSANGER button shows a total of 0 passengers

Click SEARCH button  
Search should not go through (the site stays at current URL) and information about missing passenger data should occur

**SC 5.1. Selecting number of passangers** (PP-11)

**[PP-19] TC 5.1.2. Adding 4 adults, 3 children, and removing all but 1 adult**  
**CHROME** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		



## SC 5.1. Selecting number of passangers (PP-11)

 **[PP-18]** **TC 5.1.1. Adding 5 adults and 5 children (total 10)** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22


<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		





#### SC 4.1. Selecting date from calendar (PP-10)

 **[PP-17] TC 4.1.1. Selecting the same 'return date' as 'departure date'** Created: 16/Apr/22 Updated: 17/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Issue links:</b>	<b>Blocks</b> is blocked by <a href="#">PP-22</a> BUG2 Selecting the same 'return date'... In Review
---------------------	---

#### Description

Click ROUND TRIP button  
Round trip option is highlighted and RETURN DATE box is available

Click on DEPARTURE DATE button  
Calendar is opened

Select next month by clicking arrow pointing to the right  
Calendar is showing next month's dates

Select 15'th day of the month  
Departure date selected in the box is 15-mm-yyyy, and calendar for RETURN DATE is opened

Select 15'th day of the month in the RETURN DATE calendar (the same date selected before)  
Return date selected in the box is 15-mm-yyyy (the same as departure box)

### SC 3.1. Airport selection (PP-9)

 **[PP-16] TC 3.1.1. Selecting the same airports** Created: 16/Apr/22 Updated: 17/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Issue links:</b>	<b>Blocks</b>
	is blocked by <a href="#">PP-21</a> BUG1 Selecting the same departure an... In Review

#### Description

Click on FLYING FROM box  
Cursor appears in the selected box

type 'JFK' in the FLYING FROM box  
First hint displayed is „John F. Kennedy Intl, New York, United States”

Select „John F. Kennedy Intl, New York, United States” from hints droplist  
„John F. Kennedy Intl, New York, United States” appears in FLYING FROM box

Click on TO DESTINATION box  
Cursor appears in the selected box

type 'JFK' in the DESTINATION TO box  
First hint displayed is „John F. Kennedy Intl, New York, United States”

Select „John F. Kennedy Intl, New York, United States” from hints droplist  
„John F. Kennedy Intl, New York, United States” appears in FLYING FROM box

Click on search button  
No search is performed – site stays on current URL.


## SC 2.1. Typing airports (PP-8)

 **[PP-15]** **TC 2.1.2. Searching for airport with 3 letter code** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		



## SC 2.1. Typing airports (PP-8)

 **[PP-14]** **TC 2.1.1. Searching for airport with its name** Created: 16/Apr/22 Updated:  
16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		



## SC 1.1. Round trip radiobutton (PP-7)

### [PP-13] TC 1.1.1 Displaying RETURN DATE box when ROUND TRIP option is selected

Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Case	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

**[PP-12] [SC 6.1. Initiating search with missing data](#)** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Scenario	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Σ Remaining Estimate:</b>	Not Specified	<b>Remaining Estimate:</b>	Not Specified
<b>Σ Time Spent:</b>	Not Specified	<b>Time Spent:</b>	Not Specified
<b>Σ Original Estimate:</b>	Not Specified	<b>Original estimate:</b>	Not Specified

<b>Issue links:</b>	<b>Relates</b>				
	relates to <a href="#">PP-6</a> TS 6. Initiating search Done				
<b>Sub-tasks:</b>	<b>Key</b>	<b>Summary</b>	<b>Type</b>	<b>Status</b>	<b>Assignee</b>
	<a href="#">PP-20</a>	<a href="#">TC 6.1.1. Initializing search with 0 ...</a>	Test Case	Done	

**[PP-11] [SC 5.1. Selecting number of passangers](#)** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Scenario	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Σ Remaining Estimate:</b>	Not Specified	<b>Remaining Estimate:</b>	Not Specified
<b>Σ Time Spent:</b>	Not Specified	<b>Time Spent:</b>	Not Specified
<b>Σ Original Estimate:</b>	Not Specified	<b>Original estimate:</b>	Not Specified

<b>Issue links:</b>	<b>Relates</b>				
	relates to <a href="#">PP-5</a> TS 5. Number of passangers Done				
<b>Sub-tasks:</b>	<b>Key</b>	<b>Summary</b>	<b>Type</b>	<b>Status</b>	<b>Assignee</b>
	<a href="#">PP-18</a>	<a href="#">TC 5.1.1. Adding 5 adults and 5 child...</a>	Test Case	Done	
	<a href="#">PP-19</a>	<a href="#">TC 5.1.2. Adding 4 adults, 3 children...</a>	Test Case	Done	



**[PP-10]** [SC 4.1. Selecting date from calendar](#) Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Scenario	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Σ Remaining Estimate:</b>	Not Specified	<b>Remaining Estimate:</b>	Not Specified
<b>Σ Time Spent:</b>	Not Specified	<b>Time Spent:</b>	Not Specified
<b>Σ Original Estimate:</b>	Not Specified	<b>Original estimate:</b>	Not Specified

<b>Issue links:</b>	<b>Relates</b>				
	relates to <a href="#">PP-4</a> TS 4. 'Return date' box Done				
<b>Sub-tasks:</b>	<b>Key</b>	<b>Summary</b>	<b>Type</b>	<b>Status</b>	<b>Assignee</b>
	<a href="#">PP-17</a>	<a href="#">TC 4.1.1. Selecting the same 'return ...</a>	Test Case	Done	



**[PP-8] [SC 2.1. Typing airports](#)** Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Scenario	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Σ Remaining Estimate:</b>	Not Specified	<b>Remaining Estimate:</b>	Not Specified
<b>Σ Time Spent:</b>	Not Specified	<b>Time Spent:</b>	Not Specified
<b>Σ Original Estimate:</b>	Not Specified	<b>Original estimate:</b>	Not Specified

<b>Issue links:</b>	<b>Relates</b>				
	relates to <a href="#">PP-2</a> TS 2. 'Flying From' search selection box Done				
<b>Sub-tasks:</b>	<b>Key</b>	<b>Summary</b>	<b>Type</b>	<b>Status</b>	<b>Assignee</b>
	<a href="#">PP-14</a>	<a href="#">TC 2.1.1. Searching for airport with ...</a>	Test Case	Done	
	<a href="#">PP-15</a>	<a href="#">TC 2.1.2. Searching for airport with ...</a>	Test Case	Done	

**[PP-7] [SC 1.1. Round trip radiobutton](#)** Created: 16/Apr/22 Updated: 21/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Scenario	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Σ Remaining Estimate:</b>	Not Specified	<b>Remaining Estimate:</b>	Not Specified
<b>Σ Time Spent:</b>	Not Specified	<b>Time Spent:</b>	Not Specified
<b>Σ Original Estimate:</b>	Not Specified	<b>Original estimate:</b>	Not Specified

<b>Issue links:</b>	<b>Relates</b>				
	relates to <a href="#">PP-1</a> TS 1. Flight type radiobuttons Done				
<b>Sub-tasks:</b>	<b>Key</b>	<b>Summary</b>	<b>Type</b>	<b>Status</b>	<b>Assignee</b>
	<a href="#">PP-13</a>	<a href="#">TC 1.1.1 Displaying RETURN DATE box w...</a>	Test Case	Done	

[PP-6] [TS 6. Initiating search](#) Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

Status:	Done		
Project:	<a href="#">PHPTRAVELS</a>		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Test Suit	Priority:	Medium
Reporter:	<a href="#">Piotr Pelczar</a>	Assignee:	Unassigned
Resolution:	Done	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates		
	relates to	<a href="#">PP-12</a> SC 6.1. Initiating search with missin...	Done



[PP-4] TS 4. 'Return date' box

Created: 16/Apr/22 Updated: 16/Apr/22 Resolved: 16/Apr/22

Status:	Done		
Project:	PHPTRAVELS		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Test Suit	Priority:	Medium
Reporter:	Piotr Pelczar	Assignee:	Unassigned
Resolution:	Done	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates		
	relates to	PP-10 SC 4.1. Selecting date from calendar	Done

<b>[PP-3] <a href="#">TS 3. 'To Destination' search selection box</a></b> Created: 16/Apr/22 Updated: 21/Apr/22 Resolved: 16/Apr/22			
<b>Status:</b>	Done		
<b>Project:</b>	<a href="#">PHPTRAVELS</a>		
<b>Components:</b>	None		
<b>Affects versions:</b>	None		
<b>Fix versions:</b>	None		
<b>Type:</b>	Test Suit	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		
<b>Issue links:</b>	<b>Relates</b>		
	relates to	<a href="#">PP-9</a> SC 3.1. Airport selection	Done



[PP-2] [TS 2. 'Flying From' search selection box](#) Created: 16/Apr/22 Updated: 21/Apr/22 Resolved: 16/Apr/22

<b>Status:</b>	Done
<b>Project:</b>	<a href="#">PHPTRAVELS</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Test Suit	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Piotr Pelczar</a>	<b>Assignee:</b>	Unassigned
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Issue links:</b>	<b>Relates</b>
	relates to <a href="#">PP-8</a> SC 2.1. Typing airports Done

[PP-1] [TS 1. Flight type radiobuttons](#) Created: 16/Apr/22 Updated: 21/Apr/22 Resolved: 16/Apr/22

Status:	Done		
Project:	<a href="#">PHPTRAVELS</a>		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Test Suit	Priority:	Medium
Reporter:	<a href="#">Piotr Pelczar</a>	Assignee:	Unassigned
Resolution:	Done	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates		
	relates to	<a href="#">PP-7</a> SC 1.1. Round trip radiobutton	Done

Generated at Thu Apr 21 16:55:58 UTC 2022 by Piotr Pelczar using Jira 1001.0.0-SNAPSHOT#100198-sha1:943baf4bc7a52b799e6356a7ae8d20d1e8b166ce.