

BingX #4381

Table of Content

Table of Content

Failed

[bingx-account-get-balance - Failed](#)

[bingx-custom-calculate-leveraged-position - Failed](#)

Passed

[bingx-account-get-positions - Passed](#)

[bingx-market-get-latest-funding - Passed](#)

[bingx-trade-cancel-order - Skipped](#)

[bingx-market-get-latest-price - Passed](#)

[bingx-trade-new-order - Skipped](#)

[bingx-custom-bracket-order - Skipped](#)

[bingx-market-get-market-depth - Passed](#)

[bingx-market-get-market-trades - Passed](#)

[bingx-market-get-all-contracts - Passed](#)

[bingx-market-get-open-positions - Passed](#)

[bingx-market-get-historical-funding - Passed](#)

[bingx-market-get-ticker - Passed](#)

[bingx-market-get-kline - Passed](#)

[bingx-market-get-kline-history - Passed](#)

Skipped

[bingx-trade-oneclick-close-all-positions - Skipped](#)

[bingx-trade-oneclick-close-position- Skipped](#)

[bingx-trade-pending-orders - Skipped](#)

[bingx-trade-query-order - Skipped](#)

[bingx-trade-batch-cancel-orders - Skipped](#)


[bingx-trade-set-leverage - Skipped](#)

[bingx-trade-cancel-all-orders - Skipped](#)

[bingx-trade-set-margin-mode - Skipped](#)

Failed

bingx-account-get-balance - Failed



bingx-custom-calculate-leveraged-position - Failed

I faced an error

```
TypeError  
Cannot read property 'balance' of undefined
```

✕
bingx_custom_calculate_leveraged_position
⋮

▾
CONFIGURE
✕

BingX Account

✕
BingX
▾

Symbol

☰
BTC-USDT
▾

Symbol/Ticker/Trading Pair. There must be a hyphen/ "-" in the trading pair symbol. eg: BTC-USDT

Trade Type

☰
Market
▾

Market/Limit

Stop Loss Price

▾
5
▾

Stop Loss Price for trade

Take Profit Loss Price

▾
2
▾

Take Profit Price for trade

Risk

▾
2
▾

Risk Percentage of capital

Optional Fields

+
Currency
Account Asset

+
Limit Price
Limit Price (Applicable only for limit orders)

▾
RESULTS
✕

TypeError

Cannot read property 'balance' of undefined

▶ DETAILS

Exports
Inputs
Logs
Details

Detailed/code mode

BingX Account BingX

Symbol BTC-USDT

Trade Type Market

Stop Loss Price 5

Test
▾

Test to deploy

Passed


bingx-account-get-positions - Passed

The screenshot displays a workflow editor interface. At the top, there is a 'trigger' step. Below it is a 'bingx_account_get_balance' step. The main focus is on the 'bingx_account_get_positions' step, which is expanded to show its configuration and results. The configuration includes 'BingX Account' set to 'BingX' and 'Symbol' set to 'BTC-USDT'. The results section shows a 'Success' message: 'Positions retrieved for symbol BTC-USDT'. Below the message, there are tabs for 'Exports', 'Inputs', 'Logs', and 'Details'. The 'Details' tab is active, showing a JSON response structure:

```
▼ steps.bingx_account_get_positions (2)
  $summary: Positions retrieved for symbol 'BTC-USDT'
  ▼ $return_value (4)
    code: 0
    msg:
      ttl: 1
  ▼ data (1)
    positions: null
```

At the bottom of the step, there is a 'Test' button and a 'Continue' button.

bingx-market-get-latest-funding - Passed



bingx-trade-cancel-order - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-market-get-latest-price - Passed

The screenshot displays a workflow editor with the following steps:

- trigger
- bingx_account_get_balance
- bingx_account_get_positions
- bingx_market_get_latest_funding
- bingx_market_get_latest_price (Expanded)

The expanded step, **bingx_market_get_latest_price**, shows the following configuration and results:

- Configure:** BingX Account: BingX, Symbol: BTC-USDT
- Results:** Success, Latest Price of Trading Pair BTC-USDT
- Log:**

```
▼ steps.bingx_market_get_latest_price (2)
  $summary: Latest Price of Trading Pair BTC-USDT
  ▼ $return_value (3)
    code: 0
    msg: Success
    ▼ data (3)
      tradePrice: 19898.4799
      indexPrice: 19903.54
      fairPrice: 19902.94
```

bingx-trade-new-order - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-custom-bracket-order - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-market-get-market-depth - Passed

trigger

+

✖ **bingx_account_get_balance**

> CONFIGURE

> RESULTS

+

✔ **bingx_account_get_positions**

> CONFIGURE

> RESULTS

+

✔ **bingx_market_get_latest_funding**

> CONFIGURE

> RESULTS

+

✔ **bingx_market_get_latest_price**

> CONFIGURE

> RESULTS

+

✔ **bingx_market_get_market_depth**

> CONFIGURE

> RESULTS

> CONFIGURE

> RESULTS

Success
 Market depth of Trading Pair BTC-USDT

Exports Inputs Logs Details

▼ steps.bingx_market_get_market_depth (2)
 \$summary: Market depth of Trading Pair BTC-USDT
 ▼ \$return_value (3)
 code: 0
 msg: Success
 ▼ data (3)
 ▼ asks (2)
 ▼ 0 (2)
 v: 0.4965
 p: 19899.9995
 ▶ 1 (2)
 ▼ bids (2)
 ▼ 0 (2)
 v: 3.5452
 p: 19899.7052
 ▶ 1 (2)
 ts: 1664983047576

Test
Continue

+

bingx-market-get-market-trades - Passed

The screenshot shows a workflow editor interface. At the top, there is a 'trigger' step. Below it, a step named 'bingx_market_get_market_trades' is highlighted. The configuration for this step includes:

- BingX Account:** BingX
- Symbol:** BTC-USDT

The results section shows a success message: 'Success Latest Trade of Trading Pair BTC-USDT'. Below this, there are tabs for 'Exports', 'Inputs', 'Logs', and 'Details'. The 'Details' tab is active, showing a JSON-like structure:

```
▼ steps.bingx_market_get_market_trades (2)
  $summary: Latest Trade of Trading Pair BTC-USDT
  $return_value (3)
    code: 0
    msg: Success
    ▶ data (1)
```

At the bottom of the step configuration, there is a 'Test' button and a 'Continue' button.

bingx-market-get-all-contracts - Passed

The screenshot displays a workflow editor with three steps:

- trigger**: A simple trigger step.
- bingx_market_get_market_trades**: A step with 'CONFIGURE' and 'RESULTS' tabs.
- bingx_market_get_all_contracts**: A step with 'CONFIGURE' and 'RESULTS' tabs. The 'RESULTS' tab is active, showing a success message and a detailed JSON response.

The JSON response in the 'RESULTS' tab is as follows:

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "contracts": [
      {
        "contractId": 100,
        "symbol": "BTC-USDT",
        "name": "BTC",
        "size": 0.0001,
        "currency": "USDT",
        "asset": "BTC",
        "pricePrecision": 2,
        "volumePrecision": 4,
        "feeRate": 0.0005,
        "tradeMinLimit": 1
      }
    ]
  }
}
```

bingx-market-get-open-positions - Passed

The screenshot displays a workflow editor with four steps connected by plus signs:

- trigger**
- bingx_market_get_market_trades** (with CONFIGURE and RESULTS sub-steps)
- bingx_market_get_all_contracts** (with CONFIGURE and RESULTS sub-steps)
- bingx_market_get_open_positions** (expanded view):
 - CONFIGURE**: BingX Account is set to **BingX** and Symbol is **BTC-USDT**. A note below reads: "Symbol/Ticker/Trading Pair. There must be a hyphen/ '-' in the trading pair symbol. eg: BTC-USDT".
 - RESULTS**: Shows a green "Success" message: "Open Positions of Trading Pair BTC-USDT". Below this are tabs for Exports, Inputs, Logs, and Details. The Details tab is active, showing a JSON-like structure:

```
▼ steps.bingx_market_get_open_positions (2)
  $summary: Open Positions of Trading Pair BTC-USDT
  ▼ $return_value (3)
    code: 0
    msg: Success
    ▼ data (2)
      volume: 190.01
      unit: BTC
```
 - Buttons: "Test" and "Continue".

bingx-market-get-historical-funding - Passed

The screenshot displays a workflow editor with five steps connected by plus signs. The steps are:

- trigger
- bingx_market_get_market_trades
- bingx_market_get_all_contracts
- bingx_market_get_open_positions
- bingx_market_get_historical_funding (expanded)

The expanded step, **bingx_market_get_historical_funding**, shows the following configuration and results:

- CONFIGURE**:
 - BingX Account: BingX
 - Symbol: BTC-USDT
 - Symbol/Ticker/Trading Pair. There must be a hyphen/ "-" in the trading pair symbol. eg: BTC-USDT
- RESULTS**:
 - Success**: Historical Funding Rate for Trading Pair BTC-USDT
 - Exports: Inputs, Logs, Details
 - ▼ steps.bingx_market_get_historical_funding {2}
 - Summary: Historical Funding Rate for Trading Pair BTC-USDT
 - ▼ \$return_value {4}
 - err {3}
 - code: 0
 - msg:
 - data {1}

At the bottom of the expanded step, there is a "Test" dropdown menu and a blue "Continue" button.

bingx-market-get-ticker - Passed

trigger

bingx_market_get_market_trades

bingx_market_get_all_contracts

bingx_market_get_open_positions

bingx_market_get_historical_funding

bingx_market_get_ticker

CONFIGURE

BingX Account

BingX

Symbol

BTC-USDT

Symbol/Ticker/Trading Pair. There must be a hyphen/ "-" in the trading pair symbol. eg: BTC-USDT

RESULTS

Success

Ticker Information for Trading Pair BTC-USDT

Exports Inputs Logs Details

```

▼ steps.bingx_market_get_ticker (2)
  $summary: Ticker Information for Trading Pair BTC-USDT
  ▼ $return_value (3)
    code: 0
    msg:
      ▼ data (1)
        ▼ tickers (1)
          ▼ 0 (12)
            symbol: BTC-USDT
            dayVolume: 3488743813.37
            tradePrice: 19914.1472
            indexPrice: 19924.29
            priceChange: -163.69
            priceChangePercent: -0.82
            lastPrice: 19925.72
            lastVolume: 8.7836
            highPrice: 28439.59
            lowPrice: 19747.73
            -more-
  
```

Test Continue

bingx-market-get-kline - Passed

bingx_market_get_kline

CONFIGURE

BingX Account

Symbol

Symbol/Ticker/Trading Pair. There must be a hyphen/ "-" in the trading pair symbol. eg: BTC-USDT

K-Line Type

The type of K-Line (minutes, hours, weeks etc.)

RESULTS

Success
K-Line Data for Trading Pair BTC-USDT

Exports Inputs Logs Details

```
▼ steps.bingx_market_get_kline {2}
  $summary: K-Line Data for Trading Pair BTC-USDT
  ▼ $return_value {3}
    code: 0
    msg: Success
    ▶ data {1}
```

Test

bingx-market-get-kline-history - Passed

bingx_market_get_kline_history
⋮

CONFIGURE
✕

BingX Account

BingX
▾

Symbol

☰ BTC-USDT
▾

Symbol/Ticker/Trading Pair. There must be a hyphen/ "-" in the trading pair symbol. eg: BTC-USDT

K-Line Type

☰ 15min
▾

The type of K-Line (minutes, hours, weeks etc.)

Start Timestamp

1662138000000
▾

Start timestamp, Unit: ms

End Timestamp

1662244000000
▾

End timestamp, Unit: ms

RESULTS
✕

Success
K-Line Data History for Trading Pair BTC-USDT

Exports
Inputs
Logs
Details

▼ steps.bingx_market_get_kline_history {2}

\$summary: K-Line Data History for Trading Pair BTC-USDT

▼ \$return_value {3}

code: 0

msg: Success

▼ data {1}

▼ klines [97]

▼ 0 {8}

ts: 1662138000000

time: 1662138000000

statDate: 2022-09-03T01:00:00Z

open: 20129.1515

close: 20083.542

high: 20129.2871

low: 20043.4788

volume: 1375.1202

▶ 1 {8}

▶ 2 {8}

▶ 3 {8}

▶ 4 {8}

▶ 5 {8}

▶ 6 {8}

▶ 7 {8}

▶ 8 {8}

▶ 9 {8}

-more-

Test
▾

Continue

Skipped

bingx-trade-oneclick-close-all-positions - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-oneclick-close-position- Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-pending-orders - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-query-order - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-batch-cancel-orders - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-set-leverage - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-cancel-all-orders - Skipped

I don't deposit into the account, hence, I can not make the order

bingx-trade-set-margin-mode - Skipped

I don't deposit into the account, hence, I can not make the order