Waitwhile #4057

Table of Content

Table of Content Actions Add Customer Note Entry - Failed Create Customer - Failed Create User Invite - Failed Delete Customer Note Entry - Failed Export Customer - Failed Import Customer - Failed Get Customer Note ID - Failed List customer - Failed Remove Customer - Failed Remove User Invite - Failed Resend User Invite - Failed Retrieve Customer - Failed Retrieve User Invite - Failed Search Customers - Failed Update Customer - Failed Update Customer Note Entry - Failed

Actions

Add Customer Note Entry - Failed

When selecting the customer ID, I faced an error:

```
Cannot read property 'map' of undefined
```

I can not execute the action since I could not select the customer ID

Dutitled workflow	Warnings Deploy
trigger	
0	
add_customer_note_entry :	
Configure R	
Waitwhile Account	
☑ Waitvhile	
Customer ID	
E Select an option or enter a custom expression	
E Select an option I Enter a custom expression	
Cannot read property 'map' of undefined	
Load more Clear	
C Refresh field Showing O options	
- Visit ID Identifier of visit	
+ Content Optional notes	
Configure to test	
Ċ.	

Create Customer - Failed

When selecting the Location ID, I faced an error:

```
Cannot read property 'map' of undefined
```

I can not execute the action since I could not select the location ID

<pre>create_custom</pre>	er	• • •
CONFIGURE		¥
Vaitwhile Account		
Waitwhile		*
lame		
Pipedream 2244		\$
lame		
irst Name		
Pipedream		\$
irst name of customer		
ast Name		
2244		*
ast name of customer		
hone		
+84908076542		\$
hone number in E.164 form	nat	
mail		
pipedream-2244@example	e.com	*
mail address		
ocation ID		
Select one or more optic	ons or enter a custom expression	\$
E Select one or more	options I Enter a custom expression	,
Cannot read property 'n	nap' of undefined	
	Load more Clear	
C Refresh field		
+ Remove Tag	Removes specified tag to existing tags	
+ External Id	External identifier, optionally provided by client	
	Configure to test	

Create User Invite - Failed

When selecting the Customer ID, I faced an error:

Cannot read property 'map' of undefined

trigger	
÷.	
add_customer_note_entry	
> CONFIGURE	
E .	
create_customer	
CONFIGURE	
0	
₩ create_user_invite	:
✓ CONFIGURE	7
	IN
Waitwhile Account Image: Constraint of the second	\$
	· ·
Name Hung Vu	~
Name	
Email	
vunguyenhung@outlook.com	\$
Email address	
Default Location ID	
1	\$
Identifier of location	
Location ID E Select one or more options or enter a custom expression	\$
	× ×
E Select one or more options I Enter a custom expression	
Cannot read property 'map' of undefined	
Load more Clear	
C Refresh field	
E Please configure Location ID first Identifier of resource	
Optional Fields	
+ Phone Phone number in E.164 format	
Configure to test 🗸	

When I tried to add the Location ID in text, I faced an error on Resource ID prop:

Cannot read property 'map' of undefined

🚰 add_customer_note_entry	Ð		
CONFIGURE			
	0		
👥 create_customer			
CONFIGURE			
	Ð		
	w .		
<pre>create_user_invite</pre>			:
CONFIGURE			*
Waitwhile Account			
M Waitwhile			\$
Name			
Hung Vu			÷
Name Email			
vunguyenhung@outlook.com			\$
Email address			
Default Location ID			
hungvturing Identifier of location			÷
Location ID			
I hungvturing			¢
Identifier of location			
Roles			
User roles			÷
Resource ID			
E Select an option or enter a custom expression			\$
E Select an option I Enter a custom expression			×
Cannot read property 'map' of undefined			
Load more		Clear	
C Refresh field		Sho	wing 0 options
	-		
	Ð		

Delete Customer Note Entry - Failed

When selecting the Customer ID, I faced an error:

Cannot	read	property	'map'	of	undefined
--------	------	----------	-------	----	-----------

<pre>delete_customer_note_entry</pre>		:
CONFIGURE		
aitwhile Account		
Waitwhile		\$
ustomer ID		
Select an option or enter a custom expression		ŧ
E Select an option		
Cannot read property 'map' of undefined		
Load more	Clear	
C Refresh field		Showing 0 option

Export Customer - Failed

I faced an error when trying to publish the action

{"error":"{\"name\":\"UserError\",\"message\":\"type missing for prop toTime\"}"}
* pipedream (4057-Waitwhile-Actions) x pd publish /Users/Nguyen_Hung_Vu/Code/Personal/pipedream/components/waitwhile/dist/actions/export-customers/export-cu
tomers.mjs
Detected local requires, creating zip archive...
- actions/export-customers/export-customers.mjs
- app/waitwhile.app.mjs
component create api call responded with status: 400, body: {"error":"{\"name\":\"UserError\",\"message\":\"type missing for prop toTime\"}"}

Import Customer - Failed

When selecting the Location ID, I faced an error:

Cannot read property 'map' of undefined

✓ import_customers	:
CONFIGURE	X
Waitwhile Account	
Waitwhile	\$
Туре	
Customer	\$
Туре	
Location ID	
⊨ hungvturing	\$
E Select an option	×
Cannot read property 'map' of undefined	
Load more	Clear
C Refresh field	

After I manually input the Location ID and execute the action, I faced an error without much detail:

Error [object Response]
DETAILS
at global.handleError (/var/task/common.js:39:40)

I'm not sure how this action works, I assume we need to upload a file to send to Waitwhile

₩ import_cus	tomers			0 0 0
CONFIGURE				¥
Waitwhile Account				
Waitwhile				\$
Туре				
Customer				\$
Туре				
Location ID				
I hungvturing				\$
Identifier of location				
RESULTS				¥
Error [object Response]				
► DETAILS				
Exports Input	s Logs	Details		
Detailed/code mode				
Waitwhile Account	Waitwhile			
Туре	Customer			
Location ID	hungvturing			
	Test	~	Test to deploy	

Get Customer Note ID - Failed

When selecting the Customer ID, I faced an error:

Cannot read property 'map' of undefined

iter a custom expression		
I Enter a custom expression		
r 'map' of undefined		
	nter a custom expression I Enter a custom expression	I Enter a custom expression

List customer - Failed

I faced an error when trying to publish the action

```
{"error":"{\"name\":\"UserError\",\"message\":\"type missing for prop toTime\"}"}
* waitwhile (4057-Waitwhile-Actions) × pd publish /Users/Nguyen_Hung_Vu/Code/Personal/pipedream/components/waitwhile/dist/actions/list-customers/list-custom
rs.mjs
Detected local requires, creating zip archive...
- actions/list-customers/list-customers.mjs
- app/waitwhile.app.mjs
component create api call responded with status: 400, body: {"error":"{\"name\":\"UserError\",\"message\":\"type missing for prop toTime\"}"}
```

Remove Customer - Failed

When selecting the Customer ID, I faced an error:

```
Cannot read property 'map' of undefined
```

₩ remove_customer	0 0 0
CONFIGURE	X
Waitwhile Account	
Vaitwhile	\$
Customer ID	
E Select an option or enter a custom expression	\$
E Select an option I Enter a custom expression	×
Cannot read property 'map' of undefined	
Load more	Clear
C Refresh field	

Remove User Invite - Failed

When selecting the Invite ID, I faced an error:

```
Cannot read property 'map' of undefined
```

<pre>remove_user_invite</pre>		:
CONFIGURE		X
Vaitwhile Account		
Waitwhile		\$
nvite ID		
E Select an option or enter a custom expression		\$
E Select an option		
Cannot read property 'map' of undefined		
Load more	Clear	
C Refresh field		

Resend User Invite - Failed

When selecting the Invite ID, I faced an error:

```
Cannot read property 'map' of undefined
```

<pre>resend_user_invite</pre>	9 9 9
CONFIGURE	X
Waitwhile Account	
Waitwhile	\$
Invite ID	
Select an option or enter a custom expression	\$
E Select an option I Enter a custom expression	×
Cannot read property 'map' of undefined	
Load more	Clear
C Refresh field	


Retrieve Customer - Failed

When selecting the Customer ID, I faced an error:

retrieve_customer			
CONFIGURE			
aitwhile Account			
Waitwhile			
ustomer ID			
E Select an option or enter a custom	expression		
≡ Select an option I Enter	a custom expression		
Cannot read property 'map' of und	ofined		

Retrieve User Invite - Failed

When selecting the Invite ID, I faced an error:



₩ retrieve_user_invite		• • •
CONFIGURE		¥
Waitwhile Account		
Waitwhile		\$
Invite ID		
⊟ Select an option or enter a custom expression		\$
E Select an option		×
Cannot read property 'map' of undefined		
Load more	Clear	
C Refresh field		

Search Customers - Failed

I faced an error when trying to publish the action

```
{"error":"{\"name\":\"UserError\", \"message\":\"type missing for prop toTime\"}"}

* pipedream (4057-Waitwhile-Actions) × pd publish /Users/Nguyen_Hung_Vu/Code/Personal/pipedream/components/waitwhile/dist/actions/search-customers/search-customers.mjs
Detected local requires, creating zip archive...
- actions/search-customers/search-customers.mjs
- app/waitwhile.app.mjs
component create api call responded with status: 400, body: {"error":"{\"name\":\"UserError\",\"message\":\"type missing for prop toTime\"}"}
```

Update Customer - Failed

I faced an error when trying to publish the action

```
{"error":"{\"name\":\"UserError\",\"message\":\"bad propDefinition value for prop undefine
d (should be [\\u003capp\\u003e, \\u003cappPropName\\u003e, \\u003coptionalOptsFn\\u003e])
\"}"}
```



Update Customer Note Entry - Failed

When selecting the Invite ID, I faced an error:

Cannot read property 'map' of undefined

<pre>w update_customer_note_entry</pre>		• •
CONFIGURE		¥
Naitwhile Account		
Waitwhile		\$
Customer ID		
E Select an option or enter a custom expression		\$
E Select an option I Enter a custom expression		×
Cannot read property 'map' of undefined		
Load more	Clear	
C Refresh field		