

Website Documentation

Complete reference for pages, routes, content, CTAs, interactive functions, resources, and deployment.

DOCUMENT SCOPE

18 HTML pages | **24 integration logos** | **3 resource collections**

Loading screen | cursor effect | ROI calculator | HubSpot popup

Prepared from the current standalone PipelineSync site bundle

Document date: September 1, 2026

Primary bundle: /home/user/pipelinesync-site.zip

This document describes the files and behavior in the workspace. Live publication still requires deployment.

1. Executive summary

A concise map of what exists, how it works, and what must be deployed together.

18

HTML pages in bundle

24Remote integration
logos**3**

Resource collections

5Shared experience
functions

What this website is

PipelineSync is a standalone, responsive website for HubSpot CRM architecture, RevOps systems, integrations, data quality, automation, and enablement. The site combines five primary marketing pages with a Resources hub, a Privacy Policy, and twelve content pages for guides, blog articles, and SOPs/templates.

Current implementation principles


- Remote-first branding and integration assets: external PipelineSync logo, footer logo, HubSpot Solutions Partner badge, and 24 integration PNGs are referenced from pipelinesync.net.
- Direct resource destinations: guide, blog/article, and SOP/template cards on Resources open the user-supplied live WordPress resource URLs when the card surface is clicked.
- Consistent visitor experience: all pages use a visitor-friendly loading layer, mouse cursor effect on fine pointers, responsive navigation, and the lower-right ROI calculator.
- Conversion path: header and page CTAs open the HubSpot popup form on commercial and content pages; the form uses portal 247123252 and form 925b2a78-2998-4846-a6e8-a7514007fb93.

Deployment note

The workspace contains the completed standalone bundle. The live domain has previously been observed serving a WordPress/Astra wrapper; deployment must make the standalone bundle the true site root or disable the duplicate theme header.

Sitemap canvas visualization

How the 18-page standalone bundle connects to the live resource destinations and shared interaction layer.



Legend

- Primary pages
- Policy / article accents
- Resource collections

Sitemap canvas visualization (continued)

Link behavior

Resources guide, article, and SOP cards use direct live resource URLs. The local standalone article/template pages remain in the bundle as page assets and documentation references.

3. Main page inventory

The six core page files and their role in the visitor journey.

Page	File	Purpose	Primary actions
Home	index.html	Entry page; positioning, services, proof, process, FAQs, consultation CTA.	Book a free consultation; hero and footer CTAs.
Solutions	solutions.html	CRM implementation, migration, integration, automation, enablement, and process.	Let's scope your project; service detail actions.
Integrations	integrations.html	24 integration cards with remote PNG logos, filters, details, and stack CTA.	Book a consultation; integration card details.
Resources	resources.html	Guides, Blog / Articles, SOPs & Templates, FAQs, and resource card links.	Read guide/playbook; direct resource cards; consultation.
About	about.html	PipelineSync story, approach, regions/languages, trust, and contact CTA.	Book a free consultation; Our Story.
Privacy Policy	privacy-policy.html	Standalone policy content and footer/legal route.	Back to Home; footer Privacy Policy link.

Shared elements on the core pages

- Sticky responsive header with logo, desktop nav, mobile menu, Our Story, and consultation CTA.
- Footer with description, HubSpot Solutions Partner badge, exact region/language text, contact links, copyright, and Privacy Policy link.
- Loading screen with visitor-facing copy and cropped-logo-only.png; the Resources page uses its resource-specific wording, while other pages use the shared page wording.
- ROI calculator and Back to top controls in the lower-right corner; the cursor effect is disabled on touch/coarse-pointer devices and for reduced-motion users.

4. Content library inventory

Twelve content pages support the three Resources collections.

Type	Title	Standalone file	Content focus
Guide	HubSpot CRM Architecture Blueprint	integration - HubSpot CRM Architecture Blueprint.html	Scale-ready objects, pipelines, lifecycle stages, and permissions.
Guide	CRM Cleanup & Deduplication System	integration - CRM Cleanup & Deduplication System.html	Audit, merge, enrich, and prevent duplicate records.
Guide	Lead Routing & Lifecycle Automation	integration - Lead Routing & Lifecycle Automation.html	Scoring, assignment, SLAs, escalation, and recovery.
Guide	Integration Governance & Monitoring	integration - Integration Governance & Monitoring.html	Data ownership, logging, alerts, and rollback.
Guide	Full-Funnel Attribution That CEOs Trust	integration - Full-Funnel Attribution That CEOs Trust.html	Transparent first-touch, pipeline, and closed-won reporting.
Blog	Why Your HubSpot Pipeline Doesn't Reflect Reality	why-your-hubspot-pipeline-doesnt-reflect-reality.html	Stages, forecasting, close dates, and operating discipline.
Blog	The Cost of Duplicate Data in HubSpot	the-cost-of-duplicate-data-in-hubspot.html	The reporting, routing, and productivity cost of duplicates.
Blog	Automation That Saves 10+ Hours/Week	automation-that-saves-10-hours-per-week.html	Lead routing, data hygiene, and follow-up automation.
Blog	Why Teams Don't Adopt HubSpot (And How We Fix It)	why-teams-dont-adopt-hubspot-and-how-we-fix-it.html	Architecture, SOPs, workflow friction, and adoption.
SOP	HubSpot Governance Checklist	hubspot-governance-checklist.html	47-point permissions, validation, naming, and audit checklist.
SOP	Data Migration Mapping Sheet	data-migration-mapping-sheet.html	Field mapping, transformations, associations, QA, and cutover.
SOP	Lead Routing Decision Tree	lead-routing-decision-tree.html	Assignment, scoring, SLAs, fallback owners, and escalation.

Resource-link rule

The Resources cards point to the supplied live /resources/.../ routes. The standalone files remain packaged for offline review, deployment, and content maintenance.

5. Route and link map

The URLs used by navigation, resource cards, and legal links.

Route label	Live route	Local representation
Home	http://www.pipelinesync.net/	index.html
Solutions	http://www.pipelinesync.net/solutions	solutions.html
Integrations	http://www.pipelinesync.net/integrations	integrations.html
Resources	http://www.pipelinesync.net/resources	resources.html
About	http://www.pipelinesync.net/about	about.html
Privacy footer	https://pipelinesync.net/about/privacy-policy/	privacy-policy.html is the local policy copy

Resource card destinations

Collection	Destination model	Behavior
Guides	5 live /resources/.../ routes	Cards and visible Read links use these destinations.
Blog / Articles	4 live /resources/.../ routes	Entire card surfaces are clickable; keyboard Enter/Space supported.
SOPs / Templates	3 live /resources/.../ routes	Entire card surfaces are clickable; generic details popup is disabled.

Link-state policy

Guide, article, SOP, footer, and CTA links suppress browser underlines and unwanted active/visited color changes. The header menu is intentionally the exception: its active item keeps the PipelineSync color and underline.

6. CTA and button catalog

Conversion controls, utility buttons, and resource controls currently in the site.

Control	Where	Function
Book a consultation	Header, mobile menu, content-page CTA	Opens HubSpot popup form on commercial/content pages.
Book a free consultation	Home, Resources, About CTA sections	Primary conversion CTA; opens form modal where enabled.
Let's scope your project	Solutions page	Project-scoping CTA; opens HubSpot form modal.
Our Story	Header	Routes to About page; no underline on active states.
Read guide / Read playbook	Resources Guides tab	Direct link to supplied live resource route; card is also clickable.
Calculate ROI	Lower-right floating control	Opens ROI panel; sits beside Back to top.
Back to top	Lower-right floating utility	Appears after scroll threshold and returns to page top.
Guides / Blog / Articles / SOPs & Templates / FAQs	Resources tab buttons	Switches tab panels and updates the hash for resource tabs.
Close / Keep browsing	Modal/dialog controls	Closes HubSpot form or generic detail dialogs where enabled.

CTA behavior rules

- CTAs that represent a sales conversation use the HubSpot form modal instead of navigating away.
- Resource cards use direct destinations and no longer open the generic "Request this resource" detail popup.
- Buttons preserve normal colors in active, pressed, focus, and visited states except for the intentionally styled header menu.
- Mobile navigation collapses into a menu and preserves the same route and CTA intent as desktop.

7. ROI calculator

Functional specification for the lower-right calculator widget.

Placement and interaction

The orange Calculate ROI control is fixed in the lower-right corner, beside the Back to top arrow. Clicking it opens a floating panel. The panel can be closed with the close button, the Escape key, or after completing a calculation; the button confirms completion with "ROI calculated".

Inputs

Input	Validation	Sample
Monthly leads	Number >= 0	250
Average deal value	Currency number >= 0	3500
Current close rate	Percentage 0-100	12%
Improved close rate	Percentage 0-100	16%
Hours saved monthly	Number >= 0	28
Value per saved hour	Currency number >= 0	75
Monthly CRM investment	Currency number >= 0	2500

Calculation model

```
incrementalRevenue = leads x max(0, improvedRate - currentRate) x dealValue
timeValue = hoursSaved x hourlyCost
monthlyReturn = incrementalRevenue + timeValue
ROI = ((monthlyReturn - investment) / investment) x 100
```

Outputs

- Estimated monthly ROI: percentage, with a plus sign for positive values.
- Incremental revenue: added monthly revenue attributed to the close-rate improvement.
- Time savings value: monthly value of hours saved.
- Estimated monthly return: incremental revenue plus time savings value.

Customization point

The calculator currently formats values in USD and is an estimate-only planning tool. Currency, field labels, assumptions, and formula logic can be customized before a production rollout.

8. Interaction and motion system

The reusable JavaScript layers that make the pages feel like a product.

Function	Scope	Behavior
Loading screen	Every page	Full-screen overlay with cropped logo, visitor-facing message, progress bar, and load event plus safety fallback.
Cursor effect	All pages on fine pointer	Two-layer dot/ring cursor; expands on links, buttons, cards, and interactive surfaces; hidden on touch/reduced motion.
Scroll progress	Main pages	Thin progress bar at the top tracks scroll depth.
Back to top	All pages	Lower-right arrow appears after scrolling and returns to top smoothly.
Mobile menu	Pages with full header	Hamburger toggles menu; menu closes when a link is selected.
Smooth anchors	Main pages	Same-page anchor links scroll smoothly and update the URL hash.
Accordions / details	Home, Solutions, Resources, About	Expandable service, FAQ, and content detail interactions.
Hero motion	Home	Hero visual float, number count-up, stage pulse, and fine-pointer parallax.
Resource tabs	Resources	Tabs switch Guides, Blog / Articles, SOPs & Templates, and FAQs.

Interaction safety

- External or live resource anchors are not hijacked by card click handlers.
- Escape closes modal layers and returns focus where implemented.
- Reduced-motion media preferences remove cursor and animation movement.
- Touch/coarse-pointer layouts hide the custom cursor so the native mobile interaction remains usable.

9. Resources page behavior

Detailed behavior of the page that hosts the three content collections.

Tabs

- Guides: five curated operational guides with direct live resource links.
- Blog / Articles: four article cards with direct live resource links.
- SOPs & Templates: three free resources that open their direct live resource links; the old generic request popup is disabled for these cards.
- FAQs: accordion-based questions and answers.

Direct-card click model

Each card receives a destination data attribute and a small accessibility layer. Pointer clicks on the card surface navigate to the destination; clicks on an existing anchor are allowed to follow the anchor normally. Enter and Space activate focused cards. Cards expose role=link and a visible focus outline.

Collection	Data attribute	Count	Outcome
Guide cards	data-guide-url	5 cards	live /resources/ destinations
Blog cards	data-blog-url	4 cards	live /resources/ destinations
SOP cards	data-sop-url	3 cards	live /resources/ destinations

Resource popup removal

The generic site detail popup remains available for other page types where it is useful, but its Resources-page invocation for Guides, Blog / Articles, and SOPs/Templates is disabled. This prevents the "Request this resource / Keep browsing" box from appearing when visitors click those cards.

10. Forms and lead capture

HubSpot modal integration and contact behavior.

HubSpot popup form

Commercial and content pages contain a shared modal shell. The form frame is identified with region na2, portal ID 247123252, and form ID 925b2a78-2998-4846-a6e8-a7514007fb93. The HubSpot embed script is loaded from js-na2.hsforms.net.

```
<div class="hs-form-frame" data-region="na2" data-form-id="925b2a78-2998-4846-a6e8-a7514007fb93" data-portal-id="247123252"></div>
```

State	Trigger	Result
Open	CTA click	Adds active state, displays flex modal, locks body scroll.
Close	X button / overlay / Escape	Hides modal and restores body scroll.
Form render	External HubSpot script	Hydrates the form frame inside the modal.
Fallback	Privacy page	Privacy Policy remains content-only and does not contain the sales form modal.

Contact links

- Email is rendered normally in page/footer markup or populated from the contact-email script; it is not intentionally obfuscated.
- Phone link: tel:+16467292936.
- WhatsApp link: <https://wa.me/639301228191> with a new tab and safe rel attributes.
- Footer partner badge and exact partner text appear below the footer description.

External dependency

The HubSpot form requires the external embed script and network access. In an offline or sandboxed preview the modal shell can open, but the live form may not render.

11. SEO, accessibility, and responsive rules

Quality standards built into the current files.

Area	Implementation
Metadata	Every page has a title and meta description; guide/article/SOP pages also have canonical and Open Graph metadata.
Sitemap	sitemap.xml includes main routes plus guide, blog/article, and SOP/template page files.
Navigation	Desktop nav, mobile menu, active header state, and footer routes are connected.
Keyboard	Resource cards support keyboard activation; dialogs support Escape; buttons use type=button where applicable.
Focus	Clickable guide/blog/SOP cards show a focus outline; form inputs show focus rings.
Reduced motion	Cursor and motion effects are disabled for prefers-reduced-motion.
Mobile	Responsive grids, mobile menus, compact Integrations filter tabs, and no horizontal overflow safeguards.
Images	Remote logo sources have alt text; loading screen uses the supplied cropped logo source.

Important preview behavior

The file viewer runs HTML in a sandboxed iframe. External fonts, images, HubSpot forms, and remote resource destinations may not render or navigate inside that viewer even though the downloaded files are configured for a real browser and deployed site.

12. Assets and external sources

What the pages load locally versus from pipelinesync.net.

Asset	Source	Purpose / note
Favicon	icon.png	Local, retained in bundle.
Header logo	https://pipelinesync.net/wp-content/uploads/2026/08/logo-only.png	Remote source used in page headers.
Loading logo	https://pipelinesync.net/wp-content/uploads/2026/08/cropped-logo-only.png	Remote source used by all loading screens.
Footer logo	https://pipelinesync.net/wp-content/uploads/2026/08/logo_footer.png	Remote source used in footers.
Partner badge	https://pipelinesync.net/wp-content/uploads/2026/08/hubspot_partner_badge.png	Remote source used below footer description.
Integration logos	https://pipelinesync.net/wp-content/uploads/2026/08/integration-logo-{name}.png	24 remote PNG sources; Pipedrive uses integration-logo-pipedrive-1.png.
Fonts	Google Fonts: Inter, Manrope, IBM Plex Mono	External; local fallbacks are included.
HubSpot form	https://js-na2.hsforms.net/forms/embed/247123252.js	External embed dependency.

Local packages

- pipelinesync-site.zip: deployable bundle containing 18 HTML pages, icon.png, robots.txt, and sitemap.xml.
- integration-logos-png.zip: retained archive containing 24 PNG integration logo files.
- No local integration logo files are required by integrations.html because the page uses remote PNG sources.

13. Deployment and package structure

What to upload and what to verify after publication.

Deployable package

```
/home/user/pipelinesync-site.zip index.html solutions.html integrations.html resources.html about.html
privacy-policy.html 5 integration guide HTML pages 4 blog/article HTML pages 3 SOP/template HTML pages
icon.png | robots.txt | sitemap.xml
```

Recommended deployment sequence

- Back up the current WordPress/Astra site and database before replacing the root.
- Upload and extract the standalone bundle at the actual web root, or configure the web server to serve the static files as the root site.
- If WordPress remains in front, disable the Astra header/footer wrapper that can duplicate the standalone header.
- Verify the main routes, footer Privacy Policy URL, resource card destinations, HubSpot form modal, and remote image loading.
- Purge CDN/cache layers and test on desktop, mobile, and a private browsing session.
- Submit or refresh sitemap.xml after the live URLs are confirmed.

Known live-site risk

If the live domain continues to serve the WordPress/Astra wrapper while also rendering the standalone HTML, visitors may see duplicate headers or theme CSS overriding the standalone pages. This is a deployment/theme configuration issue, not a missing standalone-file feature.

14. QA and maintenance checklist

A practical handoff list for ongoing ownership.

Check	Acceptance criteria
Routes	Open all six main routes and confirm status 200.
Content pages	Open each guide, article, and SOP page from its direct URL and from its Resources card.
Card behavior	Click the card surface and visible links; confirm no generic resource popup appears.
Forms	Open Book a consultation on desktop and mobile; confirm HubSpot form renders.
ROI	Change each input, calculate, confirm outputs and positive/negative ROI behavior.
Loading	Hard-refresh each page and confirm the loading screen fades after load or safety timeout.
Cursor	Test fine-pointer hover/press states; confirm it is absent on touch and reduced-motion devices.
Mobile	Test 320px, 375px, 768px widths for overflow, tabs, menus, cards, and modal panels.
Footer	Confirm badge, exact partner text, copyright, contact links, and new Privacy Policy URL.
SEO	Check title, description, canonical, sitemap entries, and no unintended placeholder # links.
External sources	Verify remote logo URLs, loading logo, and HubSpot script after deployment.

Maintenance rhythm

- When adding a Resource card, create its page, assign its direct live URL, add it to the sitemap, and verify keyboard card activation.
- When changing a CTA, update both desktop and mobile header variants plus page CTA sections.
- When changing ROI assumptions, update the visible labels, formula documentation, and QA examples together.
- Keep root and /uploads/ copies synchronized for pages that are distributed through the upload folder.
- Rebuild pipelinesync-site.zip after any page, route, or asset change.

Handoff status

The current workspace bundle has been generated and syntax-validated. Publishing remains a separate server/deployment action.

Appendix A. File inventory

Exact page filenames currently included in the bundle.

01	index.html	10	integration - Integration Governance & Monitoring.html
02	solutions.html	11	integration - Full-Funnel Attribution That CEOs Trust.html
03	integrations.html	12	why-your-hubspot-pipeline-doesnt-reflect-reality.html
04	resources.html	13	the-cost-of-duplicate-data-in-hubspot.html
05	about.html	14	automation-that-saves-10-hours-per-week.html
06	privacy-policy.html	15	why-teams-dont-adopt-hubspot-and-how-we-fix-it.html
07	integration - HubSpot CRM Architecture Blueprint.html	16	hubspot-governance-checklist.html
08	integration - CRM Cleanup & Deduplication System.html	17	data-migration-mapping-sheet.html
09	integration - Lead Routing & Lifecycle Automation.html	18	lead-routing-decision-tree.html

Bundle metadata

The current zip also includes icon.png, robots.txt, and sitemap.xml. The site uses remote logo sources rather than shipping local integration logo assets in the deployable bundle.