

Name: Piyush Mujmule

Module name: Automation Framework


PRN : 2509401147005

Assignment 11

1)Create Jmeter Test plan

a)Two separate Thread group employee , dept for 2 users

Create table only once and Load sample data



Request:

Sampler result Request Response data

Request Body Request Headers

Find Case sensitive Regular exp.

```
1 [Callable Statement] create table employee(id int primary key, name varchar(50),  
email varchar(100));  
2  
3
```

Sampler result Request Response data

Request Body Request Headers

Find Case sensitive Regular exp.

```
1 [Callable Statement] create table dept(id int primary key, name varchar(50));  
2  
3
```

Sampler result Request Response data

Request Body Request Headers

```
1 [Callable Statement] insert into employee (id, name, email) values(1,"Piyush", "piyush@gmail.com"),(2, "Vivek","vivek@com"),(3,"Tilak","tilak@it");
2
```

Find Case sensitive Regular exp.



Sampler result Request Response data

Request Body Request Headers

```
1 [Callable Statement] insert into dept (id, name) values(1, "IT"),(2, "CS"),(3, "IT");
2
3
```

Find Case sensitive Regular exp.

b) Execute select query for 100 times for 2 users



Request:

Sampler result Request Response data

Request Body Request Headers

```
1 [Select Statement] Select * from employee  
2  
3
```

Find Case sensitive Regular exp.

Sampler result Request Response data

Response Body Response headers

```
id name email  
1 Piyush piyush@gmail.com  
2 Vivek vivek@com  
3 Tilak tilak@it
```

Find Case sensitive Regular exp.

Sampler result Request Response data

Request Body Request Headers

```
1 [Select Statement] Select * from dept  
2  
3
```

Find Case sensitive Regular exp.



Sampler result Request Response data

Response Body Response headers

```
id name  
1 IT  
2 CS  
3 IT
```

Find Case sensitive Regular exp.

c) Delete created data only once
Delete created table only once



Request:

Screenshot of the JMeter 'Request' tab. The 'Request Body' tab is selected. The text area contains the following SQL statement:

```
1 [Callable Statement] delete from employee;
```

Screenshot of the JMeter 'Request' tab. The 'Request Body' tab is selected. The text area contains the following SQL statement:

```
1 [Callable Statement] delete from dept;
```

Sampler result Request Response data

Request Body Request Headers

```
1 [Callable Statement] drop table dept;
2
3
```

Find Case sensitive Regular exp.

Sampler result Request Response data

Request Body Request Headers

```
1 [Callable Statement] drop table employee;
2
3
```

Find Case sensitive Regular exp.