



/v3/api-docs

Explore

# Pironeer Week2 API 명세서 v1 OAS 3.0

/v3/api-docs

API 명세서

Contact 이승찬

## Servers

http://localhost:8080 - Generated server url

## 게시물(Topic)



GET /api/topic 게시물 전체 조회



### Parameters

Try it out

No parameters

### Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 1,
    "title": "제목입니다",
    "content": "내용입니다",
    "createdAt": "2024-09-19T05:48:05.831Z",
    "updatedAt": "2024-09-19T05:48:05.831Z"
  }
]
```

Code	Description	Links
	<pre>} ]</pre>	

**PUT** **/api/topic** 게시물 수정 ⌵

**Parameters** Try it out

No parameters

**Request body** required application/json

**Example Value** Schema

```
{  
  "id": 1,  
  "title": "제목을 수정합니다",  
  "content": "내용을 수정합니다"  
}
```

**Responses**

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

**Example Value** Schema

```
{  
  "id": 1,  
  "title": "제목입니다",  
  "content": "내용입니다",  
  "createdAt": "2024-09-19T05:48:05.832Z",  
  "updatedAt": "2024-09-19T05:48:05.832Z"  
}
```

**POST** **/api/topic** 게시물 작성 ⌵

**Parameters** Try it out

No parameters

Request body **required**

application/json

Example Value Schema

```
{
  "title": "제목입니다",
  "content": "내용입니다"
}
```

## Responses

Code	Description	Links
200	OK	No links
Media type		
/*		
Controls Accept header.		
Example Value Schema		
{}		

GET

/api/topic/{topicId} 게시물 단건 조회



Parameters

Try it out

Name	Description
------	-------------

**topicId** \* required  
integer(\$int64)  
(path)

topicId

Responses

Code	Description	Links
200	OK	No links
Media type		
*/*		
Controls Accept header.		
Example Value Schema		
{ "id": 1, "title": "제목입니다", "content": "내용입니다", "createdAt": "2024-09-19T05:48:05.834Z", "updatedAt": "2024-09-19T05:48:05.834Z" }		

DELETE /api/topic/{topicId} 게시물 삭제



## Parameters

Try it out

Name	Description
------	-------------

**topicId** \* required  
integer(\$int64)  
(path)

topicId

## Responses

Code	Description	Links
200	OK	No links
Media type		
*/*		
Controls Accept header.		
Example Value Schema		
{ }		

# 댓글(Comment)



PUT /api/comment 댓글 수정



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "commentId": 0,
  "content": "댓글을 수정합니다."
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

Controls **Accept** header.

Example Value Schema

```
{
  "commentId": 1,
  "parentId": 0,
  "topicId": 1,
  "content": "댓글입니다.",
  "createdAt": "2024-09-19T05:48:05.835Z",
  "updatedAt": "2024-09-19T05:48:05.835Z",
  "replies": [
    "string"
  ]
}
```

POST /api/comment 댓글 작성



Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value Schema

```
{
  "parentId": 0,
  "topicId": 0,
  "content": "이것은 댓글 내용입니다."
}
```

## Responses

Code	Description	Links
200	OK	No links

GET

/api/comment/{commentId} 댓글 단건 조회 (대댓글 포함)



Parameters

Try it out

Name Description

**commentId** \* **required**  
integer(\$int64)  
(path)

commentId

## Responses

Code	Description	Links
200	OK	No links

Media type

/\*

Controls **Accept** header.

Example Value Schema

Code	Description	Links
	<pre>{   "commentId": 1,   "parentId": 0,   "topicId": 1,   "content": "댓글입니다.",   "createdAt": "2024-09-19T05:48:05.836Z",   "updatedAt": "2024-09-19T05:48:05.836Z",   "replies": [     "string"   ] }</pre>	

DELETE

/api/comment/{commentId} 댓글 삭제

Parameters

Try it out

Name	Description
<div><div>commentId * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>commentId</div>

Responses

Code	Description	Links
200	OK	No links

GET

/api/comment/topic/{topicId} 특정 토픽의 모든 댓글 조회 (대댓글 포함)

Parameters

Try it out

Name	Description
<div><div>topicId * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>topicId</div>

Responses

Code	Description	Links
200	OK	No links
	<div>Media type<div>*/*</div>Controls Accept header.</div> <div>Example ValueSchema</div> <div>[   {     "commentId": 1,     "parentId": 0,     "topicId": 1,     "content": "댓글입니다.",     "createdAt": "2024-09-19T05:48:05.837Z",     "updatedAt": "2024-09-19T05:48:05.837Z",     "replies": [       "string"     ]   } ]</div>	

GET	/api/comment/topic/{topicId}/single	특정 토픽의 모든 댓글 조회 (대댓글 미포함)	⌵
Parameters			Try it out
Name	Description		
topicId * required integer(\$int64) (path)	topicId		
Responses			
Code	Description	Links	
200	OK	No links	
	<div>Media type<div>*/*</div>Controls Accept header.</div> <div>Example ValueSchema</div>		



## Code

## Description

## Links

```
[
  {
    "commentId": 1,
    "parentId": 0,
    "topicId": 1,
    "content": "댓글입니다.",
    "createdAt": "2024-09-19T05:48:05.838Z",
    "updatedAt": "2024-09-19T05:48:05.838Z",
    "replies": [
      "string"
    ]
  }
]
```

GET

/api/comment/single/{commentId} 댓글 단건 조회 (대댓글 미포함)



## Parameters

Try it out

Name

Description

**commentId** \* required

integer(\$int64)

(path)

commentId

## Responses

Code

Description

Links

200

OK

No links

Media type

/\*/\*

Controls Accept header.

Example Value Schema

```
{
  "commentId": 1,
  "parentId": 0,
  "topicId": 1,
  "content": "댓글입니다.",
  "createdAt": "2024-09-19T05:48:05.838Z",
  "updatedAt": "2024-09-19T05:48:05.838Z",
  "replies": [
    "string"
  ]
}
```

## Schemas

```
TopicUpdateRequest {
  id* [...]
  title* [...]
  content [...]
}
```

```
TopicResponse  {
  id            [...]
  title         [...]
  content       [...]
  createdAt     [...]
  updatedAt     [...]
}
```

```
CommentUpdateRequest {
  commentId*    [...]
  content*      [...]
}
```

```
CommentResponse  {
  commentId      [...]
  parentId       [...]
  topicId        [...]
  content        [...]
  createdAt      [...]
  updatedAt      [...]
  replies        [...]
}
```

```
TopicCreateRequest {
  title*        [...]
  content       [...]
}
```

```
CommentCreateRequest {
  parentId      [...]
  topicId*      [...]
  content*      [...]
}
```