

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file store_detail.html

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

file upload ▼

파일 선택

선택된 파일 없음

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

At line 4, column 28

```
 charset="UTF-8" />↵    <meta htt
```

2. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 5, column 59

```
ent="IE=edge" />↵    <meta nam
```

3. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 6, column 76

```
al-scale=1.0" /> <meta nam
```

4. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 7, column 94

```
하는 음식을 골라보세요" /> <title>배달
```

5. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 9, column 65

```
e_detail.css" /> <link hre
```

6. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 10, column 133

```
pe="text/css" /> </head> <
```

7. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 83, column 16

```
/></a>
```

8. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 82, column 18; to line 83, column 16

```
><br />저희 가게의 대

12. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 101, column 44

입니다.<br /><br />저희 가게의 대표메뉴는 캐

13. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 101, column 84

홍어 떡볶이입니다.<br /><br />타코와부리또,

14. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 101, column 90

입니다.<br /><br />타코와부리또, 샐러드보울,

15. **Error** Element `div` not allowed as child of element `ul` in this context.  
(Suppressing further errors from this subtree.)

From line 106, column 11; to line 106, column 49

```
<div class="st-detail-menus-represent">--- 대표
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

16. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 109, column 54

```
0l.jpg" alt="" />
```

17. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 119, column 54

```
0l.jpg" alt="" />
```

18. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 129, column 54

```
0l.jpg" alt="" />
```

19. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 139, column 54

```
0l.jpg" alt="" />
```

20. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 149, column 54

```
0l.jpg" alt="" />
```

21. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 159, column 54

```
0l.jpg" alt="" />
```

22. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 173, column 54

```
0l.jpg" alt="" />
```

23. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing

tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 183, column 54

```
0l.jpg" alt="" />.....
```

24. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 193, column 54

```
0l.jpg" alt="" />.....
```

25. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 203, column 54

```
0l.jpg" alt="" />.....
```

26. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 213, column 54

```
0l.jpg" alt="" />.....
```

27. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 227, column 54

```
0l.jpg" alt="" />.....
```

28. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 237, column 54

```
Ol.jpg" alt="" />.....
```

29. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 247, column 54

```
Ol.jpg" alt="" />.....
```

30. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 257, column 54

```
Ol.jpg" alt="" />.....
```

31. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 267, column 54

```
Ol.jpg" alt="" />.....
```

32. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 281, column 54

```
Ol.jpg" alt="" />.....
```

33. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 291, column 54

```
0l.jpg" alt="" />
```

34. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 301, column 54

```
0l.jpg" alt="" />
```

35. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 311, column 54

```
0l.jpg" alt="" />
```

36. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 321, column 54

```
0l.jpg" alt="" />
```

37. **Error** Element `div` not allowed as child of element `ul` in this context.  
(Suppressing further errors from this subtree.)

From line 341, column 9; to line 341, column 34

```
<div class="notice-title">유의사항</div>
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `div` element.



Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

**Document checking completed.**

Used the HTML parser.

Total execution time 34 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.9.27