## Non-Constructibility of Quantum Non-Determinism

by Sven Nilsen, 2020

*In this paper I show that quantum non-deterministic functions are not constructible in general.* 

For every constructible function `f`, the output has some probability distribution  $\exists_p f$ `. Knowing the probability distribution is not the same as knowing how to construct the function.

For example, by permuting the order of the outputs one gets another function `f'` such that:

$$\exists_{n}f \ll \exists_{n}f'$$

This means that for functions with more than one output, the probability distribution does not give a unique description of the function. Therefore, one can not determine `f` from ` $\exists_p f$ `. However, one can construct `f` by enumerating every possible function having the same probability distribution.

For pure functions plus extensions of non-deterministism using random sources:

$$\exists_n f: T \to \mathbb{R}$$

It takes some type `T` and returns a real number.

In a quantum non-deterministic function, the probability distribution has the type:

$$\exists_{pc} f : T \to \mathbb{C}$$

The problem is that one can not enumerate every possible function having the same  $\exists_{pc}f$ . Why? Because we do not know how to construct a *single* quantum non-deterministic function which has a different probability distribution than the normal path  $f[id \rightarrow re]$ :

$$\exists_{pc}f \iff \exists_{pc}f[id \rightarrow re]$$
 The quantum non-deterministic functions that are constructible

These functions represents groups of normal paths that are rotated in the complex plane. The function `re` returns the real component of a complex number:

$$re(x : \mathbb{C}) = (x + x^*)/2$$
 Adding the conjugate zeroes the imaginary component

All functions that are constructible have aligned complex probabilities. Since there are quantum non-deterministic functions which complex probabilities are not aligned, only a subset of quantum non-deterministic functions can be constructed. Although, one can model the probability distributions of quantum non-deterministic functions, the functions themselves are not accessible.