

The Elephant Bridge Protocol and the BM–IST–Asymptotic Safety Research Program

Why the three theories must be re-examined from first principles, how EBP v2.1 disciplines the synthesis, and what a successful Theory of Everything candidate would have to become

Technical research write-up

20 September 2026

Abstract

This paper explains the rationale, architecture, and epistemic discipline of the current **BM–IST–Asymptotic Safety (AS) tripartite research program**, as consolidated in version 6.1. The central claim of this document is deliberately weaker than a claim of physical truth: the program is a **candidate research architecture** whose principal purpose is to determine whether three mature but fundamentally different approaches can be re-founded into one scale-dependent framework without smuggling in the very structures they are supposed to explain.

The key methodological decision is that **there are no sacred cows**. Bohmian Mechanics (BM), Tim Palmer’s Invariant Set Theory (IST), and Asymptotic Safety are not treated as untouchable sources of truth. Each is treated as a historical framework containing some potentially load-bearing structures, some regime-specific assumptions, some unresolved problems, and some ideas that may be attractive but unnecessary. The synthesis therefore begins by asking, for each theory separately: *what is actually established, what is merely assumed, what is structurally required, what is empirically constrained, and what can be deleted without loss?*

The answer leads to a regime-based architecture. IST is treated as a candidate microscopic discrete/arithmetic substrate; AS contributes the discipline of coarse-graining, effective actions, renormalization-group flow, fixed points, universality, and relevant directions; BM becomes the infrared target theory whose guidance dynamics, quantum equilibrium, wave function and effective quantum potential must emerge rather than be inserted by hand. This architecture is intentionally framed as a **program of theorem targets**, numerical checks, empirical discriminators, and kill conditions rather than as a finished Theory of Everything.

The paper also explains the **Elephant Bridge Protocol (EBP) v2.1**, whose central law is:

Ideas enter free. Promotion costs debt.

EBP is not a truth machine. It is an epistemic control system designed to preserve creative freedom at the exploratory stage while preventing unearned promotion at the stage where a claim is treated as part of the serious theory. The protocol maps naturally onto the TOE evaluation framework: **needMap**, **needInvariant**, **needToyCheck**, **needNullModel**, **needObstruction**, and **needFaithfulnessReview** are not bureaucratic fields but categories of scientific obligation. A claim becomes promotable only after the currently applicable debt is retired, and new evidence can reopen debt later.

For technical readers, the deeper point is that the synthesis is attempting to turn a collection of philosophical correspondences into a typed mathematical problem: construct a microscopic state space X , an admissible dynamics F , a measure space $\mathcal{M}(X)$, a scale-dependent theory space $\mathcal{T}$, a controlled coarse-graining map, and finally an observable projection Π . For non-technical readers, the project asks a simpler question: **what if the different schools of fundamental physics are not competing elephants, but different blind men**

touching different parts of one animal - and the research task is to discover the structural bridge that makes their local truths cohere without pretending any one touch already knows the whole creature?

1. The Problem Before the Proposal

The history of foundational physics contains an uncomfortable pattern. A framework can be extraordinarily successful in the regime where it was built while remaining silent about the deeper structure that would explain why that regime exists.

Quantum mechanics predicts. General relativity predicts. Quantum field theory organizes an enormous body of particle physics. Renormalization explains why very different microscopic systems can share infrared behavior. Bohmian mechanics provides a precise ontology of configurations and trajectories. Invariant Set Theory asks whether the physically realizable state space itself is a restricted arithmetic-dynamical object. Asymptotic Safety asks whether quantum gravity can be ultraviolet complete through an interacting renormalization-group fixed point.

The problem begins when a framework's success is quietly upgraded into a foundational privilege.

The research program therefore adopts a harsher question:

What would remain true if we removed the assumptions that each theory currently gets to take for granted?

This is the reason the three theories are reconsidered from first principles.

1.1 Why BM must be reconsidered

Standard Bohmian mechanics is deliberately conservative: keep the Schrödinger equation and add ontology in the form of actual configurations guided by the wave function. That is a strength as an interpretation of nonrelativistic quantum mechanics. It becomes a liability if the goal is to derive the quantum formalism itself from a deeper discrete substrate.

A discrete substrate cannot simply assume, as a primitive fact, a literal continuous one-parameter unitary flow and then claim to have derived continuity from discreteness. That would reproduce at the IR level exactly what the synthesis says should be explained.

The first-principles questions are therefore:

- Is the Schrödinger equation fundamental or an infrared fixed-point description?
- Is first-order position guidance fundamental or the strong-friction/overdamped limit of a more general effective dynamics?
- Is fixed particle number a safe starting point if matter content is itself supposed to emerge?
- Is $\rho = |\Psi|^2$ a primitive equilibrium condition or a dynamically selected invariant measure?
- Is the preferred foliation fundamental, emergent, or unnecessary?
- Is Markovianity fundamental or merely an approximation after integrating out hidden variables?
- Does the quantum potential have to be postulated, or can it be derived from an effective action?

If BM is to become the IR regime of a deeper theory, its familiar equations must become **targets of derivation**, not the axioms that guarantee the answer.

1.2 Why IST must be reconsidered

Palmer's IST provides the most distinctive microscopic hypothesis in the synthesis, but it is also the part carrying the largest number of foundational commitments: a fractal invariant set, finite information, p -adic

structure, rational restrictions, measurement-independence violation, and a distinctive relation between state-space geometry and observable quantum behavior. Palmer’s published formulation explicitly treats the universe as a deterministic dynamical system evolving on a measure-zero fractal invariant subset and uses p -adic geometry as part of the fundamental structure.[1,2]

The difficulty is not that these assumptions are imaginative. The difficulty is that several of them were originally **stipulated at the level where a TOE should ideally derive them.**

The first-principles audit therefore asks:

- Why should there be an invariant set of the required kind?
- Why should the set itself be fractal rather than the induced measure or correlation structure?
- Why should the relevant metric be p -adic?
- Why should finite information have a particular hand-set value L ?
- Why should a rational/irrational arithmetic cut have the exact physical content claimed?
- Why should measurement independence fail, and what mechanism prevents the resulting construction from becoming a disguised fit to Bell data?
- Why should the microscopic state space and the effective BM configuration space have the types required by the projection map?

These are not hostile questions. They are the minimum questions needed to turn an ontology into a mathematical theory.

1.3 Why Asymptotic Safety must be reconsidered

Asymptotic Safety supplies the synthesis with something the other two frameworks largely lack: a mature mathematical language for asking how physics changes with scale. Functional renormalization-group methods are explicitly built around scale-dependent effective actions and fixed points.[3,4]

But AS is not allowed to enter the synthesis as an unquestioned landlord whose continuum ontology automatically outranks IST’s discreteness. The tripartite program contains a real foundational tension: a microscopic finite/discrete substrate and a continuum quantum-gravity formalism are not literally the same object.

The first-principles audit therefore asks:

- Is the conventional RG scale k merely a mathematical bookkeeping device, or can the synthesis identify an intrinsic physical coarse-graining parameter?
- Is a non-Gaussian fixed point actually established for the specific theory under study, or is it only a truncation-dependent numerical pattern?
- How does the fixed point in theory space relate to an invariant set in microscopic state space, if at all?
- Which quantities are physical and which are scheme/regulator artifacts?
- Can the continuum description be an IR regime rather than a UV ontological commitment?
- Can Euclidean functional methods be connected to Lorentzian dynamics strongly enough to support a trajectory-based IR theory?
- Can AS with the emergent matter content remain consistent, rather than importing an empty gravity sector and assuming the rest will follow?

The result is not an anti-AS position. It is a demand that AS do in this synthesis what it does best: **convert vague coarse-graining language into a controlled flow calculation.**

2. The Blind Men and the Elephant as Research Method

The classical parable provides an unusually precise epistemology for a pluralistic TOE program.

Each blind man touches a real part of the elephant. The error is not necessarily touching the wrong thing. The error is confusing a true local description with the whole animal.

For physics, the analogy can be sharpened:

Blind-men concept	Research-program analogue
Trunk, ear, leg, tail	Local domain in which a framework succeeds
Conflicting descriptions	Different mathematical levels or regimes
Elephant	Reality as a whole
Bridge between observations	Explicit map between mathematical representations
Overconfident blind man	Unchecked extrapolation of a regime-specific truth
Shared structure	Candidate invariant that survives translation

This analogy imposes several non-negotiable constraints.

2.1 Partial correctness is expected

Bohmian mechanics may capture something real about ontology without being the microscopic completion. IST may capture something real about arithmetic restrictions without supplying the entire low-energy field theory. AS may capture the right mathematics of scale dependence without saying what the microscopic degrees of freedom actually are.

2.2 Surface contradiction is evidence to inspect, not permission to average

“Discrete” and “continuous” cannot be reconciled by saying the theory is half discrete and half continuous. A legitimate bridge must specify a map, a limiting process, or a regime change.

Likewise, “nonlocal” and “local” cannot be averaged into a slogan. The theory must say which variables are local, which effective interactions become nonlocal after tracing out degrees of freedom, and what prevents signaling.

2.3 The elephant is not the sum of the touching descriptions

A TOE cannot be built by concatenating the vocabulary of BM + IST + AS. The central burden is **integration**. The objective is a common mathematical origin from which the observed descriptions arise as controlled limits.

This is why the synthesis has one central architecture rather than three parallel theories:

$$(X, F) \longrightarrow (\mathcal{M}(X), \Gamma_k, \mu_k) \longrightarrow (\psi, \rho, S, v) \longrightarrow \mathcal{O}$$

The bridge is the scientific problem.

3. The Elephant Bridge Protocol: Why the Protocol Must Exist

The research program has a peculiar epistemic danger. Its ideas are inherently attractive because they connect concepts from multiple successful areas: RG fixed points, arithmetic dynamics, Bohmian guidance, invariant measures, spectral dimension, information theory, lattice coding, and quantum foundations.

That same connectivity makes the program unusually vulnerable to **over-integration**: a resemblance can easily be mistaken for a derivation, and a useful metaphor can quietly become an axiom.

The Elephant Bridge Protocol exists to stop that transition from happening invisibly.

Its operational law is simple:

Ideas enter free. Promotion costs debt.

This sentence is the most important design feature of the research infrastructure.

3.1 Why ideas must enter free

A frontier theory cannot be designed entirely by already-certified mathematics. Some of the best research questions begin as crude intuitions:

- maybe the Born rule is a fixed-point measure;
- maybe a p -adic symbolic partition is dynamically selected;
- maybe the quantum potential is the IR remnant of a deeper functional;
- maybe an E8 lattice organizes a finite information code;
- maybe the BM foliation corresponds to a coarse-graining direction;
- maybe spectral dimension is a fingerprint of the discrete-to-continuum transition.

Most such ideas will be wrong or incomplete.

That is acceptable.

An exploratory protocol that requires a theorem before an idea can be written down will systematically bias the search against ideas whose formalization is not yet known.

Hence the door must remain wide open.

3.2 Why promotion must cost debt

The danger begins when an exploratory sentence is copied into a synthesis as though it were established physics.

EBP prevents this by attaching explicit unpaid obligations.

The minimum debt classes are:

Debt	Question
<code>needMap</code>	What maps one structure to the other?
<code>needInvariant</code>	What survives the translation?
<code>needToyCheck</code>	Can the mechanism survive a finite controlled test?
<code>needNullModel</code>	Could a simpler/rival mechanism explain the same result?
<code>needObstruction</code>	Which no-go theorem or contradiction risk applies?
<code>needFaithfulnessReview</code>	Does the formalization actually represent the intended claim?

These are not administrative labels. They are the smallest reusable categories of scientific work.

The protocol's full minimum pipeline is:

Capture → Clarify → Debt → Test → Promote

The idea remains alive throughout.

3.3 Debt does not kill

A research idea may be unfinished for years. EBP therefore distinguishes **unpromoted** from **rejected**.

An unpaid debt means:

“We do not yet have enough reason to treat this as a load-bearing part of the theory.”

It does not mean:

“The idea is forbidden to exist.”

This distinction is essential for long-horizon research.

3.4 Debt is forever payable

If a future theorem, computation, experiment, or formalization resolves a blocker, an old idea can be promoted.

Conversely, a promoted idea can be demoted if new evidence creates new debt.

Thus the ledger is **time-consistent with science** rather than with a bureaucratic workflow.

3.5 New evidence creates new debt

This is one of the most important features of EBP.

A theory is not “finished” merely because it once passed a set of checks.

If a stronger no-go theorem appears, if a previously ignored parameter becomes observable, if a toy model reveals a hidden instability, or if a rival model reproduces the same claimed signature more economically, new debt is created.

Promotion is therefore reversible.

3.6 No final-truth claim is promotable

The protocol deliberately blocks language such as:

“This proves the final Theory of Everything.”

The repaired language is:

“This is a promoted bridge under the current debt conditions.”

The difference is scientific rather than rhetorical. It keeps the theory exposed to future falsification.

3.7 Accounting must never become the work

EBP is successful only if it remains almost invisible.

The researcher should spend time constructing equations, proofs, numerical experiments, toy models, and empirical tests - not filling out forms.

The protocol therefore follows its own subtraction rule: every feature must prevent a concrete failure mode, or it must be removed.

EBP v2.1 explicitly removes mandatory profiles, taxonomies, Lean-at-entry, priority scoring, maturity bureaucracy, multi-reviewer approval, dashboards before artifacts, and other process overhead.[5]

The protocol is intended to behave like:

a notebook with a conscience.

4. How EBP Maps onto the TOE Evaluation Framework

The project’s TOE evaluation framework contains three layers: physical/complexity invariants, Blind-Men principles, and AI-style evals.

EBP is the operational layer that makes those criteria actionable.

4.1 Invariants become obligations

Suppose the synthesis claims an invariant measure. The claim automatically owes **needInvariant**, then **needMap** if the measure is supposed to arise from another structure, and **needToyCheck** if a finite model can test the mechanism.

Suppose the synthesis claims universality. It owes a null model and, more strongly, a **cross-substrate test**: construct microscopically distinct substrates and ask whether they flow to the same IR class.

Suppose the synthesis claims a fractal structure. It must identify the object that is fractal: a set, a measure, a correlation function, a spectrum, or a coarse-grained observable. Otherwise the phrase carries no mathematical content.

4.2 The AI-evals analogy

AI evaluation is useful here because a capable system can appear convincing while still failing narrow tests. Likewise, a TOE candidate can appear conceptually unified while hiding unresolved bridges.

The analogy is therefore:

AI eval	TOE analogue	EBP expression
Benchmark	Known physics	needToyCheck / E1
Held-out test	Novel prediction	needNullModel + E2
Red-team	No-go audit	needObstruction + E3
Regression	New data	new debt
Calibration	Claim status	status tags
Distribution shift	Early universe, black holes, many-body	needFaithfulnessReview
Ablation	Remove component	needInvariant
Contamination	Post-hoc fitting	needMap + construction log
Interpretability	Checkable derivation	needMap
Robustness	Perturbation/scheme stability	needInvariant
Falsifiability	Refutable prediction	all debt classes
Kill condition	Pre-registered failure mode	needObstruction

The key conceptual identity is:

$$\boxed{\text{Retiring debt} \approx \text{passing the relevant eval}}$$

and

$$\boxed{\text{Promotion} \neq \text{Truth.}}$$

Promotion means only that the artifact is mature enough to enter the serious theory layer.

5. Why the Three Theories Are Rebuilt Rather Than Stitched

A central methodological danger is **theory collage**: importing the most appealing component of each framework without accepting the constraints that made the original component meaningful.

The synthesis therefore uses a stricter rule:

A borrowed mechanism must either become part of the common derivation or remain an explicitly tagged external dependency.

This requirement changes each component.

6. Bohmian Mechanics as an Infrared Target

6.1 What survives

The synthesis retains the structures that make BM valuable as a quantum-foundational target:

- definite configurations;
- deterministic guidance in the appropriate regime;
- holistic dependence on the many-body state;
- a direct account of definite outcomes;
- equivariant quantum statistics when the equilibrium measure is obtained;
- a clear target for the nonrelativistic and Bell-type QFT limits.

This is not arbitrary. BM’s conceptual power comes precisely from making ontology explicit rather than treating the quantum state as the entire story.[6]

6.2 What is demoted

The following are no longer allowed to function as microscopic axioms of the tripartite theory:

- exact continuum Schrödinger evolution at all scales;
- fixed- N configuration space as fundamental;
- $\rho = |\Psi|^2$ as an unexplained initial postulate;
- Markovianity and frictionless first-order flow as fundamental;
- a fundamental preferred foliation inserted by hand;
- the quantum potential as an unexplained primitive.

6.3 Kramers rather than primitive overdamped guidance

The consolidated program treats a reduced effective dynamics as potentially taking the form

$$\partial_t f + \frac{p}{m} \cdot \nabla_q f = \gamma \nabla_p \cdot (pf + mD\nabla_p f) + \dots,$$

with a friction/noise sector inherited from the traced-out arithmetic degrees of freedom.

In the strong-friction regime one can seek

$$\dot{q} \longrightarrow \frac{1}{m} \nabla S,$$

while the stochastic corrections decay with the bath coupling.

This is not yet derived. It is a theorem target.

The conceptual gain is significant: the first-order Bohmian law becomes a **controlled limiting equation** rather than the unexplained fundamental starting point.

6.4 The wave function becomes an order parameter

The intended IR structure is

$$\psi = \sqrt{\rho} e^{iS/\kappa},$$

with

$$\frac{\partial S}{\partial t} + \frac{|\nabla S|^2}{2m} + V + Q = 0,$$

and

$$Q = -\frac{\kappa^2}{2m} \frac{\nabla^2 \sqrt{\rho}}{\sqrt{\rho}}.$$

But the synthesis must derive these equations from its effective theory. It may not assume them and then label them “emergent.”

6.5 Fixed-N BM versus Bell-type QFT

If the microscopic theory is intended to generate matter content, fixed particle number is not necessarily the right operative formulation. The program therefore treats Bell-type quantum field theory as the relevant BM branch to investigate, because creation and annihilation are represented naturally as stochastic configuration-space jumps rather than being forbidden by construction.[7]

The specific bridge from the proposed discrete substrate to Bell-type QFT remains debt.

6.6 Preferred foliation and relativity

A relativistic BM theory must account for the fact that many formulations require extra spacetime structure to define nonlocal guidance. The tripartite program therefore does not declare the foliation solved.

Instead it promotes the question to a concrete debt:

$$\text{microscopic ordering} \xrightarrow{?} \text{effective foliation or covariant equivalent.}$$

A Markov-partition-based symbolic order is one candidate mechanism. It remains speculative until the partition is explicitly constructed and its causal properties tested.

6.7 Nonlocality: a deliberate unresolved fork

One attractive proposal was that BM nonlocality is merely an IR artifact of a fundamentally local substrate. The stronger v6.1 synthesis **does not grant this as a fact**.

The retained target is only:

- the microscopic theory must satisfy an explicit locality/signaling criterion appropriate to its variables;
- the IR theory must reproduce Bell correlations;

- no signaling must emerge in observable marginals;
- any effective nonlocality must be mathematically derived rather than verbally relabeled.

This is an example of the no-sacred-cow rule operating correctly: an appealing unification was removed because it outran the available derivation.

7. Invariant Set Theory as Candidate Microscopic Structure

7.1 What survives

The synthesis retains IST's strongest conceptual contribution:

The physically real state space may be more structured than the continuum state space used to describe observations.

The possibility that number-theoretic or ultrametric structure affects which counterfactual states are physically admissible is interesting precisely because it attacks the foundations of quantum theory rather than merely modifying an equation.[1,2]

7.2 Fractality must be relocated if the reduced flow is noisy

The revised architecture contains an important internal consistency constraint.

If the reduced dynamics contains sufficiently nondegenerate smoothing/noise, the invariant measure can become full-dimensional at coarse scales. Then a literal positive-codimension invariant set cannot simultaneously be the support of that same smoothed measure in the naive way.

The synthesis therefore moves fractality from a universal geometric-set axiom to a **scale-localized property of fine structure**:

coarse scale : smooth measure

versus

sub- ξ_0 scale : arithmetic texture / possible multifractality.

Whether the latter is truly multifractal must be computed.

7.3 The finite information capacity L

A hand-set value such as $L \sim 10^{100}$ is methodologically weak for a TOE. The revised program proposes a debt item:

$L \stackrel{?}{=} \text{a monotone information/c-function quantity along the RG trajectory.}$

The idea borrows a structural lesson from RG: universal quantities should emerge from the flow rather than be dialed to fit an outcome.

The specific identification is unconstructed and therefore remains debt.

7.4 Canonical height as a replacement for a coordinate-dependent arithmetic cut

The older rational/irrational distinction is too crude as a universal foundation. A more intrinsic candidate is the canonical height of arithmetic dynamics.

For a suitable self-map f ,

$$\hat{h}(f(x)) = d\hat{h}(x),$$

and the preperiodic locus is characterized by vanishing canonical height under standard hypotheses.

The research question becomes:

Does the substrate’s actual dynamical map generate a physically meaningful preperiodic locus whose observable content includes

The answer is not assumed.

7.5 Deriving the p -adic structure rather than positing it

The revised program treats the symbolic alphabet as an output of the substrate dynamics where possible. A Markov partition, when the dynamical conditions for one are present, can generate a symbolic coding tree. The branching structure could then determine the relevant ultrametric rather than the other way around.

The desired implication is:

$$\text{dynamics} \longrightarrow \text{partition} \longrightarrow \text{alphabet} \longrightarrow \text{ultrametric},$$

not

$$\text{choose } p \longrightarrow \text{declare } p\text{-adic reality.}$$

This distinction is central to the no-sacred-cow rule.

7.6 Measurement independence and Bell

The synthesis retains the possibility of an underlying correlation structure connecting hidden variables and experimental settings, but it refuses to treat measurement-independence violation as a free explanatory button.

The requirement is stronger:

- specify the correlation structure;
- explain how it arises dynamically;
- show that it reproduces Bell correlations;
- show that it does not generate signaling;
- clear the Wood–Spekkens-style causal explanation problem;
- demonstrate that the mechanism predicts something beyond Bell itself.

A label such as “superdeterminism” is therefore not a solution; it is an unpaid debt.

8. Asymptotic Safety as the Flow Discipline

8.1 What is imported

The synthesis imports AS primarily as a **methodology of scale dependence**:

- effective actions;
- RG transformations;
- beta functions;
- fixed points;
- critical surfaces;
- relevant and irrelevant directions;
- universality;
- regulator/scheme studies;
- spectral-dimension diagnostics.

This is a more conservative and more useful borrowing than importing the entire continuum ontology of AS unchanged.

8.2 Discrete functional RG is the central construction

The decisive missing object is an explicit discrete/arithmetic flow:

$$\frac{\partial \Gamma_k}{\partial k} = \beta[\Gamma_k; \text{substrate data, regulator}].$$

The exact form is not known. The phrase “discrete FRG” therefore names a **research program**, not a theorem.

A legitimate construction must answer:

1. What is being coarse-grained?
2. What counts as a mode?
3. What is the regulator or coarse-graining kernel?
4. What is the effective action or equivalent theory-space object?
5. What is the composition law of successive coarse-grainings?
6. Which quantities are regulator-dependent coordinates and which are universal observables?

8.3 Scheme independence is not optional

A recurrent failure mode in FRG work is to mistake truncation coordinates or regulator-dependent couplings for physical predictions.

The synthesis therefore requires a strict gate:

candidate prediction must be stable under an admissible family of regulators/truncations.

A quantity that moves substantially when the scheme is changed is not a robust prediction unless an accompanying invariant construction explains the dependence.

8.4 Fixed point versus invariant set: two projections, not an identity

The most tempting identification in the synthesis is

$$I_U \stackrel{?}{=} W^s(\Gamma_*).$$

That statement is not accepted literally because I_U is a subset of microscopic state space while $W^s(\Gamma_*)$ is an object in theory space.

The defensible version is:

$$X \xrightarrow{\Phi} \mathcal{T}, \quad I_U \stackrel{?}{=} \Phi^{-1}(W^s(\Gamma_*)),$$

or another explicit functorial relation.

This is an example of the protocol's core discipline: **a compelling sentence is demoted until the types match.**

8.5 Spectral dimension as a diagnostic, not a premise

A number of quantum-gravity programs exhibit scale-dependent effective dimension, often with ultraviolet values near two. That is important as a comparative diagnostic, but the synthesis cannot simply assume $d_s \rightarrow 2$ and then call the result confirmation.

The proper prediction is a function

$$d_s(k),$$

computed from the candidate dynamics. Possible outcomes then discriminate structural possibilities:

- IR 4, UV 2;
- IR 4, UV 4;
- another UV limit;
- non-monotone or substrate-specific flow.

The synthesis lives or dies by the calculation, not by choosing the preferred curve beforehand.

8.6 Euclidean-to-Lorentzian continuation

A serious TOE candidate cannot stop at Euclidean effective actions if the IR goal is a Lorentzian trajectory theory.

The program therefore promotes

$$\text{Euclidean RG data} \longrightarrow \text{Lorentzian dynamics}$$

to a named gate. Failure here blocks the claim that AS machinery has actually delivered a physical BM/QFT time evolution.

8.7 AS with matter is a live dependency

The gravitational fixed point cannot be considered sufficient if the matter sector generated by the synthesis destabilizes the relevant flow or changes the critical surface qualitatively.

The matter compatibility problem is therefore explicit debt rather than an implicit inheritance claim.

9. Valentini's H-Theorem: Path, Not Destination

Valentini's subquantum H -theorem is valuable because it addresses a problem that standard BM leaves at the level of equilibrium: why should an actual distribution relax toward the Born distribution?

A schematic quantity is

$$H = \int dq P(q, t) \ln \frac{P(q, t)}{|\psi(q, t)|^2}.$$

With coarse-graining and appropriate dynamics, one obtains a monotonic tendency toward equilibrium.

The synthesis adopts a strict division of labor:

- the **measure problem** asks what the invariant measure is;
- the **H-theorem** asks how a non-equilibrium distribution relaxes toward equilibrium;
- the **RG flow** asks how the effective dynamical law changes with scale.

These are different mathematical questions.

This prevents a common category error in which a relaxation theorem is treated as though it had generated the equilibrium measure from nothing.

The program therefore tests competing routes rather than accumulating them:

1. arithmetic equidistribution / fixed-point measure;
2. Valentini-style dynamical relaxation;
3. ordinary BM typicality.

No three-way explanatory sprawl is allowed without an explicit equivalence or regime separation.

10. The Architectural Core: One Flow, Three Regimes

The intended architecture is summarized by

microscopic arithmetic substrate $\xrightarrow{\text{RG}}$ effective measure/action $\xrightarrow{\text{IR}}$ Bohmian quantum theory $\xrightarrow{\text{recovery}}$ QFT+GR+SM
--

A useful scale table is:

Regime	Main mathematical object	Intended physical content	Status
UV	discrete/arithmetic dynamics	microscopic ontology	candidate
UV junction	RG fixed point / critical structure	universal scale behavior	theorem target
Bridge	effective stochastic/Kramers dynamics	dissipation, memory, transient deviations	theorem target
IR	ψ, ρ, S, v	BM/QM	strict recovery target
Classical	stable macroscopic sectors	classicality	derived target
Relativistic/QFT	effective field theory	SM + GR	recovery program

Regime	Main mathematical object	Intended physical content	Status
--------	--------------------------	---------------------------	--------

The word **target** is crucial. The architecture does not permit the IR answer to be silently inserted in advance.

11. The Most Important Mathematical Object: the Bridge

The synthesis’s deepest unresolved object is not a new particle. It is a map.

Suppose

$$X = \text{microscopic states,}$$

and

$$\mathcal{H}_{\text{IR}} = \text{effective quantum state space.}$$

Then some map or limiting construction must connect them:

$$\Pi_k : X \rightarrow \mathcal{H}_{\text{eff}}(k),$$

with a controlled limit

$$\Pi_{\text{IR}} = \lim_{k \rightarrow 0} \Pi_k.$$

The original “Projection Problem” is therefore sharpened into a typed construction problem.

A successful bridge should answer at least:

1. Is the map deterministic, stochastic, or measure-valued?
2. What information is preserved?
3. What information is intentionally discarded?
4. Does it preserve symmetries?
5. Does it preserve the phase structure required by interference?
6. Does it produce a continuous configuration space rather than assuming one?
7. Does it generate the correct invariant measure?
8. Does it recover tensor-product composition and entanglement?
9. Does it preserve no-signaling?
10. Does it yield the correct local second-order generator in the IR?

The bridge is the elephant’s skeleton: the parts can be described independently, but the bridge is what tells us they belong to one animal.

12. EBP’s Most Important Scientific Consequence: Promotion Is a Physical Claim

Within an ambitious TOE program, promotion is not merely editorial.

When a claim is promoted from “idea” to “load-bearing component,” the program is effectively saying:

this structure has earned the right to constrain the rest of the theory.

That is why promotion must cost debt.

Consider four examples.

Example A: “The Born rule is the fixed-point measure.”

This cannot be promoted merely because it is elegant.

It requires:

- a defined fixed point;
- a defined invariant measure;
- existence and preferably uniqueness;
- projection into the effective variables;
- comparison with $|\psi|^2$;
- normalization and regularity;
- no post-hoc fit;
- a failure criterion.

Example B: “E8 organizes the microscopic information code.”

This cannot be promoted because E8 is mathematically exceptional.

It requires:

- a defined coding problem;
- a selection principle that forces rather than chooses E8;
- comparison with competing codes;
- an observable consequence if the organization is physical;
- a null model.

The synthesis explicitly rejects the naive idea that E8’s dimension 248 is a particle census. The number 248 is the Lie algebra dimension, not an experimental count of particles.[8]

Example C: “The RG fixed point is the invariant set.”

This cannot be promoted because fixed points and invariant sets sound analogous.

They live in different mathematical spaces and require an explicit map.

Example D: “Nonlocality is only apparent.”

This cannot be promoted until the microscopic locality conditions, the Bell mechanism, the effective nonlocal terms, and the no-signaling constraints are all explicit.

Thus EBP changes the research culture from:

“Can we tell a compelling story connecting these ideas?”

to:

“What mathematical debt must be retired before this connection is allowed to constrain the rest of the theory?”

13. What a Successful TOE Candidate Would Look Like

If the research succeeds, the final theory should not look like a giant catalog of mechanisms.

It should become **smaller** as it becomes stronger.

A successful architecture would ideally have:

13.1 A very small primitive core

Something close to:

$$(X, F),$$

plus the minimal mathematical structure needed to define coarse-graining and observables.

13.2 A single scale-flow mechanism

One RG/coarse-graining construction should generate:

- fixed points;
- relevant directions;
- effective metrics;
- measure flow;
- continuum emergence;
- the crossover scale.

If every one of these requires an independent postulate, the program has failed its own parsimony criterion.

13.3 A single probability mechanism or an explicit regime decomposition

The theory should not contain three unrelated Born-rule stories merely because each sounds plausible.

The preferred outcome is one invariant-measure theorem. If multiple mechanisms are genuinely present, they must be identified as limits of one deeper process.

13.4 A controlled IR theorem stack

At minimum:

$$\Gamma_{\text{IR}} \Rightarrow \left\{ \begin{array}{l} \text{Schrödinger dynamics,} \\ \text{Bohmian guidance,} \\ \text{equivariance/Born statistics,} \\ \text{tensor-product composition,} \\ \text{Bell correlations,} \\ \text{no signaling,} \\ \text{classical limit.} \end{array} \right.$$

Then a separate recovery stack must establish QFT, Lorentz symmetry, gauge structure, gravity and the experimentally established Standard Model limit.

13.5 Observable predictions that are shapes, not anecdotes

The best predictions will specify functional structure:

$$V(N, m, t), \quad S_{\text{noise}}(\omega), \quad d_s(k), \quad \delta\rho(\theta),$$

rather than merely saying “a deviation may occur.”

The shape should be fixed before the measurement is used as a score.

13.6 An internal Occam guillotine

A particularly important design feature is that the synthesis must be able to lose to a cheaper theory.

If all proposed arithmetic fingerprints disappear, if the discrete RG reduces to ordinary continuum AS with no additional observable content, and if every distinctive IST signature vanishes, then the correct conclusion is not to protect the synthesis by adding more structure.

The correct conclusion is:

the arithmetic layer was unnecessary.

That is what a real scientific program looks like when it takes parsimony seriously.

14. Gates That Matter Most

The entire architecture can be compressed into a small number of decisive gates.

Gate	Question	Failure meaning
G0	Is the microscopic/continuous typing coherent?	Fundamental contradiction
G1	Does an explicit discrete RG flow exist?	No tripartite theory
G2	Does a non-singular invariant measure exist?	Born/effective theory obstruction
G3	Can the microscopic flow produce the IR configuration space and dynamics?	Projection Problem survives
G4	Does the IR limit reproduce Schrödinger + guidance?	BM not recovered
G5	Does the probability mechanism reproduce Born statistics?	Quantum statistics fail
G6	Does composition reproduce entanglement and Bell while preserving no signaling?	Many-body theory fails
G7	Does QFT/GR/SM recovery work?	Not a full TOE candidate
G8	Are predictions regulator/scheme independent?	Artifact risk

Gate	Question	Failure meaning
G9	Do held-out empirical signatures survive?	Distinctive content fails

These gates are ordered by information gain rather than by prestige.

A cheap kill test should precede a ten-year derivation if possible.

15. What Counts as a Kill

A serious research program needs the courage to state what would stop it.

Examples include:

- no coherent discrete RG construction with the required semigroup/flow properties;
- a singular physical measure that prevents the intended IR quantum potential or probability law;
- failure to construct the microscopic-to-IR bridge;
- failure to recover the linear Schrödinger limit;
- regulator-dependent “predictions” that disappear under admissible scheme changes;
- failure of no-signaling;
- incompatibility with established QFT/GR limits;
- absence of the predicted structural fingerprints after contamination-safe tests;
- a simpler theory reproducing all surviving observables with fewer commitments.

A clean no-go is not wasted work.

It is a successful elimination from the search tree.

16. What This Means for Non-Technical Readers

The technical details can be intimidating, but the underlying ambition is straightforward.

Imagine that physics is a landscape of maps.

One map says that particles have real positions and are guided by a quantum wave.

Another says that the real state space itself may be a hidden, arithmetically constrained set rather than the smooth continuum we normally draw.

Another says that the laws we observe at one scale may be effective descriptions generated by a flow from deeper scales.

The tripartite program asks:

Could these maps all be partial views of one underlying structure?

But there is a crucial second question:

How do we stop ourselves from forcing them to fit merely because we want them to fit?

That is what EBP answers.

The protocol lets the imagination roam. But whenever an idea is promoted from a fascinating possibility to a structural part of the theory, the idea must pay its debts.

A bridge must be built, not merely named.

A prediction must be made, not merely suggested.

A no-go theorem must be confronted, not avoided.

A simple alternative must be considered.

And if an idea fails, it stays recorded so the team does not accidentally rediscover the same mistake later.

This is why the Elephant Bridge Protocol matters. It is designed so that the search for the elephant can remain adventurous without becoming self-deceptive.

17. The Shape of the Journey

The research program should not be imagined as climbing a staircase toward a final revelation.

It is better imagined as repeated cycles:

Idea $\rightarrow$ formal bridge $\rightarrow$ attack $\rightarrow$ computation $\rightarrow$ experiment $\rightarrow$ revision $\rightarrow$ smaller idea.

The objective is not maximal complexity.

The objective is **maximal explanatory reach per assumption**.

A successful round of research may therefore make the theory more elegant by deleting three mechanisms, one parameter, and an entire auxiliary sector.

That is progress.

The optimal design principle is therefore not merely aesthetic. It is epistemic:

We stop adding when every remaining feature earns its existence by carrying a necessary explanatory, mathematical, or falsification load.

18. The Deeper Meaning of “No Sacred Cows”

“No sacred cows” does not mean disrespecting established physics.

It means respecting established physics enough to ask exactly what it has actually earned.

For BM, it means respecting its successful ontology while refusing to assume that its mathematical machinery is fundamental if the synthesis claims a deeper substrate.

For IST, it means respecting the possibility of an arithmetic invariant structure while refusing to protect every historical postulate merely because it is part of Palmer’s framework.

For AS, it means using its extraordinarily useful RG machinery while refusing to smuggle a continuum ontology into a program whose microscopic premise may be discrete.

For E8, it means accepting the theorem-level mathematics while refusing to infer physical necessity from numerical elegance.

For the synthesis itself, it means that the architecture is not special.

The synthesis must be allowed to lose.

That is the strongest evidence that EBP is doing its job.

19. The Research Program's Current Honest Status

The current architecture should be described to serious physicists as follows:

Established mathematics: functional RG methods, standard Bohmian formulations, arithmetic-dynamical tools such as canonical heights under appropriate hypotheses, symbolic-dynamics machinery under appropriate dynamical conditions, and rigorous results on mixing/unique ergodicity for specified stochastic systems.[1-7,9]

Plausible but unconstructed research machinery: a discrete/arithmetic FRG; a microscopic-to-theory-space map; an RG-derived invariant set; a fixed-point measure whose projection gives the Born distribution; an IR derivation of the Bohmian guidance law; a controlled explanation of the continuum; and a rigorous bridge to relativistic QFT and gravity.

Speculative structural hypotheses: arithmetic organization of the UV, a measure-level rather than set-level fractal signature, scale-dependent spectral dimension, cross-place correlation structure, and an E8-coded information-sector possibility.

Explicitly rejected or demoted claims: literal identification of state-space invariant sets with theory-space stable manifolds; automatic identification of nonlocality as an IR artifact; naive E8 chirality rescue; and the idea that 248 is a count of physical particles.

This status language is not modesty for its own sake. It is the infrastructure that lets the program survive contact with reality.

20. What Serious Physicists Should Expect Next

A credible next phase should produce **artifacts**, not more rhetoric.

The highest-value sequence is:

1. Define the microscopic substrate and its update law without hidden continuum assumptions.
2. Construct the first nontrivial coarse-graining map.
3. Determine whether a genuine RG flow exists.
4. Identify any fixed point and its critical surface.
5. Compute invariant measures and regularity properties.
6. Attempt the one-qubit or smallest nontrivial projection problem.
7. Derive, rather than assume, the first-order/second-order IR dynamics.
8. Test Born statistics independently of the construction data.
9. Test composition and entanglement.
10. Only then invest in the full QFT/GR recovery stack.

The sequencing matters. A beautiful E8 story should not be allowed to outrun the flow equation. A beautiful spectral-dimension curve should not be allowed to compensate for a missing invariant measure. A beautiful empirical prediction should not be allowed to conceal a post-hoc parameter choice.

That is precisely what EBP is for.

21. Final Perspective: Unmasking the Elephant

Physics is extraordinarily good at describing what happens.

A deeper theory asks why the descriptions take the form they do.

The Blind Men and the Elephant analogy is useful because it captures a possibility that is easy to forget in highly specialized physics: the apparent conflicts between successful frameworks may sometimes be conflicts between **levels of description** rather than direct observations of incompatible reality.

But the analogy has a second lesson that is even more important.

The blind men are not saved by agreement.

They are saved only if the object itself imposes constraints on what each description may claim.

That is the aspiration of the BM–IST–AS program.

IST asks whether the microscopic object is discretely and arithmetically structured.

AS asks how physical descriptions transform across scales.

BM asks what an objective quantum theory looks like when one insists that physical configurations actually exist.

EBP asks the question that keeps the whole enterprise honest:

What must be shown before we are allowed to say these three touches belong to one elephant?

The answer is increasingly sharp:

- the mathematical types must line up;
- the bridge maps must be explicit;
- the invariant measures must exist;
- the RG flow must be constructed;
- the IR theory must actually emerge;
- the known limits must be recovered;
- the no-go theorems must be confronted;
- the distinctive predictions must be held out;
- rival explanations must be allowed to win;
- and every claim must remain vulnerable to new evidence.

If that work succeeds, the payoff is not merely another interpretation of quantum mechanics or another quantum-gravity model. The payoff would be a much more economical picture in which discreteness, probability, geometry, quantum dynamics, classicality and perhaps gravity are different macroscopic faces of one underlying mechanism.

If it fails, the protocol should make the failure precise enough to teach us something about reality anyway.

That is the actual standard.

The goal is not to prove that we have found the elephant. The goal is to build a method by which the elephant can prove us wrong.

Appendix A. EBP v2.1 in One Page

Core doctrine

Ideas enter free. Promotion costs debt.

Entry

Any claim may enter as:

owner + claim.

No proof, taxonomy, Lean code, review, or null model is required at entry.

Default debt

`{needMap, needInvariant, needToyCheck, needNullModel, needObstruction, needFaithfulnessReview}`.

Promotion

Promoted $\iff$ current debt is retired $\wedge$ no final-truth claim.

Reopening

New evidence creates new debt.

Philosophy

- gentle at the door;
 - brutal at the throne;
 - no shame in debt;
 - no prestige protection;
 - no final-truth promotion;
 - accounting must never become the work.
-

Appendix B. The Technical Core in Typed Form

A minimal mathematical skeleton is:

$$X \xrightarrow{F} X,$$

$$\mathcal{M}(X) \xrightarrow{F_*} \mathcal{M}(X),$$

$$\Gamma_s \in \mathcal{T}, \quad \partial_s \Gamma_s = \beta[\Gamma_s],$$

and an observable projection

$$\Pi : \mathcal{M}(X) \times \mathcal{T} \rightarrow \mathcal{O}.$$

The principal theorem stack sought by the program is then schematically:

$$\begin{aligned}
(X, F) &\implies \text{controlled coarse-graining,} \\
&\implies \Gamma_s, \mu_s, \\
&\implies \Gamma_* \text{ and a physical invariant measure } \mu_*, \\
&\implies \Pi_{\#}\mu_* = |\psi|^2, \\
&\implies \Gamma_{\text{IR}} \rightarrow \text{Schrödinger} + \text{guidance,} \\
&\implies \text{composition} + \text{Bell} + \text{no signaling,} \\
&\implies \text{QFT/GR/SM recovery.}
\end{aligned}$$

Every arrow is a separate debt-bearing research problem.

That is intentional.

References and Anchors

1. T. N. Palmer, *The Invariant Set Postulate: A New Geometric Framework for the Foundations of Quantum Theory and the Role Played by Gravity*, arXiv:0812.1148.
2. T. N. Palmer, *Invariant Set Theory*, arXiv:1605.01051.
3. C. Wetterich, functional-renormalization-group work introducing exact scale-evolution equations for effective actions; see e.g. *Exact evolution equation for the effective potential*, arXiv:1710.05815, together with the earlier functional-RG literature.
4. M. Reuter, foundational Asymptotic Safety / functional-RG work on nonperturbative quantum gravity.
5. *Elephant Bridge Protocol EBP v2.1 — Revised Minimal Operational Kernel*, project working specification, 2026.
6. D. Dürr, S. Goldstein, N. Zanghi, *Bohmian Mechanics as the Foundation of Quantum Mechanics*, arXiv:quant-ph/9511016.
7. Bell-type quantum field-theoretic Bohmian formulations, including work by Dürr, Goldstein, Tumulka, and Zanghi.
8. The E8 audit in the present research program records the rejection of the naive claim that E8’s dimension 248 is a particle census; the surviving role is restricted to conditional information/coding applications below the chirality wall.
9. M. Hairer and J. C. Mattingly, work on asymptotic strong Feller properties, hypoellipticity, and unique ergodicity for specified stochastic dynamical systems; see arXiv:0808.1361 and arXiv:1610.03415.

Source Basis and Status Note

This paper is a technical exposition of the current v6.1 research architecture and the EBP v2.1 operational protocol. It intentionally distinguishes **established mathematics, theorem targets, speculative shapes, and rejected claims recorded for future audit**. It does not present the tripartite synthesis as an established Theory of Everything.

The underlying v6.1 program explicitly treats the synthesis as a research program rather than an established theory and makes the same optimal-design commitment: no feature should survive unless it carries a load-bearing mathematical, physical, or falsification function. The internal evaluation framework identifies honest accounting and survival under attack as methodological strengths while leaving the major physical bridges unresolved. The EBP document itself defines the protocol as a minimal operational kernel whose doctrine is “Ideas Enter Free. Promotion Costs Debt” and explicitly says that promotion is not truth.