

Your Report Title

Your Name

Your team or institution

October 1, 2026

ABSTRACT

Summarize the question, your approach, and the main finding. This starter demonstrates equations, tables, figures, cross-references, and citations. All measurements below are illustrative, not experimental results.

1 Introduction

Explain the purpose of the report and the context for your work. For example, Vaswani et al. (2017) introduced the Transformer architecture. Use a parenthetical citation when the reference supports a statement rather than forming part of the sentence (Vaswani et al., 2017).

2 Findings

Present your evidence and explain what it means. Refer to labeled objects with `\cref`, as in equation (1) and table 1, or start a sentence with `\Cref`. Figure 1 shows a placeholder for your artwork.

2.1 Equations and quantities

For measurements $x_1, \dots, x_n$, the sample mean is

$$\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i. \quad (1)$$

Use `\qty` for a number with a unit, such as 12.3 ms, and `\num` for a formatted number, such as 10 000.

2.2 Tables

The S columns in table 1 align numbers on the decimal point. The entries are illustrative and should be replaced with your data.

Table 1. Illustrative measurements; lower latency is better.

Method	Latency (ms)	Accuracy (%)
Baseline	18.7	91.2
Candidate	12.3	92.5

2.3 Figures

Replace the path below with your own image. Until that file exists, `\reportimage` draws a placeholder without requiring external assets.

2.4 Scientific ML diagrams

Figure 2 illustrates supervised learning: a forward pass produces class probabilities, and backpropagation updates the trainable parameters. The diagram uses editable TikZ nodes and the class palette.




Figure 1. Illustrative workflow placeholder.




Figure 2. A mini-batch training step for a classifier with C classes. Solid arrows show the forward computation and label input; dashed arrows show gradient flow. B is the batch size, d the input dimension, and η the learning rate.

Key takeaway

State the main conclusion or recommended next step.

3 Methods and implementation

3.1 Callouts

Use a titled box for supporting context. The optional style selects a theme color; the title should also convey the purpose of the callout.

Practical tip

Keep the method and its implementation together so readers can compare the mathematical description with the executable code.

Numerical caution

The arithmetic mean is sensitive to outliers. Inspect the measurements before interpreting a single summary statistic.

3.2 Algorithms

Algorithm 1 describes the sample mean from equation (1). Algorithms use a floating caption, optional line numbers, and themed keywords. Place the label immediately after the caption.

Algorithm 1. Compute the sample mean.

Input: Measurements $x_1, \dots, x_n$ with $n > 0$

Output: Sample mean $\bar{x}$

```

1  $s \leftarrow 0$ 
2 for  $i \leftarrow 1$  to  $n$  do
3      $s \leftarrow s + x_i$ 
4 end for
5 return  $s/n$ 
```

▷ Running total

3.3 Code listings

The same calculation appears in listing 1. Listings provide syntax colors, line numbers, and automatic line wrapping without shell escape.

Listing 1. A minimal sample mean implementation.

```

1 def sample_mean(values):
2     """Return the arithmetic mean of a nonempty sequence."""
3     if not values:
4         raise ValueError("At least one measurement is required")
5     # Keep the example close to the pseudocode.
6     total = sum(values)
7     return total / len(values)
```

References

Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin.
2017. Attention is all you need. In *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc.