




Тема Лабораторной Работы	Lb_6
Выполняющий	Лавренов Александр ИС221
Помогающий	Коваленко Кирилл ИС221
Ход работы	<p>1. Создаём коллекцию postman echo</p>  <p>2. Создаём первый запрос с query параметром</p>  <p>3. Видим что в коллекции появилась переменная param</p>  <p>4. Создаём запрос get и добавляем переменную фамилии в pre-request, заменяем ссылку на переменную</p>




5.Добавили test(Post-request) вывод в консоль строку param



6.Так же мы можем сделать это с другими именами



7. Вывод без повторного сложения фамилии выполняется так

	
Результат	В ходе работы мы научились работать с test(pre-request и post-response) и с их переменными
Оценка	

Листинг:

Номер 6

```
{
  "args": {
    "param": "Alexandr Lavrenov"
  },
  "headers": {
    "host": "postman-echo.com",
    "x-request-start": "t=1726795985.251",
    "connection": "close",
    "x-forwarded-proto": "https",
```

```
"x-forwarded-port": "443",  
"x-amzn-trace-id": "Root=1-66ecd0d1-1e36c4b17ed0bca74560fe01",  
"user-agent": "PostmanRuntime/7.42.0",  
"accept": "*/*",  
"postman-token": "6293c97f-eeca-4677-8fd2-f70485721731",  
"accept-encoding": "gzip, deflate, br",  
"cookie": "sails.sid=s%3AZMeQRErMHjve3vhjJMP6s_rgrrK-  
8hAx.WJgi4JTmG6h%2FMMx%2FsmmexrD4mFIfktsqCXowSvrq6FU"  
},  
"url": "https://postman-echo.com/get?param=Alexandr%20Lavrenov"  
}
```