

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2021

| BACKGROUND | 2 |
|--|----------------|
| PUBLIC USE DATA FILE (PUDF) | 2 |
| DATA PROCESSING AND QUALITY | 4 |
| PATIENT/PHYSICIAN CONFIDENTIALITY | 5 |
| RESTRICTIONS ON DATA USE | 7 |
| DATA LIMITATIONS(Users are advised to become familiar with the data limitations.) | |
| HOSPITAL COMMENTS(Users are advised to consider hospital comments in any analysis of the data.) | ne |
| CITATION | 11 |
| DATA DICTIONARY BASE DATA #1 FILE BASE DATA #2 FILE CHARGES DATA FILE FACILITY TYPE INDICATOR FILE | 12 34 47 |
| DATA FIELDS | 58 63 66 |
| | |

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015 data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2021 PUDF is available in four fixed length format text files, Base Data #1 (logical record length of 803 bytes), Base Data #2 (logical record length of 648 bytes), Charges (logical record length of 80 bytes), and Facility Type Data (logical record length of 71 bytes) files. The files are also available in tabdelimited format. The size of the files is as follows:

First quarter, 698 hospitals:

| Base Data #1 | 733,847 records | 167 variables | Fixed field format | 563 MB | Tab-delimited | 298 MB |
|--------------------|--------------------|---------------|--------------------|----------|---------------|--------|
| Base Data #2 | 733,847 records | 99 variables | Fixed field format | 455 MB | Tab-delimited | 189 MB |
| Charges | 16,201,186 records | 13 variables | Fixed field format | 1,267 MB | Tab-delimited | 780 MB |
| Facility Type Data | 698 records | 13 variables | Fixed field format | 50 KB | Tab-delimited | 38 KB |

Second quarter, 696 hospitals:

| Base Data #1 | 757,348 records | 167 variables | Fixed field format | 581 MB | Tab-delimited | 306 MB |
|--------------------|--------------------|---------------|--------------------|----------|---------------|--------|
| Base Data #2 | 757,348 records | 99 variables | Fixed field format | 469 MB | Tab-delimited | 195 MB |
| Charges | 14,624,519 records | 13 variables | Fixed field format | 1,144 MB | Tab-delimited | 698 MB |
| Facility Type Data | 696 records | 13 variables | Fixed field format | 50 KB | Tab-delimited | 38 KB |

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004:

| BASE DATA #1 FILE (Separated Base File 2011) | | | | |
|--|---|--|--|--|
| FAC_LONG_TERM_AC_IND | Added 2004. Moved to Facility Type Indicator File in 2011 | | | |
| PAT_COUNTRY | Added 2004 | | | |
| FIRST_PAYMENT_SRC | Replaces PAYMENT_SOURCE_1 and SOURCE_PAYMENT_CODE_1 | | | |
| SECOND_PAYMENT_SRC | Replaces PAYMENT_SOURCE_2 and SOURCE_PAYMENT_CODE_2 | | | |
| REVENUE_CODE_23 | No longer available | | | |
| TOTAL_CHARGES | Replaces TOTAL_CHARGES_23 | | | |
| TOTAL_CHARGES_ACCOMM | Replaces CLAIM_CHARGES_ACCOMM | | | |
| TOTAL_NON_COV_CHARGES_ACCOMM | Replaces CLAIM_NON_COV_CHARGES_ACCOMM | | | |
| TOTAL_CHARGES_ANCIL | Replaces CLAIM_CHARGES_ANCIL | | | |
| TOTAL_NON_COV_CHARGES_ANCIL | Replaces CLAIM_NON_COV_CHARGES_ANCIL | | | |

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: February, 2022

| BASE DATA #1 FILE (Separated Base File 2 | 2011) |
|--|--|
| EXTERNAL CAUSE OF INJURY 1 | Replaces EXTNAL CAUSE OF INJURY |
| EXTERNAL CAUSE OF INJURY 2 to | Added 2004 |
| EXTERNAL_CAUSE_OF_INJURY_10 | |
| OTH DIAG CODE 9 to OTH DIAG CODE 25 | Added 2004 |
| OTH_SURG_PROC_CODE_6 to | Added 2004 |
| OTH_SURG_PROC_CODE_25 | 7.ddcd 200 i |
| OTH_SURG_PROC_DAY_6 to | Added 2004 |
| OTH_SURG_PROC_DAY_25 | Added 2004 |
| OTH ICD9 CODE 6 to OTH ICD9 CODE 25 | Added 2004 |
| MS MDC name changed from CMS MDC | Added 2004 |
| (2011) | Added 2004 |
| INBOUND INDICATOR | Available 2004 only |
| POA_PRINC_DIAG _CODE | Added 2011 |
| POA OTH DIAG CODE 1 to | Audeu 2011 |
| POA OTH DIAG CODE 24 | Added 2011 |
| POA_E_CODE_1 to POA_E_CODE_10 | Added 2011 Added 2011 |
| MS_GROUPER_ ERROR _CODE | Added 2011 Added 2011 |
| APR_GROUPER_ERROR_CODE | Added 2011 Added 2011 |
| PRINC ICD9 CODE | No longer available |
| OTH_ICD9_CODE_1- OTH_ICD9_CODE_24 | No longer available |
| | Added 2017 |
| EMERGENCY_DEPT_FLAG | calculated charge amounts and situational data elements to |
| this file | calculated charge amounts and situational data elements to |
| CONDITION CODE 1 to CONDITION CODE 8 | Added 2004 |
| OCCUR CODE 1 to OCCUR CODE 12 | Added 2004 Added 2004 |
| OCCUR DAY 1 to OCCUR DAY 12 | Added 2004 |
| OCCUR_SPAN_CODE_1 to | Added 2004 Added 2004 |
| OCCUR SPAN CODE 4 | Added 2004 |
| OCCUR SPAN FROM 1 to | Added 2004 |
| OCCUR SPAN FROM 4 | Added 2004 |
| OCCUR_SPAN_THRU_1 to | Added 2004 |
| OCCUR SPAN THRU 4 | Added 2004 |
| VALUE_CODE_1 to VALUE_CODE_12 | Added 2004 |
| VALUE_AMOUNT_1 to VALUE_AMOUNT_12 | Added 2004 Added 2004 |
| CHARGES FILE | Audeu 2004 |
| REVENUE CODE | Added 2004 |
| HCPCS_QUALIFIER | Added 2004 Added 2004 |
| HCPCS PROCEDURE CODE | Added 2004 Added 2004 |
| MODIFIER 1 TO MODIFIER 4 | Added 2004 Added 2004 |
| | |
| UNIT_MEASUREMENT_CODE | Added 2004 |
| UNITS_OF_SERVICE | Added 2004 |
| UNIT_RATE | Added 2004 |
| CHRGS_LINE_ITEM | Added 2004 |
| CHRGS_NON_COV | Added 2004 |
| | 011) Moved facility information data elements to this file |
| POA_PROVIDER_INDICATOR | Moved from Base Data #1 file to Facility Type Indicator File in 2015 |
| CERT_STATUS | Moved from Base Data #1 file to Facility Type Indicator File in 2015 |

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction

and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth (4th) quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some data fields (for example, "POA_Provider_ Indicator" and Cert_Status") are moved to the "Facility Type Indicator" file.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.

- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients).

The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019 Texas Register on page 44 TexReg 429 and became effective January 30, 2019.

Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;

- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
- Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71

(discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.

- Hospital charges data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1st) quarter 2000 except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.
- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.

DSHS Document # E25-14163

Page 9

- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.
- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, http://www.dshs.texas.gov/thcic/, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015 services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

REVISION

Field 2: DISCHARGE: Additional information regarding the breakdown of months into quarters added

DSHS Document # E25-14163

Page 11 Last Updated: February, 2022



Texas Department of State Health Services

Last Updated: February, 2022

Texas Hospital Inpatient Discharge Public Use Data File

DATA DICTIONARY

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

| Field | Unique, abbreviated name of the data element. |
|---------------|---|
| Description | Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals |
| Data | Provided by the health care facility on the claim form (Claim) |
| Source | |
| | Assigned by DSHS (Assigned) |
| | Provided to THCIC by the healthcare facility (Provider) |
| | Calculated by DSHS (Calculated) |
| | Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted |
| | following the Data Source. |
| Туре | Alphanumeric or numeric |
| Coding scheme | Valid codes for a data field. Values taken from specifications manuals. |

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA #1 FILE

| Field 1: | DECODD ID | |
|----------------------------|--|--|
| | RECORD_ID | |
| Description: | Record Identification Number. Unique num | ber assigned to identify the record. First available |
| | 1 st quarter 2002. Does NOT match the REC | ORD_ID in THCIC Research Data Files (RDF's). |
| Beginning Position: | 1 Data Source: | Assigned |
| Length: | 12 Type: | Alphanumeric |
| Field 2: | DISCHARGE | |
| Description: | Discharge Quarter. Year and quarter of disc | harge. yyyyQn. |
| | 1st Quarter (YYYYQ1): 1st January-31st | March of that corresponding year |
| | 2nd Quarter (YYYYQ2): 1st April – 30th | June of that corresponding year |
| | 3rd Quarter (YYYYQ3): 1st July- 30th S | eptember of that corresponding year |
| | 4th Quarter (YYYYQ4); 1st October-31s | |
| Beginning Position: | 13 Data Source: | Assigned |
| DSHS/THCIC | | DSHS Document # E25-14163 |
| | Page 12 | 12 12 11 11 11 11 11 |
| WWW DSHS TEXAS | S (3010/11HC)(C) = 3.85 == | Last Undated: February 2022 |

WWW.DSHS.TEXAS.GOV/THCIC

| Length: | 6 | Type: | Alphanumeric | |
|----------------------------|---|---------------------|---------------------------------------|---|
| Field 3: | THCIC_ID | 1 y pc. | Tiphanameric | |
| Description: | Provider ID. Unique identif | ier assigned to the | provider by DSHS | |
| Suppression: | Hospitals with fewer than 5 | | | Provider ID '999999' If |
| Suppression. | a hospital has fewer than 5 | | | |
| | is '999998'. | discharges of a par | tilediai gender, including | unknown , i lovidel 1D |
| Beginning Position: | 19 | Data Source: | Assigned | |
| Length: | 6 | Type: | Alphanumeric | |
| Field 4: | TYPE_OF_ADMISSION | Type. | Aiphanumene | |
| | | admission | | |
| Description: | Code indicating the type of 1 Emergency | aumission | | |
| Coding Scheme: | 2 Urgent | | | |
| | 3 Elective | | | |
| | 4 Newborn | | | |
| | 5 Trauma 9 Information not availab | do | | |
| | ` Invalid | ole . | | |
| Beginning Position: | 25 | Data Source: | Claim | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 5: | SOURCE_OF_ADMISSION | | 1 110 114114 | _ |
| Description: | Code indicating source of the | | | |
| Coding Scheme: | 1 Non-Healthcare Facility | | inning July 1, 2010) | |
| coung beneme. | 2 Clinic or Physician's O | | 8 · · · , · · · · · , | |
| | 4 Transfer from a hospita | ıl | | |
| | | | nediate care facility or assisted liv | ving facility |
| | 6 Transfer from another l 8 Court/Law Enforcemen | • | | |
| | 8 Court/Law Enforcement 9 Information not availab | | | |
| | | | tal to another Distinct Unit of the | Same Hospital Resulting in a |
| | Separate Claim to the F | | | r |
| | E Transfer from Ambulat | | | |
| | F Transfer from a Hospic | e Facility | | |
| | Invalid If Type of Admission=4 (Newborn | .) | | |
| | 5 Born inside this hospita | | | |
| | 6 Born outside this hospi | | | |
| Beginning Position: | 26 | Data Source: | Claim | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 6: | SPEC_UNIT_1 | • • | • | |
| Description: | Specialty Units in which | most days durin | g stay occurred based o | on number of days |
| • | by Type of Bill or Revenu | | , | • |
| Coding Scheme: | c c | oronary Care Unit | P | Pediatric Unit |
| <u> </u> | | etoxification Unit | Y | Psychiatric Unit |
| | | ntensive Care Unit | R U | Rehabilitation Unit |
| | | ursery | S | Sub-acute Care Unit Skilled Nursing Unit |
| | | bstetric Unit | Blank | Acute Care |
| | | ncology Unit | | |
| Beginning Position: | 27 | Data Source: | Calculated | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 7: | SPEC_UNIT_2 | | - | |
| Description: | Specialty Units in which 2 nd | d most days during | stay occurred based on nu | imber of days by Type |
| - | of Bill or Revenue Code. | , | • | |
| Coding Scheme: | Same as field SPEC_UNIT | 1 | | |
| Beginning Position: | 28 | Data Source: | Calculated | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 8: | SPEC_UNIT_3 | · • | • | |
| Description: | Specialty Units in which 3 rd | l most days during | stay occurred based on nu | mber of days by Type |
| <u>r</u> | of Bill or Revenue Code. | | | J - J F 3 |
| Coding Scheme: | Same as field SPEC_UNIT | 1 | | |
| Ø | | _ | | |
| | | | | |

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC Page 13 DSHS Document # E25-14163
Last Updated: February, 2022

| Beginning Position: | 29 | Data Source: | Calculated | |
|----------------------------|-------------------------------|---------------------------|-----------------------------|------------------------------|
| Length: | 1 | Type: | Alphanumeric | |
| Field 9: | SPEC_UNIT_4 | | • | |
| Description: | Specialty Units in which 4 | th most days during | stay occurred based on | number of days by Type |
| • | of Bill or Revenue Code. | , . | • | 3 3 31 |
| Coding Scheme: | Same as field SPEC_UNIT | Г 1 | | |
| Beginning Position: | 30 | Data Source: | Calculated | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 10: | SPEC_UNIT_5 | | | |
| Description: | Specialty Units in which 5 | th most days during | stay occurred based on | number of days by Type |
| z escription. | of Bill or Revenue Code. | most days during | , stay occurred susca on | number of days by Type |
| Coding Scheme: | Same as field SPEC_UNIT | Г 1 | | |
| Beginning Position: | 31 | Data Source: | Calculated | |
| Length: | 1 | Type: | Alphanumeric | |
| Field 11: | PAT_STATE | 1 y pc. | тириананене | |
| Description: | State of the patient's maili | ng address in Texa | s and contiguous states | Standard 2-character |
| Description. | Postal Service abbreviation | | s and configuous states. | Standard 2 Character |
| Coding Scheme: | AR Arkansas | 1. | | |
| Couning Benefite. | LA Louisiana | | | |
| | NM New Mexico | | | |
| | OK Oklahoma TX Texas | | | |
| | ZZ All other states and Ameri | can Territories | | |
| | FC Foreign country | | | |
| | XX Foreign country | | | |
| Beginning Position: | 32 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphanumeric | |
| Field 12: | PAT_ZIP | | | |
| Description: | Patient's five-digit ZIP cod | | | |
| Suppression: | Last two digits are blank it | | | |
| | code equals '88888'. If sta | | | |
| | indicates alcohol or drug u | | | |
| | indicates alcohol or drug u | | | |
| | 42 CFR Part 2 rules) the Z | | | |
| | fifty discharges the ZIP co | | | ischarges of a particular |
| | gender, including 'unknow | | | |
| Beginning Position: | 34 | Data Source: | Claim | |
| Length: | 5 | Type: | Alphanumeric | |
| Field 13: | PAT_COUNTRY | | | |
| Description: | Country of patient's reside | | | |
| | Standardization (ISO). If I | | | |
| | (patients covered by 42 US | SC §290dd-2 and 4 | 2 CFR Part 2 rules), the | country is reported as "" |
| a • | (back quote). | | , | |
| Suppression: | Suppressed if fewer than 5 | | country. | |
| Coding scheme: | See www.ISO.org for com | | CI. : | |
| Beginning Position: | 39 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphanumeric | |
| Field 14: | PAT_COUNTY | | | |
| Description: | FIPS code of patient's cou | | 257 Kaufman | 385 Real |
| Coding scheme: | | 129 Donley 131 Duval | 257 Kauffian 259 Kendall | 387 Red River |
| | 005 Angelina | 133 Eastland | 261 Kenedy | 389 Reeves |
| | | 135 Ector | 263 Kent | 391 Refugio |
| | | 137 Edwards 139 Ellis | 265 Kerr 267 Kimble | 393 Roberts 395 Robertson |
| | 2 | 141 El Paso | 269 King | 397 Rockwall |
| | | 143 Erath | 271 Kinney | 399 Runnels |
| | • | 145 Falls 147 Fannin | 273 Kleberg 275 Knox | 401 Rusk 403 Sabine |
| | | 147 Fannin 149 Fayette | 283 La Salle | 405 San Augustine |
| | | • | | 5 |
| DSHS/THCIC | | — Page 14 — | | S Document # E25-14163 |
| WWW DOUGTEVA | COV/TUCIC | 1 agt 14 | Last | Undeted February 2022 |

WWW.DSHS.TEXAS.GOV/THCIC

- Page 14 -

DSHS Document # E25-14163 Last Updated: February, 2022

| 023 | Baylor | 151 | Fisher | 277 | Lamar | 407 | San Jacinto |
|------------|--------------------|------------|--------------------|------------|-----------------------|------------|-----------------------|
| 025 | Bee | 153 | Floyd | 279 | Lamb | 409 | San Patricio |
| 023 | Bell | 155 | Foard | 281 | Lampasas | 411 | San Saba |
| 027 | Bexar | 157 | Fort Bend | 285 | Lavaca | 413 | Schleicher |
| 031 | Blanco | 159 | Franklin | 287 | Lee | 415 | Scurry |
| 033 | Borden | 161 | Freestone | 289 | Leon | 417 | Shackelford |
| 035 | Bosque | 163 | Frio | 291 | Liberty | 419 | Shelby |
| 033 | Bowie | 165 | Gaines | 293 | Limestone | 421 | Sherman |
| 037 | Brazoria | 167 | Galveston | 295 | Lipscomb | 423 | Smith |
| 039 | Brazos | 169 | Garza | 293 | Lipscomb Live Oak | 425 | Somervell |
| 041 | Brewster | 171 | Galza | 299 | Llano | 423 | Starr |
| 043 | Briscoe | 171 | Glasscock | 301 | Loving | 427 | Stephens |
| 043 | Brooks | 175 | Goliad | 303 | Lubbock | 431 | Sterling |
| 047 | Brown | 173 | Gonzales | 305 | Lynn | 433 | Stonewall |
| 051 | Burleson | 177 | Gray | 303 | McCulloch | 435 | Sutton |
| 053 | Burnet | 181 | Grayson | 307 | McLennan | 433 | Swisher |
| 055 | Caldwell | 183 | Grayson | 311 | McMullen | 437 | Tarrant |
| 053 | Caldwell | 185 | Grimes | 313 | Madison | 441 | |
| | Callahan | 187 | | | Marion | 443 | Taylor |
| 059 061 | Camanan | 189 | Guadalupe Hale | 315 317 | Martin | 445 | Terrell |
| 063 | | 191 | Hall | 317 | Mason | 443 | Terry Throckmorton |
| 065 | Camp Carson | 191 | Hamilton | 319 | | 447 | |
| | | | | | Matagorda Maverick | | Titus |
| 067 | Cass | 195 197 | Hansford | 323 325 | Medina | 451 | Tom Green |
| 069 071 | Castro Chambers | 197 | Hardeman Hardin | 323 327 | | 453 455 | Travis |
| | | | | | Menard | | Trinity |
| 073 | Cherokee | 201 | Harris | 329 | Midland | 457 | Tyler |
| 075 | Childress | 203 | Harrison | 331 | Milam | 459 | Upshur |
| 077 | Clay | 205 | Hartley | 333 | Mills | 461 | Upton |
| 079 | Cochran | 207 | Haskell | 335 | Mitchell | 463 | Uvalde |
| 081 | Coke | 209 | Hays | 337 | Montague | 465 | Val Verde |
| 083 | Coleman | 211 | Hemphill | 339 | Montgomery | 467 | Van Zandt |
| 085 | Collin | 213 | Henderson | 341 | Moore | 469 | Victoria |
| 087 | Collingsworth | 215 | Hidalgo | 343 | Morris | 471 | Walker |
| 089 | Colorado | 217 | Hill | 345 | Motley | 473 | Waller |
| 091 | Comal | 219 | Hockley | 347 | Nacogdoches | 475 | Ward |
| 093 | Comanche | 221 | Hood | 349 | Navarro | 477 | Washington |
| 095 | Concho | 223 | Hopkins | 351 | Newton | 479 | Webb |
| 097 | Cooke | 225 | Houston | 353 | Nolan | 481 | Wharton |
| 099 | Coryell | 227 | Howard | 355 | Nueces | 483 | Wheeler |
| 101 | Cottle Crane | 229 | Hudspeth Hunt | 357 | Ochiltree | 485 487 | Wichita |
| 103 | | 231 | | 359 | Oldham | | Wilbarger |
| 105 | Crockett | 233 | Hutchinson | 361 | Orange | 489 | Willacy |
| 107 | Crosby | 235 | Irion | 363 | Palo Pinto | 491 | Williamson |
| 109 | Culberson | 237 | Jack | 365 | Panola | 493 | Wilson |
| 111 | Dallam | 239 | Jackson | 367 | Parker | 495 | Winkler |
| 113 | Dallas | 241 | Jasper | 369 | Parmer | 497 | Wise |
| 115 | Dawson | 243 | Jeff Davis | 371 | Pecos | 499 | Wood |
| 117 | Deaf Smith | 245 | Jefferson | 373 | Polk | 501 | Yoakum |
| 119 | Delta | 247 | Jim Hogg | 375 | Potter | 503 | Young |
| 121 | Denton | 249 | Jim Wells | 377 | Presidio | 505 | Zapata |
| 123 | Dewitt | 251 | Johnson | 379 | Rains | 507 | Zavala |
| 125 | Dickens | 253 | Jones | 381 | Randall | | T 11. 1 |
| 127 | Dimmit | 255 | Karnes | 383 | Reagan | | Invalid |
| 41 | | | Data Source: | Assign | ed; based on patie | ent ZIP | code |

Beginning Position: Length:

PUBLIC_HEALTH_REGION

Field 15: Description: Coding Scheme:

Public Health Region of patient's address.

Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties

Alphanumeric

- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163

Type:

- 7 Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, 9 Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, 11 McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties Invalid

Beginning Position:

44 **Data Source:** Assigned Alphanumeric Type:

Length: Field 16:

PAT STATUS

Description: Coding Scheme: Code indicating patient status as of the ending date of service for the period of care reported

- Discharged to home or self-care (routine discharge)
- Discharged/transferred to a short term general hospital for inpatient care 02
- Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled 03
- Discharged/transferred to a facility that provides custodial or supportive care 04
- 05 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007)
- 06 Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 Left against medical advice
- 09 Admitted as inpatient to this hospital
- 20 Expired
- Discharged/transferred to Court/Law Enforcement 21
- 30 Still patient
- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- Discharged/transferred to federal government operated health facility 43
- 50 Hospice-home
- Hospice-medical facility (Certified) providing hospice level of care 51
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- Discharged/transferred to inpatient rehabilitation facility 62
- Discharged/transferred to Medicare-certified long term care hospital 63
- Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare 64
- Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital 65
- Discharged/transferred to Critical Access Hospital (CAH) 66
- Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013) 69
- 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list
- Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-81
- 82 Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute 83 Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care 84 Hospital Inpatient Readmission (effective 10-1-2013)
- 85 Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned 86 Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission 87 (effective 10-1-2013)
- 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part 90 Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care 91 Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)

DSHS Document # E25-14163 Page 16 -Last Updated: February, 2022

| | | | al or Psychiatric Distinct Part Unit of a Hospital with a Planned |
|----------------------------|---|---|---|
| | e e | to a Critical Access Ho | fective 10-1-2013) sspital (CAH) with a Planned Acute Care Hospital Inpatient |
| | | to Another Type of He | alth Care Institution not Defined Elsewhere in this Code List |
| | with a Planned Acute Canalid | are Hospital Inpatient R | Readmission (effective 10-1-2013) |
| Beginning Position: | 46 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 17: | SEX CODE | J 1 | |
| Description: | Gender of the patient as re | ecorded at date of a | admission or start of care. |
| Suppression: | ICD-10-CM indicates alco §290dd-2 and 42 CFR Para a hospital has fewer than 5 '999998' and Hospital Na | ohol or drug use or rt 2 rules), the Geno 5 patients of a parti | ndicates drug or alcohol use or an HIV diagnosis. If an HIV diagnosis (patients covered by 42 USC der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. |
| Coding Scheme: | M Male F Female U Unknown Invalid | | |
| Beginning Position: | 48 | Data Source: | Claim |
| Length: | 1 | Type: | Alphanumeric |
| Field 18: | RACE | | |
| Description: | Code indicating the patier | nt's race. | |
| Suppression: | If a hospital has fewer tha | n ten patients of or | ne race that race is changed to 'Other' (code equals 5). |
| Coding Scheme: | 1 American Indian/Eskim | | |
| | 2 Asian or Pacific Islande3 Black | r | |
| | 4 White | | |
| | 5 Other | | |
| | ` Invalid | | |
| Beginning Position: | 49 | Data Source: | Claim |
| Length: | 1 | Type: | Alphanumeric |
| Field 19: | ETHNICITY | | |
| Description: | Code indicating the Hispa | | |
| Suppression: | | n ten patients of or | ne race the ethnicity of patients of that race is |
| Coding Scheme: | suppressed (code is blank). 1 Hispanic Origin 2 Not of Hispanic Origin Invalid | | |
| Beginning Position: | 50 | Data Source: | Claim |
| Length: | 1 | Type: | Alphanumeric |
| Field 20: | ADMIT_WEEKDAY | V 2 | • |
| Description: | Code indicating day of we | ek patient is admit | tted |
| Coding Scheme: | 1 Monday | - | 5 Friday |
| | 2 Tuesday3 Wednesday | | 6 Saturday 7 Sunday |
| | 4 Thursday | | \ Invalid |
| Beginning Position: | 51 | Data Source: | Assigned |
| Length: | 1 | Type: | Alphanumeric |
| Field 21: | LENGTH_OF_STAY | | |
| Description: | Length of stay in days equ | uals Statement cove | ers period through date minus Admission/start of |
| | care date. The minimum l | ength of stay is 1 d | lay. The maximum is 9999 days. |
| Beginning Position: | 52 | Data Source: | Calculated |
| Length: | 4 | Type: | Alphanumeric |
| Field 22: | PAT_AGE | | |
| Description: | Code indicating age of pa | | |
| Cadina Cahama | 00 1-28 days | 10 35-39 | |
| Coding Scheme: | | 11 40 44 | |
| Coding Scheme: | 01 29-365 days | 11 40-44 12 45-49 | |
| Coding Scheme: | | 12 45-49 | HIV and drug/alcohol use patients: |
| | 01 29-365 days 02 1-4 years | 12 45-49 | HIV and drug/alcohol use patients: 22 0-17 |
| DSHS/THCIC WWW.DSHS.TEXAS | 01 29-365 days 02 1-4 years 03 5-9 | 12 45-49 | HIV and drug/alcohol use patients: |

| | 04 | 10-14 | 14 | 55-59 | | | 23 | |
|--|---|--|--|---|--|------------------------------------|----------------------|--|
| | 05 | 15-17 | 15 | 60-64 | | | 24 | |
| | 06 | 18-19 | 16 | 65-69 | | | 25 | |
| | 07 | 20-24 | 17 | 70-74 | | | 26 | |
| | 08 | 25-29 | 18 | 75-79 | | | | Invalid |
| Danimuima Danisiam. | 09 | 30-34 | 19 Data S | 80-84 | A | | | |
| Beginning Position: | 56 | | | ource: | Assigned | | | |
| Length: | 2 | | Type: | | Alphanuı | meric | | |
| Field 23: | | ST_PAYMENT_SRC | | | _ | | | |
| Description: | | e indicating the expected | | | | | | |
| Coding Scheme: | 09 | Self Pay (Removed from 50 | 010 forma | t, use "ZZ" | HM | Health Ma | intena | ance Organization |
| | 10 | beginning 2Q2012 data) Central Certification | | | LI | Liability | | |
| | 11 | Other Non-federal Program | c | | LM | Liability N | Medic: | al |
| | 12 | Preferred Provider Organiza | | O) | MA | Medicare | | |
| | 13 | Point of Service (POS) | ` | , | MB | Medicare | Part B | : |
| | 14 | Exclusive Provider Organiz | ation (EP | O) | MC | Medicaid | | |
| | 15 | Indemnity Insurance | | | TV | Title V | | |
| | 16 | Health Maintenance Organi | zation (H | MO) | OF | Other Fed | eral P | rogram |
| | AM | Medicare Risk Automobile Medical | | | VA | Veteran A | dmini | stration Plan |
| | BL | Blue Cross/Blue Shield | | | WC | | | ensation Health Claim |
| | CH | CHAMPUS | | | ZZ | | | at or Unknown |
| | CI | Commercial Insurance | | | ** | | | Z, combined for 2004 & 2005 |
| | DS | Disability Insurance | | | ` | Invalid | | |
| Beginning Position: | 58 | • | Data S | ource: | Claim | | | |
| Length: | 2 | | Type: | 041000 | Alphanuı | meric | | |
| Field 24: | | CONDARY_PAYMENT | | | 7 HpHallal | iiciic | | |
| Description: | | e indicating the expected | _ | ory cour | o of novm | ont | | |
| Coding Scheme: | | e as field FIRST_PAYM | | | Le or payin | ient. | | |
| _ | | e as field FIRST_FATIV | | | Claim | | | |
| Beginning Position: | 60 | | Data S | ource: | | • . | | |
| Length: | 2 | DE OF BUIL | Type: | | Alphanuı | пенс | | |
| Field 25: | | PE_OF_BILL | | | | | | |
| Description: | | cates the specific type of | | | 6.0 | | ard : | |
| Coding Scheme: | | git–Type of Facility | | ligit–Type o | | adiaama | | ligit–Sequence of claim |
| | 1 | Hospital | 1 | Part A | including M | edicare | 0 | Non-payment/Zero claim |
| | 2 | Skilled nursing | 2 | | Medicare Pa | rt B only | 1 | Admit through discharge claim |
| | | Home health | 3 | Outpatien | | | 2 | Interim-first claim |
| | 4 | Religious non-medical health | 4 | Outpatien | t Other, Med | licare | 3 | Interim-continuing claim |
| | | care-Hospital | | Part B on | • | | | |
| | 5 | Religious non-medical health | 5 | Intermedi | ate Care–Lev | vel I | 4 | Interim-last claim |
| | 6 | care–Extended care | | | | | | |
| | | T . 1' . | | | | 1.77 | ~ | T (1 () 1 1 |
| | | Intermediate care | 6 7 | | ate Care–Lev | | 5 | Late charge(s) only claim |
| | | Intermediate care Clinic | 6 7 | | ate Care–Lev inpatient – l | | 5 6 | Adjustment of prior claim (Not |
| | 7 | Clinic | | Sub-acute | inpatient – l | | | Adjustment of prior claim (Not used by Medicare) |
| | 7 | | 7 | | inpatient – l | | 6 | Adjustment of prior claim (Not |
| Beginning Position: | 7 8 | Clinic | 7 8 | Sub-acute Swing be | inpatient – l | | 6 7 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim |
| Beginning Position: Length: | 7 8 62 | Clinic | 7 8 Data S | Sub-acute Swing be | e inpatient – l d Claim | Level III | 6 7 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim |
| Length: | 7 8 62 3 | Clinic Special facility | 7 8 | Sub-acute Swing be | e inpatient – I d | Level III | 6 7 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim |
| Length: Field 26: | 7 8 62 3 TO T | Clinic Special facility FAL_CHARGES | 7 8 Data S Type: | Sub-acute Swing becource: | e inpatient – l d Claim Alphanui | Level III | 6 7 8 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim |
| Length: | 7 8 62 3 TOT Sum | Clinic Special facility FAL_CHARGES of accommodation char | 7 8 Data S Type: | Sub-acute Swing becource: | e inpatient – l d Claim Alphanur | meric | 6 7 8 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim |
| Length: Field 26: Description: | 7 8 62 3 TOT Sum cove | Clinic Special facility FAL_CHARGES | 7 8 Data S Type: ges, nor eplaces | Sub-acute Swing be ource: n-covered TOTAL | e inpatient – l d Claim Alphanui l accommo | meric | 6 7 8 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim |
| Length: Field 26: Description: Beginning Position: | 7 8 62 3 TOT Sum cove 65 | Clinic Special facility FAL_CHARGES of accommodation char | 7 8 Data S Type: ges, nor eplaces Data S | Sub-acute Swing be ource: n-covered TOTAL | cinpatient – l d Claim Alphanui d accommo | meric | 6 7 8 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim |
| Length: Field 26: Description: Beginning Position: Length: | 7 8 62 3 TO1 Sum cove 65 12 | Clinic Special facility FAL_CHARGES of accommodation charged ancillary charges. Re | 7 8 Data S Type: ges, nor eplaces Data S Type: | Sub-acute Swing be ource: n-covered TOTAL | e inpatient – l d Claim Alphanui l accommo | meric | 6 7 8 | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim |
| Length: Field 26: Description: Beginning Position: Length: Field 27: | 7 8 62 3 TOT Sum cove 65 12 | Special facility FAL_CHARGES of accommodation charged ancillary charges. Refered ancillary charges. | 7 8 Data S Type: ges, nor eplaces Data S Type: .RGES | Sub-acute Swing be ource: n-covered TOTAL ource: | cinpatient – I d Claim Alphanui I accommo CHARGE Claim Numeric | meric odation co | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: | 7 8 62 3 TO1 Sum cove 65 12 TO1 Sum | Clinic Special facility FAL_CHARGES of accommodation charged ancillary charges. Re | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodation | Sub-acute Swing becource: n-covered TOTAL ource: | cinpatient – I d Claim Alphanun I accommo CHARGE Claim Numeric , non-cove | meric odation co | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: | 7 8 62 3 TOT Sum cove 65 12 TOT Sum 77 | Special facility FAL_CHARGES of accommodation charged ancillary charges. Refered ancillary charges. | 7 8 Data S Type: ges, nor eplaces Data S Type: .RGES | Sub-acute Swing becource: n-covered TOTAL ource: | Claim Alphanum Accommo CHARGE Claim Numeric , non-cove | meric odation co | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: | 7 8 62 3 TO1 Sum cove 65 12 TO1 Sum 77 | Clinic Special facility FAL_CHARGES of accommodation chared ancillary charges. Ref FAL_NON_COV_CHA of non-covered accomm | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodatior Data S Type: | Sub-acute Swing becource: n-covered TOTAL ource: | cinpatient – I d Claim Alphanun I accommo CHARGE Claim Numeric , non-cove | meric odation co | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: | 7 8 62 3 TO1 Sum cove 65 12 TO1 Sum 77 | Special facility FAL_CHARGES of accommodation charged ancillary charges. Refered ancillary charges. | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodatior Data S Type: | Sub-acute Swing becource: n-covered TOTAL ource: | Claim Alphanum Accommo CHARGE Claim Numeric , non-cove | meric odation co | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: | 7 8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 | Special facility FAL_CHARGES of accommodation chargered ancillary charges. Refered an of non-covered accommodation charges and the second commodation charges are commodation charges. The second commodation charges are commodation charges. | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodation Data S Type: OMM | Sub-acute Swing be ource: n-covered TOTAL ource: n charges ource: | cinpatient – I d Claim Alphanui d accommo CHARGE Claim Numeric , non-cove Claim Numeric | meric odation of SS_23. | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description: | 7 8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 | Clinic Special facility FAL_CHARGES of accommodation chared ancillary charges. Ref FAL_NON_COV_CHA of non-covered accomm | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodation Data S Type: OMM | Sub-acute Swing be ource: n-covered TOTAL ource: n charges ource: | cinpatient – I d Claim Alphanui d accommo CHARGE Claim Numeric , non-cove Claim Numeric | meric odation of SS_23. | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |
| Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: | 7 8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 TOT | Special facility FAL_CHARGES of accommodation chargered ancillary charges. Refered an of non-covered accommodation charges and the second commodation charges are commodation charges. The second commodation charges are commodation charges. | 7 8 Data S Type: ges, nor eplaces Data S Type: RGES nodatior Data S Type: OMM ered acc | Sub-acute Swing be ource: n-covered TOTAL ource: n charges ource: | cinpatient – I d Claim Alphanun d accomme CHARGE Claim Numeric , non-cove Claim Numeric ation charge | meric odation of ES_23. ered ancil | 6 7 8 harge | Adjustment of prior claim (Not used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non- |

| Length: | 12 | Type: | Numeric |
|---|--|---|--|
| Field 29: | TOTAL_NON_COV_CH | | |
| Description: | Sum of non-covered accom | | |
| Beginning Position: | 101 | Data Source: | Claim |
| Length: | 12 | Type: | Numeric |
| Field 30: | TOTAL_CHARGES_AN | | |
| Description: | Sum of covered and non-co | | harges. |
| Beginning Position: | 113 | Data Source: | Claim |
| Length: | 12 | Type: | Numeric |
| Field 31: | TOTAL NON COV CH | | |
| Description: | Sum of non-covered ancilla | | - |
| Beginning Position: | 125 | Data Source: | Claim |
| Length: | 12 | Type: | Numeric |
| Field 32: | ADMITTING_DIAGNOS | | |
| Description: | - | | th, 5th, 6th and 7th digits if applicable. Decimal is |
| L | implied following the third | | g II |
| Beginning Position: | 137 | Data Source: | Claim |
| Length: | 7 | Type: | Alphanumeric |
| Field 33: | PRINC_DIAG_CODE | | |
| Description: | | for the principal | diagnosis, including the 4th, 5th, 6th and 7th digits |
| F | if applicable. Decimal is im | | |
| Beginning Position: | 144 | Data Source: | Claim |
| Length: | 7 | Type: | Alphanumeric |
| Field 34: | POA_PRINC_DIAG_CO | V 1 | • |
| Description: | | | is code was present at the time the patient was |
| F | admitted to the hospital | | F |
| Coding Scheme: | Y Yes | | |
| 9 | N No | | |
| | U Unknown W Clinically Undetermined | | |
| | W Clinically Undetermined 1 Space (1 st & 2 nd Qtr. 2012 | only) | |
| | | | |
| | Invalid | omy) | |
| Beginning Position: | | Data Source: | Claim |
| Length: | Invalid 151 | | Claim Alphanumeric |
| Length: Field 35: | Invalid 151 1 OTH_DIAG_CODE_1 | Data Source: Type: | Alphanumeric |
| Length: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code | Data Source: Type: | |
| Length: Field 35: Description: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third | Data Source: Type: , including the 4t character. | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is |
| Length: Field 35: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 | Data Source: Type: | Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 | Data Source: Type: , including the 4t character. Data Source: Type: | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is |
| Length: Field 35: Description: Beginning Position: Length: Field 36: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE | Data Source: Type: a, including the 4t character. Data Source: Type: | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code | Data Source: Type: a, including the 4t character. Data Source: Type: | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Oadmitted to the hospital | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: | Invalid 151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Oadmitted to the hospital | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Coadmitted to the hospital Same as Field POA_PRINC 159 1 | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t | Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identified identifying whether Code identified identifying whether Code identifying whether Code identified identifying whether Code identified identif | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identified identified identifying whether Code identified id | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code implied following the third 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code admitted to the hospital | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: | Invalid 151 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code implied following the third 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 th_Diag_Code_2 C_DIAG_CODE | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 2 code was present at the time the patient was |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code admitted to the hospital | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code implied following the third 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whet | Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 th_Diag_Code_2 C_DIAG_CODE | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 2 code was present at the time the patient was |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code implied following the third 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whet | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric code was present at the time the patient was |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position: Length: Field 39: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code implied following the third 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whet | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: Type: E_2 Type: E_2 Type: E_1 Type: E_2 Type: E_2 Type: E_2 Type: E_2 Type: E_1 Type: E_2 Type: E_2 Type: | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric |
| Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position: Length: | OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINCE 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINCE 167 1 OTH_DIAG_CODE_3 | Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: | Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric code was present at the time the patient was |

implied following the third character.

Beginning Position: 168 **Data Source:** Claim

Length: Alphanumeric Type:

POA_OTH_DIAG_CODE 3 Field 40:

Code identifying whether Oth_Diag_Code_3 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 175 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 4 Field 41:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 176 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 42: POA_OTH_DIAG_CODE_4

Code identifying whether Oth Diag Code 4 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 183 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 5 Field 43:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 184 **Data Source:** Claim

Length: Type: Alphanumeric

Field 44: POA_OTH_DIAG_CODE_5

Description: Code identifying whether Oth Diag Code 5 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 191 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 6 Field 45:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 192 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_6 Field 46:

Description: Code identifying whether Oth Diag Code 6 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 199 **Data Source:** Claim

Length: Alphanumeric Type:

Field 47: OTH_DIAG_CODE_7

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 200 **Data Source:** Claim

Length: Type: Alphanumeric

Field 48: POA_OTH_DIAG_CODE_7

Description: Code identifying whether Oth Diag Code 7 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 207 **Data Source:** Claim

Length: Alphanumeric Type:

Field 49: OTH_DIAG_CODE_8

DSHS/THCIC DSHS Document # E25-14163 Page 20 Last Updated: February, 2022

implied following the third character.

Beginning Position: 208 **Data Source:** Claim

Length: Type: Alphanumeric

Field 50: POA OTH DIAG CODE 8

Code identifying whether Oth_Diag_Code_8 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 215 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 9 Field 51:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 216 **Data Source:** Claim

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE_9 Field 52:

Code identifying whether Oth Diag Code 9 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 223 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 10 **Field 53:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 224 **Data Source:** Claim

Length: Type: Alphanumeric

Field 54: POA_OTH_DIAG_CODE_10

Description: Code identifying whether Oth_Diag_Code_10 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 231 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 11 Field 55:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

Claim

implied following the third character.

Beginning Position: 232 **Data Source:**

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_11 Field 56:

Description: Code identifying whether Oth Diag Code 11 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 239 **Data Source:** Claim

Length: Alphanumeric Type:

Field 57: OTH_DIAG_CODE_12

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 240 **Data Source:** Claim

Length: Type: Alphanumeric

Field 58: POA_OTH_DIAG_CODE_12

Description: Code identifying whether Oth Diag Code 12 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 247 **Data Source:** Claim

Length: Alphanumeric Type:

Field 59: OTH_DIAG_CODE_13

DSHS/THCIC DSHS Document # E25-14163 Page 21 Last Updated: February, 2022

implied following the third character.

Beginning Position: 248 **Data Source:** Claim Length: Type: Alphanumeric

Field 60: POA OTH DIAG CODE 13

Code identifying whether Oth_Diag_Code_13 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 255 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 14 Field 61:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 256 **Data Source:** Claim

Length: Type: Alphanumeric

Field 62: POA_OTH_DIAG_CODE_14

Code identifying whether Oth Diag Code 14 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 263 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 15 Field 63:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 264 **Data Source:** Claim

Length: Type: Alphanumeric

Field 64: POA_OTH_DIAG_CODE_15

Description: Code identifying whether Oth_Diag_Code_15 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 271 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 16 Field 65:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 272 **Data Source:** Claim

Length: Type: Alphanumeric

POA OTH DIAG CODE 16 Field 66:

Description: Code identifying whether Oth Diag Code 16 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 279 **Data Source:** Claim

Length: Alphanumeric Type:

Field 67: OTH_DIAG_CODE_17

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 280 **Data Source:** Claim

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE_17 Field 68:

Description: Code identifying whether Oth Diag Code 17 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: Claim 287

Length: Alphanumeric Type:

Field 69: OTH_DIAG_CODE_18

DSHS/THCIC DSHS Document # E25-14163 Page 22 Last Updated: February, 2022

implied following the third character.

Beginning Position: 288 **Data Source:** Claim Alphanumeric

Length: Type: Field 70: POA OTH DIAG CODE 18

Code identifying whether Oth_Diag_Code_18 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 295 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 19 **Field 71:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 296 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_19 Field 72:

Code identifying whether Oth Diag Code 19 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 303 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 20 **Field 73:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 304 **Data Source:** Claim

Length: Type: Alphanumeric

Field 74: POA_OTH_DIAG_CODE_20

Description: Code identifying whether Oth_Diag_Code_20 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 311 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 21 **Field 75:**

312

Beginning Position:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

Data Source:

Claim

implied following the third character.

Length: Type:

Alphanumeric

POA_OTH_DIAG_CODE_21 Field 76:

Description: Code identifying whether Oth Diag Code 21 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 319 **Data Source:** Claim

Length: Alphanumeric Type:

Field 77: OTH_DIAG_CODE_22

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 320 **Data Source:** Claim

Length: Type: Alphanumeric

Field 78: POA_OTH_DIAG_CODE_22

Description: Code identifying whether Oth Diag Code 22 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 327 **Data Source:** Claim

Length: Alphanumeric Type:

Field 79: OTH_DIAG_CODE_23

DSHS/THCIC DSHS Document # E25-14163 Page 23 Last Updated: February, 2022

implied following the third character.

Data Source: Beginning Position: 328 Claim

Length: Type: Alphanumeric

POA OTH DIAG CODE 23 Field 80:

Code identifying whether Oth_Diag_Code_23 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 335 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 24 Field 81:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 336 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 82: POA_OTH_DIAG_CODE_24

Code identifying whether Oth Diag Code 24 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 343 Claim

Length: Alphanumeric Type:

E CODE 1 Field 83:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the

primary external cause of morbidity. A decimal is implied following the third character.

Beginning Position: 344 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 84: POA E CODE 1

Description: Code identifying whether E Code 1 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 351 Claim

Length: Alphanumeric Type:

Field 85: E CODE 2

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 352 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA E CODE 2 Field 86:

Description: Code identifying whether E Code 2 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 359 **Data Source:** Claim

Length: Alphanumeric Type:

Field 87: E CODE 3

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 360 **Data Source:** Claim

Length: Alphanumeric Type:

Field 88: POA E CODE 3

Description: Code identifying whether E Code 3 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: Claim 367

Length: Alphanumeric Type:

Field 89: E_CODE_4

DSHS/THCIC DSHS Document # E25-14163 Page 24 Last Updated: February, 2022

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 368 **Data Source:** Claim

Length: 7 **Type:** Alphanumeric

Field 90: POA E CODE 4

Description: Code identifying whether E_Code_4 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 375 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 91: E CODE 5

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 376 **Data Source:** Claim

Length: 7 **Type:** Alphanumeric

Field 92: POA_E_CODE_5

Description: Code identifying whether E_Code_5 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 383 **Data Source:** Claim

Length: 1 **Type:** Alphanumeric

Field 93: E_CODE_6

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 384 **Data Source:** Claim

Length: 7 **Type:** Alphanumeric

Field 94: POA E CODE 6

Description: Code identifying whether E Code 6 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 391 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 95: E CODE 7

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 392 **Data Source:** Claim

Length: 7 **Type:** Alphanumeric

Field 96: POA_E_CODE_7

Description: Code identifying whether E_Code_7 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 399 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 97: E CODE 8

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 400 **Data Source:** Claim

Length: 7 **Type:** Alphanumeric

Field 98: POA E CODE 8

Description: Code identifying whether E_Code_8 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 407 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 99: E_CODE_9

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 25

DSHS Document # E25-14163

Last Updated: February, 2022

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 408 **Data Source:** Claim

Length: Alphanumeric 7 Type:

POA E CODE 9 **Field 100:**

Code identifying whether E_Code_9 code was present at the time the patient was admitted to **Description:**

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 415 **Data Source:** Claim

Length: Type: Alphanumeric

Field 101: E CODE 10

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Data Source: Beginning Position: 416 Claim

Alphanumeric Length: 7 Type:

Field 102: POA_E_CODE_10

Description: Code identifying whether E Code 10 code was present at the time the patient was admitted to

the hospital

Same as Field POA_PRINC_DIAG_CODE **Coding Scheme:**

Beginning Position: 423 **Data Source:** Claim

Length: Type: Alphanumeric

PRINC SURG PROC CODE **Field 103:**

Description: Code for the principal surgical or other procedure performed during the period covered by the

bill. ICD-10-PCS code.

Beginning Position: 424 **Data Source:** Claim

Length: Type: Alphanumeric

Field 104: PRINC SURG PROC DAY

Description: Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus

Admission/Start of Care Date.

Beginning Position: 431 **Data Source:** Calculated Length: 4 Type: Alphanumeric

OTH SURG PROC CODE 1 **Field 105:**

Code for surgical or other procedure other than the principal procedure performed during the **Description:**

period covered by the bill. ICD-10-PCS code.

Beginning Position: 435 **Data Source:** Claim

Length: Type: Alphanumeric

Field 106: OTH SURG PROC DAY 1

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:**

Admission/Start of Care Date

442 **Beginning Position: Data Source:** Calculated Length: Type: Alphanumeric

Field 107: OTH_SURG_PROC_CODE_2

Description: Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position: 446 **Data Source:** Claim

Length: Type: Alphanumeric

Field $\overline{108}$: OTH SURG PROC DAY 2

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:**

Admission/Start of Care Date

Beginning Position: 453 **Data Source:** Calculated Length: 4 Type: Alphanumeric

Field 109: OTH SURG PROC CODE 3

Code for surgical or other procedure other than the principal procedure performed during the **Description:**

period covered by the bill. ICD-10-PCS code.

Beginning Position: Data Source: 457 Claim

DSHS/THCIC DSHS Document # E25-14163 Page 26 Last Updated: February, 2022

Length: Type: Alphanumeric OTH SURG PROC DAY 3 Field 110: **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Calculated **Beginning Position: Data Source:** 464 Length: 4 Type: Alphanumeric OTH SURG PROC CODE 4 **Field 111: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 468 Claim Length: 7 Type: Alphanumeric **Field 112:** OTH SURG PROC DAY 4 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 475 **Data Source:** Calculated Length: Alphanumeric Type: **Field 113:** OTH_SURG_PROC_CODE_5 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 479 **Data Source:** Claim Length: Alphanumeric Type: Field 114: OTH SURG PROC DAY 5 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 486 **Data Source:** Calculated Length: 4 Alphanumeric Type: OTH SURG PROC CODE 6 **Field 115:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 490 **Data Source:** Claim Length: Type: Alphanumeric OTH SURG PROC DAY 6 **Field 116: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 497 **Data Source:** Calculated Length: Alphanumeric Type: **Field 117:** OTH SURG PROC CODE 7 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 501 **Data Source:** Claim Length: Type: Alphanumeric **Field 118:** OTH SURG PROC DAY 7 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 508 **Data Source:** Calculated Length: Type: Alphanumeric **Field 119:** OTH SURG PROC CODE 8 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 512 **Data Source:** Length: 7 Type: Alphanumeric OTH_SURG_PROC_DAY_8 **Field 120: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 519 **Data Source:** Calculated

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 27

DSHS Document # E25-14163

Last Updated: February, 2022

Length: Type: Alphanumeric OTH SURG PROC CODE 9 **Field 121: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 523 Claim Length: Type: Alphanumeric OTH SURG PROC DAY 9 **Field 122: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position: Data Source:** 530 Calculated Length: Type: Alphanumeric 4 OTH SURG PROC CODE 10 **Field 123: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 534 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 124:** OTH_SURG_PROC_DAY_10 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 541 **Data Source:** Calculated Length: 4 Type: Alphanumeric OTH SURG PROC CODE 11 **Field 125: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 545 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 126:** OTH SURG PROC DAY 11 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 552 **Data Source:** Calculated Length: 4 Type: Alphanumeric OTH SURG PROC CODE 12 **Field 127: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 556 **Data Source:** Claim Length: Type: Alphanumeric **Field 128:** OTH SURG PROC DAY 12 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 563 **Data Source:** Calculated Length: Type: Alphanumeric Field 129: OTH SURG PROC CODE 13 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 567 **Data Source:** Claim Length: Type: Alphanumeric **Field 130:** OTH SURG PROC DAY 13 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 574 **Data Source:** Calculated Length: Type: Alphanumeric OTH_SURG_PROC_CODE_14 **Field 131: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 578 **Data Source:** Claim

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 28

DSHS Document # E25-14163

Last Updated: February, 2022

Length: Type: Alphanumeric OTH SURG PROC DAY 14 Field 132: **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** Calculated **Data Source:** 585 Length: 4 Type: Alphanumeric OTH SURG PROC CODE 15 **Field 133: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 589 **Data Source:** Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 15 **Field 134: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 596 **Data Source:** Calculated Alphanumeric Length: 4 Type: **Field 135:** OTH_SURG_PROC_CODE_16 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 600 **Data Source:** Claim Length: 7 Alphanumeric Type: OTH SURG PROC DAY 16 **Field 136:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 607 **Data Source:** Calculated Length: 4 Type: Alphanumeric OTH SURG PROC CODE 17 **Field 137:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric OTH SURG PROC DAY 17 **Field 138: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 618 **Data Source:** Calculated Length: Type: Alphanumeric **Field 139:** OTH SURG PROC CODE 18 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 622 **Data Source:** Claim Length: Type: Alphanumeric **Field 140:** OTH SURG PROC DAY 18 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 629 **Data Source:** Calculated Length: Type: Alphanumeric **Field 141:** OTH SURG PROC CODE 19 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 633 **Data Source:** Length: 7 Type: Alphanumeric OTH_SURG_PROC_DAY_19 **Field 142: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 640 **Data Source:** Calculated DSHS/THCIC DSHS Document # E25-14163

Page 29

Last Updated: February, 2022

WWW.DSHS.TEXAS.GOV/THCIC

Length: Type: Alphanumeric OTH SURG PROC CODE 20 **Field 143: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 644 Claim Length: 7 Type: Alphanumeric **Field 144:** OTH SURG PROC DAY 20 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position: Data Source:** 651 Calculated Length: Type: Alphanumeric 4 OTH SURG PROC CODE 21 **Field 145: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 655 **Data Source:** Claim Length: Type: Alphanumeric **Field 146:** OTH_SURG_PROC_DAY_21 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 662 **Data Source:** Calculated Length: 4 Type: Alphanumeric **Field 147:** OTH SURG PROC CODE 22 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 666 Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 22 **Field 148:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 673 **Data Source:** Calculated Length: Type: Alphanumeric OTH SURG PROC CODE 23 **Field 149: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 677 **Data Source:** Claim Length: Type: Alphanumeric **Field 150:** OTH SURG PROC DAY 23 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 684 **Data Source:** Calculated Length: Type: Alphanumeric Field 151: OTH SURG PROC CODE 24 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 688 **Data Source:** Claim Length: Type: Alphanumeric **Field 152:** OTH SURG PROC DAY 24 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 695 **Data Source:** Calculated Length: 4 Type: Alphanumeric MS MDC **Field 153: Description:** Major Diagnostic Category (MDC) as assigned by Centers for Medicare and Medicaid Services (CMS) (formerly Health Care Financing Administration (HCFA)) for hospital payment for Medicare beneficiaries. First available 2004.

Page 30

DSHS Document # E25-14163

Last Updated: February, 2022

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

| Beginning Position: | 699 | Data Source | Assigned |
|----------------------------|--|------------------------|--|
| Length: | 2 | Type: | Alphanumeric |
| Field 154: | MS_DRG | | |
| Description: | Centers for Medicare and M | fedicaid Service | es (CMS) Diagnosis Related Group (DRG), as |
| | assigned for hospital payme | nt for Medicard | e beneficiaries. |
| Beginning Position: | 701 | Data Source | Assigned |
| Length: | 3 | Type: | Alphanumeric |
| Field 155: | MS_GROUPER_VERSIO | N_NBR | |
| Description: | CMS Medicare Severity Dia | agnosis Related | Grouper (formerly CMS DRG Grouper and |
| | previously reported as HCF. | A_GROUPER | _VERSION_NBR) version used to assign MS DRG |
| | and, MS MDC codes | | |
| Beginning Position: | 704 | Data Source | Assigned |
| Length: | 5 | Type: | Alphanumeric |
| Field 156: | MS_GROUPER_ERROR | _CODE | |
| Description: | Error codes identify potentia | al variations wi | th MS DRG code assignment |
| Coding Scheme: | No errors. DRG successfully | | 19 DisableHac = 0 and at least one HAC POA is invalid or |
| | • | | exempt |
| | 01 Diagnosis code cannot be us diagnosis | sed as principal | 20 DisableHac is invalid and at least one HAC POA is N or U |
| | 02 | in for any DBC | 21 DisableHac is invalid and at least one HAC POA is |
| | Record does not meet criteri | a for any DRG | invalid or exempt |
| | 03 Invalid Age 04 | | DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is |
| | Invalid Sex | | exempt |
| | 05 Invalid Discharge Status | | DisableHac = 0 and there are multiple HACs that have |
| | • | | different HAC POA values that are not Y, W, N, U |
| | 10 Illogical Principal Diagnosis | s (CMS only) | DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W |
| | 11 Invalid Principal Diagnosis | | have different fract for values that are not 1 of w |
| Beginning Position: | 709 | Data Source | Assigned |
| Length: | 2 | Type: | Alphanumeric |
| Field 157: | APR_MDC | | |
| Description: | Major Diagnostic Category | (MDC) as assign | gned by 3M™ APR-DRG Grouper. |
| Beginning Position: | 711 | Data Source | Assigned |
| Length: | 2 | Type: | Alphanumeric |
| Field 158: | APR_DRG | | |
| Description: | | Diagnosis Relat | ed Group (DRG) as assigned by 3M APR-DRG |
| | Grouper | | |
| Beginning Position: | 713 | Data Source | \mathcal{E} |
| Length: | 4 | Type: | Alphanumeric |
| Field 159: | RISK_MORTALITY | | |
| Description: | | | m the All Patient Refined (APR) Diagnosis Related |
| | 1 ' | [™] APR-DRG C | Frouper. Indicates the likelihood of dying. |
| Coding Scheme: | 1 Minor2 Moderate | | |
| | 3 Major | | |
| | 4 Extreme | | |
| Beginning Position: | 717 | Data Source | Assigned |
| Length: | 1 | Type: | Alphanumeric |
| Field 160: | ILLNESS_SEVERITY | | |
| Description: | Assignment of a severity of | illness score fr | om the All Patient Refined (APR) Diagnosis Related |
| | | | Grouper. Indicates the extent of physiologic |
| | decompensation. | | |
| Coding Scheme: | 1 Minor | | |
| | 2 Moderate3 Major | | |
| | 3 Major 4 Extreme | | |
| | 0 No class specified | | |
| Beginning Position: | 718 | Data Source | Assigned |
| Length: | 1 | Type: | Alphanumeric |
| Dene/Tricic | | | DOILG Dogger # EQ5 14162 |
| DSHS/THCIC | | — Page 31 | DSHS Document # E25-14163 |
| William Delle Telle A | S.GOV/THCIC | 1 age 31 | Last Updated: February, 2022 |

APR GROUPER VERSION NBR **Field 161: Description:** 3MTM All Patient Refined Diagnosis Related Grouper version used to assign APR DRG codes, APR MDC codes, Risk of Mortality rankings and, Severity of Illness rankings **Beginning Position: Data Source:** Assigned 719 Length: Alphanumeric Type: **Field 162:** APR_GROUPER_ERROR_CODE **Description:** Error codes identify potential variations with APR DRG code assignment No errors. DRG successfully assigned. Gestational age/birth weight conflict (APR only) 12 **Coding Scheme:** DisableHac = 0 and at least one HAC POA is invalid or 01 Diagnosis code cannot be used as 19 principal diagnosis exempt 02 DisableHac is invalid and at least one HAC POA is N or U 20 Record does not meet criteria for any 03 Invalid Age DisableHac is invalid and at least one HAC POA is invalid 21 22 04Invalid Sex DisableHac = 0 and at least one HAC POA is exempt Invalid Discharge Status 23 DisableHac is invalid and at least one HAC POA is exempt Invalid birthweight (AP & APR only) 24 DisableHac = 0 and there are multiple HACs that have 06 different HAC POA values that are not Y, W, N, U Invalid discharge age in days (AP & 25 DisableHac is invalid and there are multiple HACs that 09 have different HAC POA values that are not Y or W APR only) Invalid Principal Diagnosis 11 **Beginning Position:** 724 **Data Source:** Assigned Length: 2 Type: Alphanumeric **Field 163:** ATTENDING PHYSICIAN UNIF ID **Description:** Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Suppressed when the number of physicians represented in a DRG for a hospital is less than the **Suppression:** minimum cell size of five. 999999998 Cell size less than 5 **Coding Scheme:** 999999999 Temporary license or license number could not be matched **Beginning Position:** 726 **Data Source:** Assigned Length: 10 Alphanumeric Type: **Field 164:** OPERATING PHYSICIAN UNIF ID Operating or other Physician Uniform Identifier (if applicable). Unique identifier assigned to **Description:** the operating physician or physician other than the attending physician. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. **Suppression:** Suppressed when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five. 999999998 Cell size less than 5 **Coding Scheme:** 999999999 Temporary license or license number could not be matched **Beginning Position:** 736 **Data Source:** Assigned Length: Type: Alphanumeric **Field 165:** ENCOUNTER INDICATOR **Description:** Indicates the number of claims used to create the encounter **Beginning Position:** 746 **Data Source:** Calculated Length: Type: Alphanumeric PROVIDER NAME **Field 166: Description:** Hospital name provided by the hospital.

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163
Last Updated: February, 2022

| Suppression: | Hospitals with fewer than 50 discharges (Provider ID equals '999999') are assigned the name | | |
|----------------------------|---|---------------------|--------------|
| | 'Low Discharge Volume Hospital'. If a hospital has fewer than 5 discharges of a particular | | |
| | gender, including 'unknown', Hospital Name is blank. | | |
| Beginning Position: | 748 | Data Source: | Provider |
| Length: | 55 | Type: | Alphanumeric |
| Field 167: | EMERGENCY_DEPT_F | FLAG | |
| Description: | Indicator of emergency dep | partment visit. | |
| Coding Scheme: | Y visit was emergency rela | | |
| G | N Visit was not emergency | related | |
| Beginning Position: | 802 | Data Source: | Assigned |
| Length: | 1 | Type: | Alphanumeric |

BASE DATA #2 FILE

| Field 1: | RECORD_ID | | |
|----------------------------|------------------------------|---------------------|---|
| Description: | | | per assigned to identify the record. First available DRD_ID in THCIC Research Data Files (RDF's). |
| Beginning Position: | 1 | Data Source: | Assigned |
| Length: | 12 | Type: | Alphanumeric |
| Field 2: | PRIVATE_AMOUNT | V - | |
| Description: | | ivate Room Cha | rge Amount. Calculated using MEDPAR |
| • | | | evenue codes 0100-0219, revenue center 011X, |
| | 014X | | |
| Beginning Position: | 13 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 3: | SEMI_PRIVATE_AMOU | NT | |
| Description: | | | n Charge Amount. Calculated using MEDPAR |
| • | | | evenue codes 0100-0219, revenue center 010X, |
| | 012X-014X, 016X-019X | | |
| Beginning Position: | 25 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 4: | WARD_AMOUNT | ¥ | |
| Description: | Accommodation Charge, W | ard Charge Amo | unt. Calculated using MEDPAR algorithm. Sum of |
| • | charges associated with reve | | |
| Beginning Position: | 37 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 5: | ICU_AMOUNT | | |
| Description: | Accommodation Charge, In | tensive Care Uni | t Charge Amount. Calculated using MEDPAR |
| - | algorithm. Sum of charges a | associated with re | evenue codes 0100-0219, revenue center 020X. |
| Beginning Position: | 49 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 6: | CCU_AMOUNT | | |
| Description: | | | t Charge Amount. Calculated using MEDPAR |
| | algorithm. Sum of charges a | ssociated with re | evenue codes 0100-0219, revenue center 021X. |
| Beginning Position: | 61 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 7: | OTHER_AMOUNT | | |
| Description: | | | ount. Calculated using MEDPAR algorithm. Sum |
| | | | ter than 0100-0219, revenue center 0002-0099, |
| | | | X-070X, 076X-078X, 090X-095X, 099X. |
| Beginning Position: | 73 | Data Source: | Calculated |
| Length: | 12 | Type: | Numeric |
| Field 8: | PHARM_AMOUNT | d C1 | A CLUB AND DAD 1 14 |
| Description: | | | Amount. Calculated using MEDPAR algorithm. |
| | | vith revenue code | es other than 0100-0219, revenue center 025X, |
| D D | 026X, and 063X. | D-4- C | 0.1. 11 |
| Beginning Position: | 85 | Data Source: | Calculated |
| Length: | MEDGLIDG AMOUNT | Type: | Numeric |
| Field 9: | MEDSURG_AMOUNT | A . 1' 1/C 1 | |
| Description: | | | Supply Charge Amount. Calculated using |
| | | | ated with revenue codes other than 0100-0219, |
| Doginning Dogitic | revenue center 027X, 062X | | Calculated |
| Beginning Position: | 97 12 | Data Source: | Calculated Numeric |
| Length: Field 10: | DME_AMOUNT | Type: | INUMENT |
| riciu 10; | DME_AMOUNT | | |

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 34
DSHS Document # E25-14163
Last Updated: February, 2022

Description: Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219. revenue centers 0290-0292, 0294-0299. **Beginning Position:** 109 **Data Source:** Calculated Length: 12 Type: Numeric Field 11: USED DME AMOUNT **Description:** Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293. 121 **Beginning Position: Data Source:** Calculated Length: 12 Type: Numeric PT AMOUNT Field 12: **Description:** Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 042X. Calculated **Beginning Position:** 133 **Data Source:** Length: 12 Type: Numeric Field 13: OT AMOUNT **Description:** Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 043X. 145 Calculated **Beginning Position: Data Source:** Length: 12 Type: Numeric Field 14: SPEECH AMOUNT **Description:** Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 044X, 047X. **Beginning Position:** 157 **Data Source:** Calculated Length: 12 Type: Numeric Field 15: IT AMOUNT **Description:** Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 041X, 046X. **Beginning Position:** 169 **Data Source:** Calculated Length: 12 Type: Numeric Field 16: BLOOD AMOUNT **Description:** Ancillary Service Charge for blood provided during the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 038X. **Beginning Position:** Calculated 181 **Data Source:** Length: 12 Type: Numeric **Field 17: BLOOD ADMIN AMOUNT Description:** Ancillary Service Charge for blood storage and processing related to the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 039X. **Beginning Position:** 193 **Data Source:** Calculated Length: 12 Type: Numeric Field 18: OR AMOUNT **Description:** Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 35

DSHS Document # E25-14163

Last Updated: February, 2022

Data Source:

Type:

Calculated

Numeric

036X, 071X-072X.

LITH AMOUNT

205

12

Beginning Position:

Length:

Field 19:

| Description: | Ancillary Service Charge, Lithotr | ripsy Charge | e Amount. Calculated using MEDPAR algorithm. |
|--|--|--|--|
| | | | es other than 0100-0219, revenue center 079X. |
| Beginning Position: | | a Source: | Calculated |
| Length: | 12 Typ | | Numeric |
| Field 20: | CARD_AMOUNT | | |
| Description: | | logy Charge | e Amount. Calculated using MEDPAR algorithm. |
| Description: | | | es other than 0100-0219, revenue center 048X, |
| | 073X. | evenue coue | other than 0100 0217, revenue center 0 1011, |
| Beginning Position: | | a Source: | Calculated |
| Length: | 12 Typ | | Numeric |
| Field 21: | ANES_AMOUNT | , | rumene |
| Description: | | acia Charge | Amount. Calculated using MEDPAR algorithm. |
| Description. | | | es other than 0100-0219, revenue center 037X. |
| Beginning Position: | | a Source: | Calculated |
| | | | |
| Length: Field 22: | <u> </u> | je: | Numeric |
| | LAB_AMOUNT | CI. | A |
| Description: | | | e Amount. Calculated using MEDPAR algorithm. |
| | | evenue code | s other than 0100-0219, revenue center 030X- |
| D ' ' D '' | 031X, 074X-075X. | C | |
| Beginning Position: | | a Source: | Calculated |
| Length: | 12 Typ | e: | Numeric |
| Field 23: | RAD_AMOUNT | C! | A CALL AND AND AND A MARKET OF THE CALL AND |
| Description: | | | Amount. Calculated using MEDPAR algorithm. |
| | | evenue code | es other than 0100-0219, revenue center 028X, |
| | 032X-035X, 040X. | _ | |
| Beginning Position: | | a Source: | Calculated |
| Length: | 12 Typ | e: | Numeric |
| Field 24: | MRI_AMOUNT | | |
| Description: | Annillam Camina Chanca MDI C | 41 A | |
| Description. | | | unt. Calculated using MEDPAR algorithm. Sum of |
| - | charges associated with revenue c | codes other t | than 0100-0219, revenue center 061X. |
| Beginning Position: | charges associated with revenue c 277 Data | | than 0100-0219, revenue center 061X. Calculated |
| Beginning Position: Length: | charges associated with revenue control of the cont | codes other to a Source: | than 0100-0219, revenue center 061X. |
| Beginning Position: Length: Field 25: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT | codes other to a Source: | than 0100-0219, revenue center 061X. Calculated Numeric |
| Beginning Position: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output | codes other to a Source: De: cient Service | than 0100-0219, revenue center 061X. Calculated Numeric se Charge Amount. Calculated using MEDPAR |
| Beginning Position: Length: Field 25: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of 277 Data | codes other to a Source: De: cient Service | than 0100-0219, revenue center 061X. Calculated Numeric |
| Beginning Position: Length: Field 25: Description: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated of the charges associated of the charges associated with revenue of 277 and | codes other to a Source: De: de: de: de: de: de: de: d | than 0100-0219, revenue center 061X. Calculated Numeric es Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |
| Beginning Position: Length: Field 25: Description: Beginning Position: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of 277 Data 120 OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data | codes other to a Source: cient Service ated with re- a Source: | than 0100-0219, revenue center 061X. Calculated Numeric s Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of the control of the con | codes other to a Source: cient Service ated with re- a Source: | than 0100-0219, revenue center 061X. Calculated Numeric es Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of the control of the con | codes other to a Source: cient Service ated with re a Source: ce: | than 0100-0219, revenue center 061X. Calculated Numeric S Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of the control of the con | codes other to a Source: cient Service ated with re a Source: ee: ency Room | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emerge algorithm. Sum of charges associated associated to the service Charge, Emerge algorithm. Sum of charges associated with revenue of Charges associated to the service Charge, Emerge algorithm. Sum of charges associated with revenue of | codes other to a Source: cient Service ated with re a Source: ee: ency Room | than 0100-0219, revenue center 061X. Calculated Numeric S Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 049X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergical algorithm. Sum of charges associated 045X. | codes other to a Source: cient Service ated with re a Source: ency Room ated with re | than 0100-0219, revenue center 061X. Calculated Numeric S Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated odes of the service Charge of the service Charge of the service Charge of the service Charge, Emergence of the service Charge of the service Odes of the service Charge of the service Odes | codes other to a Source: cient Service ated with receivers a Source: ency Room ated with receivers a Source: | than 0100-0219, revenue center 061X. Calculated Numeric Scharge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated odes of the service of t | codes other to a Source: cient Service ated with receivers a Source: ency Room ated with receivers a Source: | than 0100-0219, revenue center 061X. Calculated Numeric S Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 049X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergalgorithm. Sum of charges associated 045X. 301 Data 12 Typ AMBULANCE_AMOUNT | codes other to a Source: de: dient Service ated with re a Source: de: de: de: de: de: de: de: | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 049X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergal algorithm. Sum of charges associated 045X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambula | codes other to a Source: cient Service ated with re a Source: ce: cecy Room ated with re a Source: cecy Room ated with re a Source: cecy Room ated with re a Source: cecy Room ated with re | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergalgorithm. Sum of charges associated 45X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with respect to the service of the service Charge, Ambul Sum of charges associated with respect to the service Charge, Ambul Sum of charges associated with respect to the service of the service Charge, Ambul Sum of charges associated with respect to the service of the service Charge, Ambul Sum of charges associated with respect to the service of th | codes other to a Source: cient Service ated with reasource: ency Room ated with reasource: a Source: a Source: a Source: a Source: a cource: | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. see other than 0100-0219, revenue center 054X. |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergoral algorithm. Sum of charges associated 45X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with results 313 Data 13 | codes other to a Source: cient Service ated with re a Source: ency Room ated with re a Source: ency Room ated with re a source: ency Room ated with re a Source: description of the source of the sou | than 0100-0219, revenue center 061X. Calculated Numeric S Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. ss other than 0100-0219, revenue center 054X. Calculated |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emerge algorithm. Sum of charges associated 45X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with results 313 Data 12 Typ | codes other to a Source: cient Service ated with re a Source: ency Room ated with re a Source: ency Room ated with re a source: ency Room ated with re a Source: description of the source of the sou | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. see other than 0100-0219, revenue center 054X. |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emerge algorithm. Sum of charges associated 45X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with results and the service of the servic | codes other to a Source: cient Service ated with research Room at Source: cient Service at Service at Source: cient Service at Servic | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 27: Length: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of 279 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emerge algorithm. Sum of charges associated with results 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with results 13 Data 12 Typ PRO_FEE_AMOUNT Ancillary Service Charge, Professorial Service Charge, Professorial Professorial Service Charge, Professorial Service Ch | codes other to a Source: cient Service ated with research Room at Source: cient Service ated with research Room at R | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated with revenue of 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergalgorithm. Sum of charges associated vithm. Sum of charges associated with results of the charges of the | codes other to a Source: cient Service ated with research Room at Source: cient Service ated with research Room at R | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated vithms. | codes other to a Source: cient Service ated with reservice a Source: ency Room ated with reservice a Source: lance Charge evenue code a Source: estimated with reservice a Source: | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric See Amount. Calculated using MEDPAR algorithm. Ses other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description: Beginning Position: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated 49X-050X. 289 Data 12 Typ ER_AMOUNT Ancillary Service Charge, Emergalgorithm. Sum of charges associated 45X. 301 Data 12 Typ AMBULANCE_AMOUNT Ancillary Service Charge, Ambul Sum of charges associated with real 313 Data 12 Typ PRO_FEE_AMOUNT Ancillary Service Charge, Profess algorithm. Sum of charges associated with real 12 Typ PRO_FEE_AMOUNT Ancillary Service Charge, Profess algorithm. Sum of charges associated 096X-098X. 325 Data 255 | codes other to a Source: cient Service ated with re a Source: ce: cency Room ated with re a Source: ce: cestance Charge evenue code a Source: cestance Charge evenue code a Source: cetated with re a Source: cetated with re a Source: | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric Amount. Calculated using MEDPAR algorithm. See other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated |
| Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description: | charges associated with revenue of 277 Data 12 Typ OP_AMOUNT Ancillary Service Charge, Output algorithm. Sum of charges associated vithms. | codes other to a Source: cient Service ated with re a Source: ce: cency Room ated with re a Source: ce: cestance Charge evenue code a Source: cestance Charge evenue code a Source: cetated with re a Source: cetated with re a Source: | than 0100-0219, revenue center 061X. Calculated Numeric See Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric See Amount. Calculated using MEDPAR algorithm. Ses other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center |

Page 36

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163 Last Updated: February, 2022

| Field 29: | ORGA | AN_AMOUNT | | |
|----------------------------|---------|---|------------|---|
| Description: | | ary Service Charge, Organ Acquisition | Charge . | Amount, Calculated using MEDPAR |
| 2 cscription. | | | | des other than 0100-0219, revenue center |
| | 081X, | | venue co | des outer than 0100 0219, 10 tende center |
| Beginning Position: | 337 | Data Source: | Calcula | ted |
| Length: | 12 | | Numeri | |
| Field 30: | | Type: | Numen | C |
| | | _AMOUNT |): «1: « C | Thomas Amount Colonlated using |
| Description: | | ary Service Charge, End Stage Renal I | | |
| | | AR algorithm. Sum of charges associa | ated with | revenue codes other than 0100-0219, |
| n | | e center 080X, 082X-085X, 088X | G 1 1 | . 1 |
| Beginning Position: | 349 | Data Source: | Calcula | |
| Length: | 12 | Type: | Numeri | c |
| Field 31: | | IC_AMOUNT | | |
| Description: | | | | t. Calculated using MEDPAR algorithm |
| | Sum of | f charges associated with revenue code | | |
| Beginning Position: | 361 | Data Source: | Calcula | ted |
| Length: | 12 | Type: | Numeri | c |
| Field 32: | OCCU | JR_CODE_1 | | |
| Description: | | lescribing a significant event relating t | o the clai | m. |
| Coding Scheme: | 1 | Auto accident | 40 | Scheduled date of admission |
| <u> </u> | | No Fault Insurance Involved - Including Auto | 41 | Date of first test of pre-admission testing |
| | | Accident/Other Accident/ Tort Liability | 42 | Date of discharge (hospice only) |
| | | Accident/ Employment Related | 43 | Scheduled date of canceled surgery |
| | | Other accident | 44 | Date treatment started - OT |
| | | Crime Victim | 45 | Date treatment started - ST |
| | | Start of Infertility Treatment Cycle | 46 | Date treatment started - Cardiac rehabilitation |
| | | Last Menstrual Period Onset of Symptoms/ Illness | 47 A1 | Date cost outlier status begins Birthdate - Insured A |
| | | Date of Onset for a Chronically Dependent | A1 A2 | Effective Date - Insured A Policy |
| | | Individual | | |
| | | Date of Last Therapy | A3 | Payer A benefits exhausted |
| | | Date Outpatient OT Plan Established or Last | A4 | Split Bill Date |
| | | Reviewed Date of Retirement - Patient/Beneficiary | В1 | Birthdate - Insured B |
| | | Date of Retirement - Patient Beneficiary Date of Retirement - Spouse | B2 | Effective date - Insured B Policy |
| | | Date Guarantee of Payment Began | B2 B3 | Payer B benefits exhausted |
| | | | C1 | · |
| | | Date UR Notice Received | | Birthdate - Insured C |
| | | Date Active Care Ended | C2 | Effective date - Insured C Policy |
| | | Date Insurance Denied | C3 | Payer C benefits exhausted |
| | | Date Benefits Terminated by Primary Payer | DR | Katrina disaster related |
| | | Date SNF Bed Became Available | E1 | Birthdate - Insured D |
| | | Date Home Health Plan Established or Last | E2 | Effective date - Insured D Policy |
| | | Reviewed Date Comprehensive Outpatient Rehabilitation | E3 | Payer D benefits exhausted |
| | | Plan Established or Last Reviewed | 23 | Tayor B bonorus extinuisted |
| | 29 | Date Outpatient PT Plan established or last | F1 | Birthdate - Insured E |
| | | reviewed | | F.C 1 |
| | | Date Outpatient ST Plan established or last | F2 | Effective date - Insured E Policy |
| | | reviewed Date beneficiary notified of intent to bill | F3 | Payer E benefits exhausted |
| | (| (accommodations) | 1.5 | - 5, 2 0010110 0111111000 |
| | | Date beneficiary notified of intent to bill | G1 | Birthdate - Insured F |
| | | (procedures or treatments) | | D00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| | | Date of inpatient hospital discharge for non- | G2 | Effective date - Insured F Policy |
| | | covered transplant patients Date treatment started for home IV therapy | G3 | Payer F benefits exhausted |
| | | Date discharged on a continuous course if IV | 0.5 | Layer I concint chimasted |
| | | therapy | | |
| Beginning Position: | 373 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphan | umeric |
| Field 33: | | JR_DAY_1 | - Ipnun | |
| ı idu əə. | 5000 | . X 2/11 _ 1 | | |
| DSHS/THCIC | | D 25 | | DSHS Document # E25-1416 |
| WWW.DSHS.TEXAS | S.GOV/T | Page 37 — | | Last Updated: February, 2022 |

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:375Data Source:CalculatedLength:4Type:Alphanumeric

Field 34: OCCUR_CODE_2

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position: 379 **Data Source:** Claim

Length: 2 Type: Alphanumeric

Field 35: OCCUR_DAY_2

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:381Data Source:CalculatedLength:4Type:Alphanumeric

Field 36: OCCUR_CODE_3

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position: 385 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 37: OCCUR_DAY_3

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position: 387 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 38: OCCUR CODE 4

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position: 391 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 39: OCCUR DAY 4

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:393Data Source:CalculatedLength:4Type:Alphanumeric

Field 40: OCCUR_CODE_5

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position: 397 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 41: OCCUR_DAY_5

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:399Data Source:CalculatedLength:4Type:Alphanumeric

Field 42: OCCUR_CODE_6

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position: 403 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 43: OCCUR_DAY_6

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:405Data Source:CalculatedLength:4Type:Alphanumeric

Field 44: OCCUR CODE 7

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position:409Data Source:ClaimLength:2Type:Alphanumeric

Field 45: OCCUR DAY 7

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 38

DSHS Document # E25-14163

Last Updated: February, 2022

| D ' ' D '' | 411 | D 4 G | G 1 1 . | . 1 |
|--------------------------------|--|----------------------|------------------|---|
| Beginning Position: | 411 | Data Source: | Calculat | |
| Length: Field 46: | 4 | Type: | Alphanı | imeric |
| | OCCUR_CODE_8 Code describing a significa | nt arrant malatina t | to the elei | |
| Description: Coding Scheme: | Same as Field OCCUR CO | | to the cian | ш. |
| Beginning Position: | 415 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphani | ımaria |
| Field 47: | OCCUR_DAY_8 | Type. | Aipiiaiii | mieric |
| Description: | Occurrence Day <i>equals</i> Occ | currence Date mii | nus Admis | ssion/Start of Care Date |
| Beginning Position: | 417 | Data Source: | Calculat | |
| Length: | 4 | Type: | Alphani | |
| Field 48: | OCCUR_CODE_9 | -JP-0 | 1 II piiuii | |
| Description: | Code describing a significa | nt event relating t | to the clain | m. |
| Coding Scheme: | Same as Field OCCUR_CC | | | |
| Beginning Position: | 421 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphanu | ımeric |
| Field 49: | OCCUR_DAY_9 | | - | |
| Description: | Occurrence Day equals Occ | currence Date min | nus Admis | ssion/Start of Care Date. |
| Beginning Position: | 423 | Data Source: | Calculat | |
| Length: | 4 | Type: | Alphanu | ımeric |
| Field 50: | OCCUR_CODE_10 | | | |
| Description: | Code describing a significa | nt event relating t | to the clain | m. |
| Coding Scheme: | Same as Field OCCUR_CC | DDE_1. | | |
| Beginning Position: | 427 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphanı | ımeric |
| Field 51: | OCCUR_DAY_10 | | | |
| Description: | Occurrence Day equals Occ | | | |
| Beginning Position: | 429 | Data Source: | Calculat | ted |
| Length: | 4 | Type: | Alphanı | umeric |
| Field 52: | OCCUR_CODE_11 | | | |
| Description: | Code describing a significa | | to the clan | m. |
| Coding Scheme: | Same as Field OCCUR_CC | | CI. : | |
| Beginning Position: | 433 | Data Source: | Claim Alphanu | , maria |
| Length: Field 53: | OCCUR_DAY_11 | Type: | Aipiiaiii | interic |
| Description: | Occurrence Day <i>equals</i> Occ | currence Date mis | auc Admis | esion/Start of Cara Data |
| Beginning Position: | 435 | Data Source: | Calculat | |
| Length: | 4 | Type: | Alphani | |
| Field 54: | OCCUR_CODE_12 | Type. | Tilphune | aniere |
| Description: | Code describing a significa | nt event relating t | to the clair | m. |
| Coding Scheme: | Same as Field OCCUR_CC | | | |
| Beginning Position: | 439 | Data Source: | Claim | |
| Length: | 2 | Type: | Alphanı | ımeric |
| Field 55: | OCCUR_DAY_12 | | | |
| Description: | Occurrence Day equals Occ | currence Date min | nus Admis | ssion/Start of Care Date. |
| Beginning Position: | 441 | Data Source: | Calculat | ted |
| Length: | 4 | Type: | Alphanu | umeric |
| Field 56: | OCCUR_SPAN_CODE_1 | 1 | | |
| Description: | Code describing a significa | nt event relating t | to the clain | m that may affect payer processing. |
| Coding Scheme: | 70 Qualifying stay dates (for | SNF use only) | 78 | SNF prior stay dates |
| | 71 Prior stay dates | | 80 | Prior Same SNF prior stay dates for Payment Ban Purposes |
| | 72 First/Last Visit | | 81 | Antepartum Days at Reduced Level of Care |
| | 73 Benefit eligibility period | | M0 | QIO/UR approved stay dates |
| | 74 Noncovered level of care/ | Leave of absence | M1 | Provider liability - no utilization |
| | 75 SNF level of care76 Patient Liability Period | | M2 M3 | Inpatient respite dates ICF level of care |
| | | | | |
| DSHS/THCIC | | — Page 39 — | | DSHS Document # E25-14163 |
| WWW DOUG TEVA | COV/TUCIC | | | Last Undated: Fahruary 2022 |

DSHS Document # E25-14163 Last Updated: February, 2022

WWW.DSHS.TEXAS.GOV/THCIC

| | 77 Provider Liability - Utilizat | | M4 Residential level of care |
|--|---|--|---|
| Beginning Position: | 445 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 57: | OCCUR_SPAN_FROM_1 | | |
| Description: | | | te of Event minus Admission/Start of Care Date. |
| Beginning Position: | 447 | Data Source: | Calculated |
| Length: | 6 | Type: | Alphanumeric |
| Field 58: | OCCUR_SPAN_THRU_1 | | |
| Description: | | | f Event minus Admission/Start of Care Date. |
| Beginning Position: | 453 | Data Source: | Calculated |
| Length: | 6 | Type: | Alphanumeric |
| Field 59: | OCCUR_SPAN_CODE_2 | | |
| Description: | | | o the claim that may affect payer processing. |
| Coding Scheme: | Same as Field OCCUR_SPA | | an . |
| Beginning Position: | 459 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 60: | OCCUR_SPAN_FROM_2 | | |
| Description: | | ls Beginning Da | te of Event <i>minus</i> Admission/Start of Care Date. |
| Beginning Position: | 461 | Data Source: | Calculated |
| Length: | 6 | Type: | Alphanumeric |
| Field 61: | OCCUR_SPAN_THRU_2 | | |
| Description: | | | f Event <i>minus</i> Admission/Start of Care Date. |
| Beginning Position: | 467 | Data Source: | Calculated |
| Length: | 6 | Type: | Alphanumeric |
| Field 62: | OCCUR_SPAN_CODE_3 | | |
| Description: | | | o the claim that may affect payer processing. |
| Coding Scheme: | Same as Field OCCUR_SPA | | an . |
| Beginning Position: | 473 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 63: Description: | OCCUR_SPAN_FROM_3 | I. Danimaina Da | to of Front minus Adminsion/Start of Com Date |
| Descrintion | | ic Reginning Lia | |
| | | | te of Event <i>minus</i> Admission/Start of Care Date. |
| Beginning Position: | 475 | Data Source: | Calculated |
| Beginning Position: Length: | 475 6 | | |
| Beginning Position: Length: Field 64: | 475 6 OCCUR_SPAN_THRU_3 | Data Source: Type: | Calculated Alphanumeric |
| Beginning Position: Length: Field 64: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal | Data Source: Type: s Ending Date o | Calculated Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. |
| Beginning Position: Length: Field 64: Description: Beginning Position: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 | Data Source: Type: s Ending Date o Data Source: | Calculated Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru <i>equal</i> 481 6 | Data Source: Type: s Ending Date o | Calculated Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 | Data Source: Type: s Ending Date o Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant | Data Source: Type: s Ending Date o Data Source: Type: t event relating t | Calculated Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 | Data Source: Type: (s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: Type: ls Beginning Da Data Source: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Length: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 | Data Source: Type: s Ending Date of Data Source: Type: t event relating to N_CODE_1. Data Source: Type: ls Beginning Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal | Data Source: Type: s Ending Date of Data Source: Type: t event relating to the N_CODE_1. Data Source: Type: s Beginning Data Source: Type: s Ending Date of Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Beginning Position: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 | Data Source: Type: s Ending Date o Data Source: Type: t event relating t N_CODE_1. Data Source: Type: ls Beginning Da Data Source: Type: s Ending Date o Data Source: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 | Data Source: Type: s Ending Date of Data Source: Type: t event relating to the N_CODE_1. Data Source: Type: s Beginning Data Source: Type: s Ending Date of Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Calculated |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Length: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to the Name of Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: | OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related | Data Source: Type: Is Ending Date of Data Source: Type: t event relating to N_CODE_1. Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment re | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to the Code of Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: Is elated | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: | OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment re 03 Patient covered by insurance | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to the Code of Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: Is elated | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: | 475 6 OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment re | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to the Code of Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: Is elated | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: Coding Scheme: | OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition of Military service related 02 Condition is employment re 03 Patient covered by insuranc 04 Information only bill. | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to N_CODE_1. Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding A4 Family planning |
| Beginning Position: Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: | OCCUR_SPAN_THRU_3 Occurrence Span Thru equal 481 6 OCCUR_SPAN_CODE_4 Code describing a significant Same as Field OCCUR_SPA 487 2 OCCUR_SPAN_FROM_4 Occurrence Span From equal 489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition of Military service related 02 Condition is employment re 03 Patient covered by insuranc 04 Information only bill. 05 Lien has been filed | Data Source: Type: Is Ending Date of Data Source: Type: It event relating to the Code of Data Source: Type: Is Beginning Data Source: Type: Is Ending Date of Data Source: Type: Is Ending Date of Data Source: Type: Is elated | Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding |

| 06 | ESRD patient in first 18 months of entitlement | | |
|--|---|--|--|
| | covered by EGHP | A5 | Disability |
| | Treatment of non-terminal condition for hospice | | |
| 07 | patient | A6 | Vaccines/Medicare 100% payment |
| 08 | Beneficiary would not provide information | A9 | Second opinion surgery |
| | concerning other insurance coverage | | |
| 09 | Neither patient or spouse is employed | AA | Abortion performed due to rape |
| 10 | Patient and/or spouse is employed but no EGHP exists | AB | Abortion performed due to incest |
| | Disabled beneficiary but no LGHP coverage | | Abortion performed due to serious fatal genetic |
| 11 | exists | AC | defect, deformity, or abnormality |
| 17 | Patient is homeless | AD | Abortion performed due to life endangering |
| 17 | 1 duent is nomeress | AD | physical condition |
| 18 | Maiden name retained | AE | Abortion performed due to physical health of |
| | | | mother that is not life endangering Abortion performed due to |
| 19 | Child retains mother's name | AF | emotional/psychological health of mother |
| 20 | D C : | 4.0 | Abortion performed due to social or economic |
| 20 | Beneficiary requested billing | AG | reasons |
| 21 | Billing for denial notice | AH | Elective abortion |
| 22 | Patient on multiple drug regimen | AI | Sterilization |
| 23 | Home care giver available | AJ | Payer responsible for co-payment |
| 24 25 | Home IV patient also receiving HHA services Patient is non-US resident | AK | Air ambulance required |
| 23 | VA eligible patient chooses to receive services in | | • |
| 26 | a Medicare certified facility | AL | Specialized treatment/bed unavailable |
| 27 | Patient referred to a sole community hospital for | 434 | Non-emergency medically necessary stretcher |
| 27 | a diagnostic laboratory test | AM | transport required |
| 28 | Patient and/or spouse's EGHP is secondary to | AN | Pre-admission screening not required |
| 20 | Medicare | 7111 | The damassion selecting not required |
| 29 | Disabled beneficiary and/or family member's LGHP is secondary to Medicare | B0 | Medicare coordinated care demonstration claim |
| | Non-research services provided to patients | | Beneficiary is ineligible for demonstration |
| 30 | enrolled in a qualified clinical trial | B1 | program |
| 31 | Patient is student (full time - day) | B4 | Admission unrelated to discharge on same day |
| 22 | Patient is student (cooperative/work study | DD | |
| 32 | program) | BP | Gulf Oil Spill of 2010 |
| 33 | Patient is student (full time - night) | C1 | Approved as billed |
| 34 | Patient is student (part-time) | C2 | Automatic approval as billed based on focused |
| 2.6 | • | GO. | review |
| 36 | General care patient in a special unit | C3 | Partial approval |
| 37 | Ward accommodation at patient request | | |
| | • • | C4 | Admission/services denied |
| 38 | Semi-private room not available | C4 C5 | Admission/services denied Postpayment review applicable |
| 38 39 | • • | | |
| | Semi-private room not available | C5 | Postpayment review applicable |
| 39 | Semi-private room not available Private room medically necessary | C5 C6 | Postpayment review applicable Admission Preauthorization |
| 39 40 41 | Semi-private room not available Private room medically necessary Same day transfer | C5 C6 C7 D0 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates |
| 39 40 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission | C5 C6 C7 | Postpayment review applicable Admission Preauthorization Extended Authorization |
| 39 40 41 42 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed | C5 C6 C7 D0 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges |
| 39 40 41 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission | C5 C6 C7 D0 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill |
| 39 40 41 42 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed | C5 C6 C7 D0 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis |
| 39 40 41 42 43 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient | C5 C6 C7 D0 D1 D3 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. |
| 39 40 41 42 43 44 45 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window | C5 C6 C7 D0 D1 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID |
| 39 40 41 42 43 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient | C5 C6 C7 D0 D1 D3 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG |
| 39 40 41 42 43 44 45 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file | C5 C6 C7 D0 D1 D3 D4 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID |
| 39 40 41 42 43 44 45 46 47 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category | C5 C6 C7 D0 D1 D3 D4 D5 D6 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer |
| 39 40 41 42 43 44 45 46 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency | C5 C6 C7 D0 D1 D3 D4 D5 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment |
| 39 40 41 42 43 44 45 46 47 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for | C5 C6 C7 D0 D1 D3 D4 D5 D6 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer |
| 39 40 41 42 43 44 45 46 47 48 49 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 D8 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer Any Other Change |
| 39 40 41 42 43 44 45 46 47 48 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) Product replacement within product lifecycle Product Replacement for Known Recall of a Product | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer |
| 39 40 41 42 43 44 45 46 47 48 49 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) Product replacement within product lifecycle Product Replacement for Known Recall of a Product Attestation of Unrelated Outpatient | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 D8 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer Any Other Change |
| 39 40 41 42 43 44 45 46 47 48 49 50 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) Product replacement within product lifecycle Product Replacement for Known Recall of a Product Attestation of Unrelated Outpatient Nondiagnostic Services | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 D8 D9 DR | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer Any Other Change Disaster related Changes in Patient Status |
| 39 40 41 42 43 44 45 46 47 48 49 50 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) Product replacement within product lifecycle Product Replacement for Known Recall of a Product Attestation of Unrelated Outpatient Nondiagnostic Services Out of Hospice Service Area | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 D8 D9 | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer Any Other Change Disaster related |
| 39 40 41 42 43 44 45 46 47 48 49 50 | Semi-private room not available Private room medically necessary Same day transfer Partial hospitalization Continuing care not related to inpatient admission Continuing care not provided within prescribed postdischarge window Inpatient admission changed to outpatient Ambiguous Gender Category Non-availability statement on file Transfer from another Home Health Agency Psychiatric residential treatment centers for children and adolescents (RTCs) Product replacement within product lifecycle Product Replacement for Known Recall of a Product Attestation of Unrelated Outpatient Nondiagnostic Services | C5 C6 C7 D0 D1 D3 D4 D5 D6 D7 D8 D9 DR | Postpayment review applicable Admission Preauthorization Extended Authorization Changes to Service Dates Changes to Charges Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis and/or procedure codes. Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG Overpayment Change to Make Medicare the Secondary Payer Change to Make Medicare the Primary Payer Any Other Change Disaster related Changes in Patient Status |

| | 54 | No Skilled Home Health V Policy Exception Documen | | H2 | Discharge by a Hospice Provider for Cause |
|---|---|--|---|---|--|
| | | Health Agency | | 112 | D COLDI IC 111C |
| | 55 | SNF bed not available | | H3 | Reoccurrence of GI Bleed Comorbid Category |
| | 56 | Medical appropriateness | | H4 | Reoccurrence of Pneumonia Comorbid Category |
| | 57 | SNF readmission Terminated Medicare+Cho | ice organization | H5 | Reoccurrence of Pericarditis Comorbid Category |
| | 58 | enrollee | | P1 | Do not Resuscitate Order (DNR) |
| | 59 | Non-primary ESRD facility | 7 | P7 | Direct Inpatient Admission from Emergency Room Request for reopening Reason Code - |
| | 60 | Day outlier | | R1 | Mathematical or Computational Mistake Request for reopening Reason Code -Inaccurate |
| | 61 | Cost outlier | | R2 | Data Entry |
| | 66 | Provider does not wish cos | | R3 | Request for reopening Reason Code - Misapplication of a Fee Schedule |
| | 67 | Beneficiary elects not to us (LTR) days | e life time reserve | R4 | Request for reopening Reason Code - Computer Errors |
| | 68 | Beneficiary elects to use lift days | e time reserve (LTR) | R5 | Request for reopening Reason Code - Incorrectly Identified Duplicate Claim |
| | 69 | IME/DGME/N&AH Paym | ent Only | R6 | Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above |
| | 70 | Self-administered anemia r | nanagement drug | R7 | Request for reopening Reason Code - Corrections other than clerical errors |
| | 71 | Full care in unit | | R8 | Request for reopening Reason Code - New and Material Evidence |
| | 72 | Self care in unit | | R9 | Request for reopening Reason Code - Faulty Evidence |
| | 73 | Self care training | | WO | United Mine Workers of America (UMWA) Demonstration Indicator |
| | 74 | Home | | W2 | Duplicate of Original Bill |
| | 75 | Home - 100% reimburseme | ent | W3 | Level I Appeal |
| | 76 | Back-up in facility dialysis | | W4 | Level II Appeal |
| | 77 | Provider accepts or is oblig contractual arrangement or payment by a primary payer | law to accept r as payment | W5 | Level III Appeal |
| | 78 | New coverage not impleme | • | | |
| | 79 | CORF services provided of | | | |
| | 80 | Home dialysis - nursing fac C-section/Inductions <39 v | | | |
| | 81 82 | Necessity C-section/Inductions <39 v | | | |
| | 83 | C-section/Inductions 39 we | | | |
| | 84 | Dialysis for Acute Kidney | • | | |
| | 85 | Delayed Recertification of Illness | | | |
| | 86 | Additional Hemodialysis T Justification | reatment with Medica | 1 | |
| Beginning Position: | 501 | | | Claim | |
| Length: | 2 | DITTON CORE * | Type: | Alphanuı | meric |
| Field 69: | | DITION_CODE_2 | | | |
| Description: | | 1 11 1 11 11 11 11 11 11 11 11 11 11 11 | 1 4 4 4 1 | | |
| Coding Scheme: | Code | describing a condition | | im. | |
| Beginning Position: Length: | Code Same | describing a condition as Field CONDITION | _CODE_1. | | |
| Lengui. | Code Same 503 | | _CODE_1. Data Source: | Claim | maria |
| | Code Same 503 2 | as Field CONDITION | _CODE_1. | | meric |
| Field 70: | Code Same 503 2 | as Field CONDITION DITION_CODE_3 | _CODE_1. Data Source: Type: | Claim Alphanui | meric |
| Field 70: Description: | Code Same 503 2 CON Code | as Field CONDITION DITION_CODE_3 describing a condition | _CODE_1. Data Source: Type: relating to the cla | Claim Alphanui | meric |
| Field 70: Description: Coding Scheme: | Code Same 503 2 CON Code Same | as Field CONDITION DITION_CODE_3 | _CODE_1. Data Source: Type: relating to the cla _CODE_1. | Claim Alphanui | meric |
| Field 70: Description: Coding Scheme: Beginning Position: | Code Same 503 2 CON Code Same 505 | as Field CONDITION DITION_CODE_3 describing a condition | _CODE_1. Data Source: Type: relating to the cla _CODE_1. Data Source: | Claim <u>Alphanui</u> im. Claim | |
| Field 70: Description: Coding Scheme: Beginning Position: Length: | Code Same 503 2 CON Code Same 505 2 | as Field CONDITION DITION_CODE_3 describing a condition as Field CONDITION | _CODE_1. Data Source: Type: relating to the cla _CODE_1. | Claim Alphanui | |
| Field 70: Description: Coding Scheme: Beginning Position: | Code Same 503 2 CON Code Same 505 2 CON | as Field CONDITION DITION_CODE_3 describing a condition | _CODE_1. Data Source: Type: relating to the cla _CODE_1. Data Source: Type: | Claim Alphanui im. Claim Alphanui | |

WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163
Last Updated: February, 2022

| Coding Scheme: | Same | e as Field CONDITION | CODE 1. | | |
|----------------------------|----------|---|-----------------------|-----------|---|
| Beginning Position: | 507 | | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | imeric |
| Field 72: | CON | DITION_CODE_5 | | • | |
| Description: | Code | describing a condition | relating to the cla | aim. | |
| Coding Scheme: | Same | e as Field CONDITION | I_CODE_1. | | |
| Beginning Position: | 509 | | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | ımeric |
| Field 73: | | DITION_CODE_6 | | | |
| Description: | | describing a condition | | aim. | |
| Coding Scheme: | | e as Field CONDITION | _ | | |
| Beginning Position: | 511 | | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | ımeric |
| Field 74: | | DITION_CODE_7 | | | |
| Description: | | describing a condition | | aim. | |
| Coding Scheme: | | e as Field CONDITION | _ | | |
| Beginning Position: | 513 | | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | ımeric |
| Field 75: | | DITION_CODE_8 | | | |
| Description: | | describing a condition | | aim. | |
| Coding Scheme: | | e as Field CONDITION | | ~ | |
| Beginning Position: | 515 | | Data Source: | Claim | |
| Length: | 2 | TIE CODE 1 | Type: | Alphanu | imeric |
| Field 76: | | UE_CODE_1 | .1 | | |
| Description: | | describing information | | | |
| Coding Scheme: | 01 02 | Most common semi-privat Hospital has no semi-priva | | 58 59 | Arterial blood gas Oxygen saturation |
| | 04 | Inpatient professional com | | | HHA branch MSA |
| | | are combined billed | | | |
| | 05 | Professional component in also billed separately to car | | 61 | Place of Residence where service is furnished (HHA and hospice) |
| | 06 | Blood deductible | 11161 | 66 | Medicaid spend down amount |
| | 08 | Life time reserve amount is | n the first calendar | 67 | Peritoneal dialysis |
| | 00 | year | C . 1 1 | 60 | EDO 1 |
| | 09 10 | Coinsurance amount in the Lifetime reserve amount in | • | 68 69 | EPO-drug State charity care percentage |
| | 10 | year | the second carendar | 0) | State charity care percentage |
| | 11 | Coinsurance amount in the | | | Covered Days |
| | 12 | Working aged beneficiary/ group health plan | spouse with employer | r 81 | Non-covered Days |
| | 13 | ESRD beneficiary in a Me | dicare coordination | 82 | Co-insurance Days |
| | | period with an employer gr | roup health plan | | · |
| | 14 | No fault, including auto/of | her | 83 | Lifetime Reserve Days |
| | 15 | Worker's compensation | | 84 | Shorter Duration Hemodialysis |
| | 16 | Public health service (PHS | s) or other federal | A0 | Special zip code reporting |
| | 21 | agency Catastrophic | | A1 | Deductible payer A |
| | 22 | Surplus | | A2 | Coinsurance payer A |
| | 23 | Recurring monthly income | ; | A3 | Estimated responsibility payer A |
| | 24 | Medicaid Rate Code | | A4 | Covered self-administrable drugs - emergency |
| | 25 | Offset to the patient - payn | nent amount - | A5 | Covered self-administrable drugs - administrable |
| | | prescription drugs | | | in form and situation furnished to patient |
| | 26 | Offset to the patient - payn | nent amount - hearing | A6 | Covered self-administrable drugs - diagnostic |
| | 27 | and ear services Offset to the patient - payn | nent amount - vision | A7 | study and other Co-payment payer A |
| | | and eye services | 4 | -1, | L-1 ka) er |
| | 28 | Offset to the patient - payn | nent amount - dental | A8 | Patient weight |
| | 29 | services Offset to the patient - payn | nent amount - | A9 | Patient height |
| | 2) | chiropractic services | nent amount - | AJ | i attore noight |
| | 30 | Preadmission testing | | AA | Regulatory surcharges, assessments, allowances |
| | | | | | or health care related taxes - payer A |

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 43
DSHS Document # E25-14163
Last Updated: February, 2022

| | 31 | Patient Liability Amount | | AB | Other assessments or allowances (e.g., medical |
|--------------------------------|----------|---|---|------------------|---|
| | 32 | Multiple patient ambulance | re transport | В1 | education) - payer A Deductible payer B |
| | 33 | Offset to the patient - payr | • | | Coinsurance payer B |
| | 34 | services Offset to the patient - payr | | В3 | Estimated responsibility payer B |
| | 35 | medical services Offset to the patient - pays | ment amount - health | В7 | Co-payment payer B |
| | 37 | insurance premiums Units of blood furnished | | BA | Regulatory surcharges, assessments, allowances |
| | 38 | Blood deductible units | | BB | or health care related taxes - payer B Other assessments or allowances (e.g., medical |
| | 39 | Units of blood replaced | | C1 | education) - payer B Deductible payer C |
| | 40 | New coverage not implem | nented by HMO | C2 | Coinsurance payer C |
| | 41 | Black lung | | C3 | Estimated responsibility payer C |
| | 42 | VA | | C7 | Co-payment payer C |
| | 43 | Disabled beneficiary unde | er age 65 with LGHP | CA | Regulatory surcharges, assessments, allowances or health care related taxes - payer C |
| | 44 | Amount provider agreed to payer when this amount is higher than payment recei | less than charges but | СВ | Other assessments or allowances (e.g., medical education) - payer C |
| | 45 | Accident hour | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | D3 | Patient estimated responsibility |
| | 46 | Number of grace days | | D4 | Clinical Trial Number Assigned by NLM/NIH |
| | 47 | Any liability insurance | | D5 | Last Kt/V Reading |
| | 48 | Hemoglobin reading | | FC | Patient Paid Amount |
| | 49 | Hematocrit reading | | FD | Credit Received from the Manufacturer for a Medical Device |
| | 50 | Physical Therapy visits | | G8 | Facility where Inpatient Hospice Service is Delivered |
| | 51 | Occupational Therapy visi | its | Y1 | Part A Demonstration Payment |
| | 52 | Speech Therapy visits | | Y2 | Part B Demonstration Payment |
| | 53 | Cardiac rehab visits | | Y3 | Part B Coinsurance |
| | 54 | Newborn birth weight in g | grams | Y4 | Conventional Provider Payment |
| | 55 | Eligibility threshold for ch | narity care | Y5 | Part B Deductible |
| | 56 | Skilled nurse - home visit | | | |
| | 57 | Home health aide - home | | | |
| Beginning Position: Length: | 517 2 | | Data Source: Type: | Claim Alphanu | ımeric |
| Field 77: | | UE_AMOUNT_1 | | | |
| Description: | | r amount that may be | affected. | | |
| Beginning Position: | 519 | • | Data Source: | Claim | |
| Length: | 9 | | Type: | Alphanu | imeric |
| Field 78: | VAL | UE_CODE_2 | | | |
| Description: | Code | describing information | n that may affect p | oayer pro | cessing. |
| Coding Scheme: | Same | as Field Value_CODI | E_1. | | - |
| Beginning Position: | 528 | | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | ımeric |
| Field 79: | VAL | UE_AMOUNT_2 | | | |
| Description: | Dolla | r amount that may be | affected. | | |
| Beginning Position: | 530 | | Data Source: | Claim | |
| Length: | 9 | | Type: | Alphanu | ımeric |
| Field 80: | VAT | UE_CODE_3 | | | |
| Description: | | describing information | n that may affect r | naver nro | cessing |
| Coding Scheme: | | as Field Value_CODI | | ajei pio | cossing. |
| Beginning Position: | 539 | as Ficial value_CODI | Data Source: | Claim | |
| Length: | 2 | | Type: | Alphanu | imeric |
| Field 81: | | UE_AMOUNT_3 | Type. | тірпапі | micro |
| Description: | | ar amount that may be | affected | | |
| - | שווטע | a amount mat may be | arrotta. | | |
| DSHS/THCIC | | | — Page 44 — | | DSHS Document # E25-14163 |
| WWW.DSHS.TEXAS | S.GOV | THCIC | 1 agt 77 | | Last Updated: February, 2022 |

Beginning Position: 541 **Data Source:** Claim Length: 9 Type: Alphanumeric **Field 82:** VALUE CODE 4 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position:** 550 **Data Source:** Claim Length: Alphanumeric Type: Field 83: VALUE_AMOUNT_4 **Description:** Dollar amount that may be affected. **Beginning Position:** Data Source: 552 Claim Length: 9 Type: Alphanumeric VALUE CODE 5 Field 84: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 561 **Data Source:** Claim Length: Type: Alphanumeric Field 85: VALUE AMOUNT 5 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 563 Claim Length: Type: Alphanumeric **Field 86:** VALUE CODE 6 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 572 **Data Source:** Claim Length: Type: Alphanumeric **Field 87:** VALUE AMOUNT 6 Dollar amount that may be affected. **Description: Beginning Position:** 574 **Data Source:** Claim Length: Type: Alphanumeric Field 88: VALUE CODE 7 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 583 **Data Source:** Claim Length: Type: Alphanumeric Field 89: VALUE AMOUNT 7 **Description:** Dollar amount that may be affected. **Beginning Position:** 585 **Data Source:** Claim Length: Type: Alphanumeric Field 90: VALUE CODE 8 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Data Source: Beginning Position:** 594 Claim Length: Type: Alphanumeric Field 91: VALUE_AMOUNT_8 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 596 Claim Length: 9 Type: Alphanumeric Field 92: VALUE CODE 9 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position:** 605 **Data Source:** Claim Length: Alphanumeric Type: Field 93: VALUE AMOUNT 9 **Description:** Dollar amount that may be affected.

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC Page 45 DSHS Document # E25-14163

Last Updated: February, 2022

Beginning Position: 607 **Data Source:** Claim Length: 9 Type: Alphanumeric Field 94: VALUE CODE 10 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position: Data Source:** 616 Claim Length: Alphanumeric Type: Field 95: VALUE_AMOUNT_10 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 618 Claim Length: 9 Type: Alphanumeric VALUE CODE 11 Field 96: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 627 **Data Source:** Claim Length: 2 Type: Alphanumeric **Field 97:** VALUE_AMOUNT_11 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 629 Claim Length: Type: Alphanumeric Field 98: VALUE_CODE_12 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 638 **Data Source:** Claim Length: Type: Alphanumeric Field 99: VALUE_AMOUNT_12 Dollar amount that may be affected. **Description: Beginning Position: Data Source:** 640 Claim Length: 9 Type: Alphanumeric

CHARGES DATA FILE

| | 22.00 | | | |
|----------------------------|--------------|---|--------------|--|
| Field 1: | | ORD_ID | | |
| Description: | | d Identification Number. Unique number arter 2002. Does NOT match the RECOF | | |
| Beginning Position: | 1 | Data Source: | Assign | · · · · · · · · · · · · · · · · · · · |
| Length: | 12 | Type: | Alphan | |
| | | 7.1 | Aipiiaii | umerie |
| Field 2: | | ENUE_CODE | 1 | 211 2 1212 1 1 2 |
| Description: | | corresponding to each specific accommo | dation, a | ncillary service or billing calculation |
| Coding Scheme: | oloo | I to the services being billed. All-inclusive room charges plus ancillary | 0527 | Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health |
| | 0101 | All-inclusive room charges | 0528 | Shortage Area Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident) |
| | 0110 | Room charges for private rooms - general | 0529 | Freestanding Clinic - other |
| | 0111 | Room charges for private rooms - medical/surgical/GYN | 0530 | Osteopathic service - general |
| | 0112 | Room charges for private rooms - obstetrics | 0531 | Osteopathic service - therapy |
| | 0113 | Room charges for private rooms - pediatric | 0539 | Osteopathic service - other |
| | 0114 | Room charges for private rooms - psychiatric | 0540 | Ambulance service - general |
| | 0115 | Room charges for private rooms - hospice | 0541 | Ambulance service - supplies |
| | 0116 0117 | Room charges for private rooms - detoxification | 0542 | Ambulance service - medical transport |
| | 0117 | Room charges for private rooms - oncology Room charges for private rooms - rehabilitation | 0543 0544 | Ambulance service - heart mobile Ambulance service - oxygen |
| | 0119 | Room charges for private rooms - rehabilitation | 0545 | Ambulance service - air ambulance |
| | 0110 | Room charges for semi-private rooms - general | 0546 | Ambulance service - neonatal |
| | 0121 | Room charges for semi-private rooms - | 0547 | Ambulance service - pharmacy |
| | 0122 | medical/surgical/GYN Room charges for semi-private rooms - | 0548 | Ambulance service - telephone transmission |
| | | obstetrics | | EKG |
| | 0123 | Room charges for semi-private rooms - pediatric | 0549 | Ambulance service - other |
| | 0124 | Room charges for semi-private rooms - psychiatric | 0550 | Skilled nursing - general |
| | 0125 | Room charges for semi-private rooms - hospice | 0551 | Skilled nursing - visit charge |
| | 0126 | Room charges for semi-private rooms - detoxification | 0552 | Skilled nursing - hourly charge |
| | 0127 | Room charges for semi-private rooms - oncology | 0559 | Skilled nursing - other |
| | 0128 | Room charges for semi-private rooms - rehabilitation | 0560 | Medical social services - general |
| | 0129 | Room charges for semi-private rooms - other | 0561 | Medical social services - visit charge |
| | 0130 | Room charges for semi-private - 3/4 beds - rooms - general | 0562 | Medical social services - hourly charge |
| | 0131 | Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN | 0569 | Medical social services - other |
| | 0132 0133 | Room charges for semi-private - 3/4 beds - rooms - obstetrics Room charges for semi-private - 3/4 beds - | 0570 | Home health aide - general |
| | 0134 | rooms - pediatric Room charges for semi-private - 3/4 beds - | 0571 0572 | Home health aide - visit charge Home health aide - hourly charge |
| | 0135 | rooms - psychiatric Room charges for semi-private - 3/4 beds - | 0572 | Home health aide - other |
| | 0136 | rooms - hospice Room charges for semi-private - 3/4 beds - | 0580 | Other visits (home health) - general |
| | 0137 | rooms - detoxification Room charges for semi-private - 3/4 beds - | 0581 | Other visits (home health) - visit charge |
| | 0138 | rooms - oncology Room charges for semi-private - 3/4 beds - | 0582 | Other visits (home health) - hourly charge |
| | 0139 | rooms - rehabilitation Room charges for semi-private - 3/4 beds - | 0583 | Other visits (home health) - assessment |
| | 0140 | rooms - other Room charges for private (deluxe) rooms - general | 0589 | Other visits (home health) - other |

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: February, 2022

| 0141 | Room charges for private (deluxe) rooms - medical/surgical/GYN | 0590 | Units of service (home health) - general |
|------|---|------|---|
| 0142 | Room charges for private (deluxe) rooms - obstetrics | 0600 | Oxygen (home health) - general |
| 0143 | Room charges for private (deluxe) rooms - pediatric | 0601 | Oxygen (home health) - stat/equip/supply or contents |
| 0144 | Room charges for private (deluxe) rooms - | 0602 | Oxygen (home health) - stat/equip/supply under |
| 0145 | psychiatric Room charges for private (deluxe) rooms - | 0603 | 1 liter per minute Oxygen (home health) - stat/equip/supply over 4 |
| 0146 | hospice Room charges for private (deluxe) rooms - detoxification | 0604 | liters per minute Oxygen (home health) - portable add-in |
| 0147 | Room charges for private (deluxe) rooms - | 0609 | Oxygen (home health) - other |
| 0148 | oncology Room charges for private (deluxe) rooms - rehabilitation | 0610 | Magnetic Resonance Technology (MRT) - MRI - general |
| 0149 | Room charges for private (deluxe) rooms - other | 0611 | Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem) |
| 0150 | Room charges for ward rooms - general | 0612 | Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine) |
| 0151 | Room charges for ward rooms - medical/surgical/GYN | 0614 | Magnetic Resonance Technology (MRT) - MRI - other |
| 0152 | Room charges for ward rooms - obstetrics | 0615 | Magnetic Resonance Technology (MRT) - MRA – head and neck |
| 0153 | Room charges for ward rooms - pediatric | 0616 | Magnetic Resonance Technology (MRT) - MRA – lower extremities |
| 0154 | Room charges for ward rooms - psychiatric | 0618 | Magnetic Resonance Technology (MRT) - MRA – other |
| 0155 | Room charges for ward rooms - hospice | 0619 | Magnetic Resonance Technology (MRT) - Other MRT |
| 0156 | Room charges for ward rooms - detoxification | 0621 | Medical/surgical supplies - incident to radiology |
| 0157 | Room charges for ward rooms - oncology | 0622 | Medical/surgical supplies - incident to other diagnostic services |
| | | 0623 | Medical/surgical supplies - surgical dressings |
| 0158 | Room charges for ward rooms - rehabilitation | 0624 | Medical/surgical supplies - FDA investigational devices |
| 0159 | Room charges for ward rooms - other | 0631 | Drugs requiring specific identification - single source |
| 0160 | Room charges for other rooms - general | 0632 | Drugs requiring specific identification - multiple source |
| 0164 | Room charges for other rooms – Sterile Environment | 0633 | Drugs requiring specific identification - restrictive prescription |
| 0167 | Room charges for other rooms – self care | 0634 | Drugs requiring specific identification - EPO, less than 10,000 units |
| 0169 | Room charges for other rooms - other | 0635 | Drugs requiring specific identification - EPO, 10,000 or more units |
| 0170 | Room charges for nursery - general | 0636 | Drugs requiring specific identification - requiring detailed coding |
| 0171 | Room charges for nursery - newborn level I | 0637 | Drugs requiring specific identification - self- administrable |
| 0172 | Room charges for nursery - newborn level II | 0640 | Home IV therapy services - general |
| 0173 | Room charges for nursery - newborn level III | 0641 | Home IV therapy services - nonroutine nursing, central line |
| 0174 | Room charges for nursery - newborn level IV | 0642 | Home IV therapy services - IV site care, central line |
| 0179 | Room charges for nursery - other | 0643 | Home IV therapy services - IV start/change, peripheral line |
| 0180 | Room charges for LOA - general | 0644 | Home IV therapy services - nonroutine nursing, peripheral line |
| 0182 | Room charges for LOA - patient convenience- charges billable | 0645 | Home IV therapy services - training patient/caregiver, central line |
| 0183 | Room charges for LOA - therapeutic leave | 0646 | Home IV therapy services - training, disabled patient, central line |
| 0185 | Room charges for LOA – nursing home (for hospitalization) | 0647 | Home IV therapy services - training, patient/caregiver, peripheral |
| 0189 | Room charges for LOA - other | 0648 | Home IV therapy services - training, disabled patient, peripheral |
| 0190 | Room charges for subacute care - general | 0649 | Home IV therapy services - other |

DSHS Document # E25-14163

| 0191 | Room charges for subacute care - Level I (skilled care) | 0650 | Hospice services - general |
|--------------|---|--------------|--|
| 0192 | Room charges for subacute care - Level II | 0651 | Hospice services - routine home care |
| 0193 | (comprehensive care) Room charges for subacute care - Level III | 0652 | Hospice services - continuous home care |
| 0194 | (complex care) Room charges for subacute care - Level IV | 0655 | Hospice services - inpatient respite care |
| 0199 | (intensive care) Room charges for subacute care - other | 0656 | Hospice services - general inpatient care (nonrespite) |
| 0200 | Room charges for intensive care - general | 0657 | Hospice services - physician services |
| 0201 | Room charges for intensive care - surgical | 0658 | Hospice services - room and board - nursing facility |
| 0202 | Room charges for intensive care - medical | 0659 | Hospice services - other |
| 0203 | Room charges for intensive care - pediatric | 0660 | Respite care - general |
| 0204 | Room charges for intensive care - psychiatric | 0661 | Respite care - hourly charge/skilled nursing |
| 0206 | Room charges for intensive care - intermediate intensive care unit (ICU) | 0662 | Respite care - hourly charge/aide/homemaker/companion |
| 0207 | Room charges for intensive care - burn care | 0663 | Respite care - daily charge |
| 0208 | Room charges for intensive care - trauma | 0669 | Respite care - other |
| 0209 | Room charges for intensive care - other | 0670 | Outpatient special residence - general |
| 0210 | Room charges for coronary care - general | 0671 | Outpatient special residence - hospital based |
| 0211 | Room charges for coronary care - myocardial infarction | 0672 | Outpatient special residence - contracted |
| 0212 | Room charges for coronary care - pulmonary care | 0679 | Outpatient special residence - other |
| 0213 0214 | Room charges for coronary care - heart transplant Room charges for coronary care - intermediate | 0681 0682 | Trauma response - level I Trauma response - level II |
| 0214 | coronary care unit (CCU) | | • |
| | Room charges for coronary care - other | 0683 | Trauma response - level III |
| 0220 | Special charges - general | 0684 | Trauma response - level IV |
| 0221 0222 | Special charges - admission charge Special charges - technical support charge | 0689 0690 | Trauma response - other |
| 0222 | Special charges - technical support charge Special charges - UR service charge | 0691 | Pre-hospice/Palliative Care Services - general Pre-hospice/Palliative Care Services – visit |
| | | | charge |
| 0224 | Special charges - late discharge, medically necessary | 0692 | Pre-hospice/Palliative Care Services – hourly charge |
| 0229 | Special charges - other | 0693 | Pre-hospice/Palliative Care Services - evaluation |
| 0230 | Incremental nursing care - general | 0694 | Pre-hospice/Palliative Care Services – consultation and education |
| 0231 | Incremental nursing care - nursery | 0695 | Pre-hospice/Palliative Care Services – inpatient care |
| 0232 | Incremental nursing care - OB | 0696 | Pre-hospice/Palliative Care Services – physician services |
| 0233 | Incremental nursing care - ICU (includes transitional care) | 0699 | Pre-hospice/Palliative Care Services - other |
| 0234 | Incremental nursing care - CCU (includes transitional care) | 0700 | Cast Room services - general |
| 0235 | Incremental nursing care - hospice | 0710 | Recovery Room services - general |
| 0239 | Incremental nursing care - other | 0720 | Labor/Delivery Room services - general |
| 0240 | All-inclusive ancillary - general | 0721 | Labor/Delivery Room services - labor |
| 0241 | All-inclusive ancillary - basic | 0722 | Labor/Delivery Room services - delivery |
| 0242 | All-inclusive ancillary - comprehensive | 0723 | Labor/Delivery Room services - circumcision |
| 0243 | All-inclusive ancillary - specialty | 0724 | Labor/Delivery Room services - birthing center |
| 0249 | All-inclusive ancillary - other | 0729 | Labor/Delivery Room services - other |
| 0250 | Pharmacy - general | 0730 | EKG/ECG services - general |
| 0251 | Pharmacy - generic drugs | 0731 | EKG/ECG services - holter monitor |
| 0252 | Pharmacy - nongeneric drugs | 0732 | EKG/ECG services - telemetry |
| 0253 | Pharmacy - take-home drugs | 0739 | EKG/ECG services - other |
| 0254 | Pharmacy - drugs incident to other diagnostic services | 0740 | EEG services - general |
| 0255 | Pharmacy - drugs incident to radiology | 0750 | Gastrointestinal services - general |

| 0256 | Pharmacy - experimental drugs | 0760 | Treatment or observation room services - general |
|----------|---|------|--|
| 0257 | Pharmacy - nonprescription | 0761 | Specialty Room - Treatment/ Observation Room - Treatment Room |
| 0258 | Pharmacy - IV solutions | 0762 | Specialty Room - Treatment/ Observation Room - Observation Room |
| 0259 | Pharmacy - other | 0769 | Treatment or observation room services - other |
| 0260 | IV Therapy - general | 0770 | Preventive care services - general |
| 0261 | IV Therapy - infusion pump | 0771 | Preventive care services - vaccine administration |
| 0262 | IV Therapy - pharmacy services | 0780 | Telemedicine services - general |
| 0263 | IV Therapy - drug/supply delivery | 0790 | Extra-corporeal shockwave therapy - general |
| 0264 | IV Therapy - supplies | 0800 | Inpatient renal dialysis services - general |
| 0269 | IV Therapy - other | 0801 | Inpatient renal dialysis services - hemodialysis |
| 0270 | Medical surgical supplies and devices - general | 0802 | Inpatient renal dialysis services - peritoneal (non-CAPD) |
| 0271 | Medical surgical supplies and devices - nonsterile | 0803 | Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD) |
| 0272 | Medical surgical supplies and devices - sterile | 0804 | Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD) |
| 0273 | Medical surgical supplies and devices - take- home | 0809 | Inpatient renal dialysis services - other |
| 0274 | Medical surgical supplies and devices - prosthetic/orthotic | 0810 | Acquisition of body components- general |
| 0275 | Medical surgical supplies and devices - pacemaker | 0811 | Acquisition of body components - living donor |
| 0276 | Medical surgical supplies and devices - intraocular lens (IOL) | 0812 | Acquisition of body components - cadaver donor |
| 0277 | Medical surgical supplies and devices - oxygen - take-home | 0813 | Acquisition of body components - unknown donor |
| 0278 | Medical surgical supplies and devices - other implants | 0814 | Acquisition of body components - unsuccessful organ search-donor bank charges |
| 0279 | Medical surgical supplies and devices - other | 0815 | Acquisition of body components – stem cells- allogeneic |
| 0280 | Oncology - general | 0819 | Acquisition of body components - other donor |
| 0289 | Oncology - other | 0820 | Hemodialysis - outpatient or home - general |
| 0290 | DME - general | 0821 | Hemodialysis - outpatient or home - composite or other rate |
| 0291 | DME - rental | 0822 | Hemodialysis - outpatient or home – home supplies |
| 0292 | DME - purchase of new | 0823 | Hemodialysis - outpatient or home – home equipment |
| 0293 | DME - purchase of used | 0824 | Hemodialysis - outpatient or home – maintenance 100% |
| 0294 | DME - supplies/drugs for DME effectiveness | 0825 | Hemodialysis - outpatient or home - support services |
| 0299 | DME - other equipment | 0826 | Hemodialysis - outpatient or home – shorter duration (effective 7/1/17) |
| 0300 | Laboratory - general | 0829 | Hemodialysis - outpatient or home - other |
| 0301 | Laboratory - chemistry | 0830 | Peritoneal dialysis - outpatient or home - general |
| 0302 | Laboratory - immunology | 0831 | Peritoneal dialysis - outpatient or home - composite or other rate |
| 0303 | Laboratory - renal patient (home) | 0832 | Peritoneal dialysis - outpatient or home – home supplies |
| 0304 | Laboratory - nonroutine dialysis | 0833 | Peritoneal dialysis - outpatient or home – home equipment |
| 0305 | Laboratory - hematology | 0834 | Peritoneal dialysis - outpatient or home – maintenance 100% |
| 0306 | Laboratory - bacteriology and microbiology | 0835 | Peritoneal dialysis - outpatient or home - support services |
| 0307 | Laboratory - urology | 0839 | Peritoneal dialysis - outpatient or home - other |
| 0309 | Laboratory - other | 0840 | CAPD - outpatient or home - general |
| 0310 | Laboratory pathological - general | 0841 | CAPD - outpatient or home - composite or other rate |
| 0311 | Laboratory pathological - cytology | 0842 | CAPD - outpatient or home - home supplies |
| 0312 | Laboratory pathological - histology | 0843 | CAPD - outpatient or home - home equipment |
| | | | |

Last Updated: February, 2022

| 0314 | Laboratory pathological - biopsy | 0844 | CAPD - outpatient or home – maintenance 100% |
|----------|---|------|---|
| 0319 | Laboratory pathological - other | 0845 | CAPD - outpatient or home - support services |
| 0320 | Radiology - diagnostic - general | 0849 | CAPD - outpatient or home - other |
| 0321 | Radiology - diagnostic - angiocardiography | 0850 | CCPD - outpatient or home - general |
| 0322 | Radiology - diagnostic - arthrography | 0851 | CCPD - outpatient or home - composite or other rate |
| 0323 | Radiology - diagnostic - arteriography | 0852 | CCPD - outpatient or home - home supplies |
| 0324 | Radiology - diagnostic - chest x-ray | 0853 | CCPD - outpatient or home - home equipment |
| 0329 | Radiology - diagnostic - other | 0854 | CCPD - outpatient or home - maintenance 100% |
| 0330 | Radiology - therapeutic and/or chemotherapy | 0855 | CCPD - outpatient or home - support services |
| 0330 | administration - general Radiology - therapeutic and/or chemotherapy | 0859 | CCPD - outpatient or home - other |
| 0332 | administration - chemotherapy - injected | 0860 | |
| | Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral | | Magnetoencephalography (MEG) - General |
| 0333 | Radiology - therapeutic and/or chemotherapy administration - radiation therapy | 0861 | Magnetoencephalography (MEG) - MEG |
| 0335 | Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV | 0880 | Miscellaneous dialysis - general |
| 0339 | Radiology - therapeutic and/or chemotherapy administration - other | 0881 | Miscellaneous dialysis - ultrafiltration |
| 0340 | Nuclear medicine - general | 0882 | Miscellaneous dialysis - home aide visit |
| 0341 | Nuclear medicine - diagnostic procedures | 0889 | Miscellaneous dialysis - other |
| 0342 | Nuclear medicine - therapeutic procedures | 0900 | Behavior health treatments/services - general |
| 0343 | Nuclear medicine - diagnostic | 0901 | Behavior health treatments/services - |
| 0343 | radiopharmaceuticals | 0701 | electroshock |
| 0344 | Nuclear medicine - therapeutic radiopharmaceuticals | 0902 | Behavior health treatments/services - milieu therapy |
| 0349 | Nuclear medicine - other | 0903 | Behavioral health treatments/services - play therapy |
| 0350 | CT scan - general | 0904 | Behavior health treatments/services - activity therapy |
| 0351 | CT scan - head | 0905 | Behavior health treatments/services - intensive |
| 0352 | CT scan - body | 0906 | outpatient services - psychiatric Behavior health treatments/services - intensive |
| 0359 | CT scan - other | 0907 | outpatient services - chemical dependency Behavior health treatments/services - |
| 0360 | Operating room services - general | 0911 | community behavioral health program Behavior health treatment/services - |
| 0361 | Operating room services - minor surgery | 0912 | rehabilitation Behavior health treatment/services - partial |
| 0362 | Operating room services - organ transplant | 0913 | hospitalization - less intensive Behavior health treatment/services - partial |
| 0367 | other than kidney Operating room services - kidney transplant | 0914 | hospitalization - intensive Behavior health treatment/services - individual |
| 0307 | Operating room services - kidney transplant | 0714 | therapy |
| 0369 | Operating room services - other | 0915 | Behavior health treatment/services - group therapy |
| 0370 | Anesthesia - general | 0916 | Behavior health treatment/services - family therapy |
| 0371 | Anesthesia - incident to radiology | 0917 | Behavior health treatment/services - biofeedback |
| 0372 | Anesthesia - incident to other diagnostic services | 0918 | Behavior health treatment/services - testing |
| 0374 | Anesthesia - acupuncture | 0919 | Behavior health treatment/services - other |
| 0379 | Anesthesia - other | 0920 | Other diagnostic services - general |
| 0380 | Blood - general | 0921 | Other diagnostic services - peripheral vascular |
| | | | lab |
| 0381 | Blood - packed red cells | 0922 | Other diagnostic services - electromyogram |
| 0382 | Blood - whole blood | 0923 | Other diagnostic services - pap smear |
| 0383 | Blood - plasma | 0924 | Other diagnostic services - allergy test |
| 0384 | Blood - platelets | 0925 | Other diagnostic services - pregnancy test |
| 0385 | Blood - leukocytes | 0929 | Other diagnostic services - other |
| 0386 | Blood - other components | 0931 | Medical rehabilitation day program - half day |

| 0387 | Blood - other derivatives (cryoprecipitate) | 0932 | Medical rehabilitation day program - full day |
|--------------|---|--------------|---|
| 0389 | Blood - other | 0940 | Other therapeutic services - general |
| 0390 | Blood and blood component administration, storage and processing - general | 0941 | Other therapeutic services - recreational therapy |
| 0391 | Blood and blood component administration, storage and processing - administration | 0942 | Other therapeutic services - education/training |
| 0392 | Blood and blood component administration, storage and processing – processing and storage | 0943 | Other therapeutic services - cardiac rehabilitation |
| 0399 | Blood and blood component administration, storage and processing - other | 0944 | Other therapeutic services - drug rehabilitation |
| 0400 | Other imaging services - general | 0945 | Other therapeutic services - alcohol rehabilitation |
| 0401 | Other imaging services - diagnostic mammography | 0946 | Other therapeutic services - complex medical equipment - routine |
| 0402 | Other imaging services - ultrasound | 0947 | Other therapeutic services - complex medical equipment - ancillary |
| 0403 | Other imaging services - screening mammography | 0948 | Other therapeutic services – pulmonary rehabilitation |
| 0404 | Other imaging services - PET | 0949 | Other therapeutic services - other |
| 0409 | Other imaging services - other | 0951 | Other therapeutic services – athletic training |
| 0410 | Respiratory services - general | 0952 | Other therapeutic services - kinesiotherapy |
| 0412 | Respiratory services - inhalation | 0953 | Other therapeutic services – chemical |
| 0112 | respiratory services initiatation | 0,55 | dependency (drug and alcohol) |
| 0413 | Respiratory services - hyperbaric oxygen therapy | 0960 | Professional fees - general |
| 0419 | Respiratory services - other | 0961 | Professional fees - psychiatric |
| 0420 | Physical therapy - general | 0962 | Professional fees - ophthalmology |
| 0421 | Physical therapy - visit charge | 0963 | Professional fees - anesthesiologist (MD) |
| 0422 | Physical therapy - hourly charge | 0964 | Professional fees - anesthetist (CRNA) |
| 0423 | Physical therapy - group rate | 0969 | Professional fees - other |
| 0424 | Physical therapy - evaluation or reevaluation | 0971 | Professional fees - laboratory |
| 0429 | Physical therapy - other | 0972 | Professional fees - radiology - diagnostic |
| 0430 | Occupational therapy - general | 0973 | Professional fees - radiology - therapeutic |
| 0431 | Occupational therapy - visit charge | 0974 | Professional fees - radiology - nuclear medicine |
| 0432 | Occupational therapy - hourly charge | 0975 | Professional fees - operating room |
| 0433 | Occupational therapy - group rate | 0976 | Professional fees - respiratory therapy |
| 0434 | Occupational therapy - evaluation or reevaluation | 0977 | Professional fees - physical therapy |
| 0439 | Occupational therapy - other | 0978 | Professional fees - occupational therapy |
| 0440 | Speech-language pathology - general | 0979 | Professional fees - speech therapy |
| 0441 | Speech-language pathology - visit charge | 0981 | Professional fees - emergency room |
| 0442 | Speech-language pathology - hourly charge | 0982 | Professional fees - outpatient services |
| 0443 | Speech-language pathology - group rate | 0983 | Professional fees - clinic |
| 0444 | Speech-language pathology - evaluation or reevaluation | 0984 | Professional fees - medical social services |
| 0449 | Speech-language pathology - other | 0985 | Professional fees - EKG |
| 0450 | Emergency room - general | 0986 | Professional fees - EEG |
| 0451 | Emergency room - EMTALA emergency medical screening services | 0987 | Professional fees - hospital visit |
| 0452 | Emergency room - beyond EMTALA screening | 0988 | Professional fees - consultation |
| 0456 | Emergency room - urgent care | 0989 | Professional fees - private duty nurse |
| 0459 | Emergency room - other | 0990 | Patient convenience items - general |
| 0460 | Pulmonary function - general | 0991 | Patient convenience items - cafeteria/guest tray |
| 0469 | Pulmonary function - other | 0992 | Patient convenience items - private linen service |
| 0470 | Audiology - general | 0993 | Patient convenience items - telephone/telegraph |
| 0471 | Audiology - diagnostic | 0994 | Patient convenience items - TV/radio |
| 0472 | Audiology - treatment | 0995 | Patient convenience items - nonpatient room rentals |
| 0479 | Audiology - other | 0996 | Patient convenience items - late discharge charge |
| 0480 0481 | Cardiology - general Cardiology - cardiac cath lab | 0997 0998 | Patient convenience items - admission kits Patient convenience items - beauty shop/barber |
| | | | county shop, our bot |

| | 0482 | Cardiology - stress test | 0999 | Patient convenience items - other |
|----------------------------|--------------|--|--------------|---|
| | 0483 | Cardiology - echocardiology | 1000 | Behavior health accommodations - general |
| | 0489 | Cardiology - other | 1001 | Behavior health accommodations - residential treatment - psychiatric |
| | 0490 | Ambulatory surgical care - general | 1002 | Behavior health accommodations - residential treatment - chemical dependency |
| | 0499 | Ambulatory surgical care - other | 1003 | Behavior health accommodations - supervised living |
| | 0500 | Outpatient services - general | 1004 | Behavior health accommodations - halfway house |
| | 0509 | Outpatient services - other Clinic - general | 1005 | Behavior health accommodations - group home |
| | 0510 | | 2100 | Alternative therapy services - general |
| | 0511 | Clinic - chronic pain | 2101 | Alternative therapy services - acupuncture |
| | 0512 | Clinic - dental | 2102 | Alternative therapy services - acupressure |
| | 0513 | Clinic - psychiatric | 2103 | Alternative therapy services - massage |
| | 0514 | Clinic - OB/GYN | 2104 | Alternative therapy services - reflexology |
| | 0515 | Clinic - pediatric | 2105 | Alternative therapy services - biofeedback |
| | 0516 | Clinic - urgent care | 2106 | Alternative therapy services - hypnosis |
| | 0517 | Clinic - family practice | 2109 | Alternative therapy services - other |
| | 0519 | Clinic - other | 3101 | Adult day care, medical and social - hourly |
| | 0520 | Freestanding Clinic - general | 3102 | Adult day care, social - hourly |
| | 0521 0522 | Freestanding Clinic - Clinic Visit by Member to RHC/FQHC Freestanding Clinic - Home Visit by | 3103 3104 | Adult day care, medical and social - daily Adult day care, social - daily |
| | 0523 | RHC/FQHC Practitioner | | |
| | 0523 | Freestanding Clinic - family practice Freestanding Clinic - Visit by RHC/FQHC | 3105 3109 | Adult foster care - daily Adult foster care - other |
| | 0525 0526 | Practitioner to a Member in a Covered Part A Stay at SNF Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care | | |
| Beginning Position: | 13 | Data Source: | Claim | |
| Length: | 4 | Type: | Alphar | numeric |
| Field 3: | НСРО | CS_QUALIFIER | | |
| Description: | Code | identifying the type/source of the descrip CS_PROCEDURE_CODE | tive nun | nber used in |
| Beginning Position: | 17 | Data Source: | Claim | |
| Length: | 2 | Type: | | numeric |
| Field 4 | | CS PROCEDURE CODE | 7 HpHui | idifferie |
| Description: | HCFA | A Common Procedure Coding System (He | CPCS) c | code applicable to ancillary services or |
| a 11 a 1 | | nmodations. | 1.0 | ANTICOCCAT |
| Coding Scheme: | | ttp://www.cms.hhs.gov/HCPCSReleaseCo | | ANHCPCS/list.asp for complete list. |
| Beginning Position: | 19 | Data Source: | Claim | |
| Length: | 5 | Type: | Alphar | numeric |
| Field 5: | | OIFIER_1 | | |
| Description: | | fies special circumstances related to the p | | |
| Coding Scheme: | 22 | Increased procedural services | P4 | A patient with severe systemic disease that is a |
| | 23 | Unusual Anesthesia | P5 | constant threat to life A moribund patient who is not expected to survive without the operation |
| | 24 | Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period | P6 | A declared brain-dead patient whose organs are being removed for donor purposes |
| | 25 | Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the | l E1 | Upper left eyelid |
| | 2 - | Same Day of the Procedure or Other Service | 77.5 | |
| | 26 | Professional Component | E2 | Lower left eyelid |

| | 27 | Multiple Outpatient Hospital E/M Encounters on the Same Date | E3 | Upper right eyelid |
|---------------------|-----------------|--|---------|--|
| | 32 | Mandated Services | E4 | Lower right eyelid |
| | 33 | Preventive Service | F1 | Left hand, second digit |
| | 47 | Anesthesia by Surgeon | F2 | Left hand, third digit |
| | 50 | Bilateral Procedure | F3 | Left hand, fourth digit |
| | 51 | Multiple Procedures | F4 | Left hand, fifth digit |
| | 52 | Reduced Services | F5 | Right hand, thumb |
| | 53 | Discontinued Procedure | F6 | Right hand, second digit |
| | 54 | Surgical Care Only | F7 | Right hand, third digit |
| | 55 | Postoperative Management Only | F8 | Right hand, fourth digit |
| | 56 | Preoperative Management Only | F9 | Right hand, fifth digit |
| | 57 | Decision for Surgery | FA | Left hand, thumb |
| | 58 | Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period | GG | Performance and payment of a screening mammography and diagnostic mammography on same patient, same day. |
| | 59 | Distinct Procedural Service | GH | Diagnostic mammogram converted from screening mammogram on same day |
| | 62 | Two Surgeons | LC | Left circumflex coronary artery |
| | 63 | Procedure Performed on Infants less than 4kg | LD | Left anterior descending coronary artery |
| | 66 | Surgical Team | LM | Left main coronary artery |
| | 73 | Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure prior to the Administration of Anesthesia | LT | Left side of the body procedure |
| | 74 | Discontinued Outpatient Hospital/Ambulatory | Q | Ambulance service provided under arrangement |
| | | Surgery Center (ASC) Procedure after Administration of Anesthesia | M | by a provider of services |
| | 76 | Repeat Procedure by Same Physician or Other Qualified Health Care Professional | QN | Ambulance service furnished directly by a provider of services |
| | 77 | Repeat Procedure by Another Physician or Other Qualified Health Care Professional | RC | Right coronary artery |
| | 78 | Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period | RI | Ramus intermedius coronary artery |
| | 79 | Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period | RT | Right side of the body procedure |
| | 80 | Assistant Surgeon | T1 | Left foot, second digit |
| | 81 | Minimum Assistant Surgeon | T2 | Left foot, third digit |
| | 82 | Repeat procedure by same physician | Т3 | Left foot, fourth digit |
| | 90 | Reference (Outside) Laboratory | T4 | Left foot, fifth digit |
| | | • | | - |
| | 91 | Repeat Clinical Diagnostic Laboratory Test | T5 | Right foot, great toe |
| | 92 | Alternative Laboratory Platform Testing | T6 | Right foot, second digit |
| | 95 | Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System | Т7 | Right foot, third digit |
| | 99 | Multiple Modifiers | T8 | Right foot, fourth digit |
| | 1P | Performance Measure Exclusion Modifier due to Medical Reasons | T9 | Right foot, fifth digit |
| | 2P | Performance Measure Exclusion Modifier due to Patient Reasons | TA | Left foot, great toe |
| | 3P | Performance Measure Exclusion Modifier due to System Reasons | XE | Separate Encounter |
| | 8P | Performance Measure Reporting Modifier- Action not performed, reason not otherwise specified | XS | Separate Structure |
| | P1 | A normal healthy patient | XP | Separate Practitioner |
| | P2 | A patient with mild systemic disease | XU | Unusual Non-Overlapping Service |
| | Р3 | A patient with severe systemic disease | | |
| | | Data Source: | Claim | |
| Reginning Desition | 2/ | Data Source: | Ciailli | |
| Beginning Position: | 24 | | Alaha- | umorio |
| Length: | 2 | Type: | Alphan | numeric |
| | 2 MOD | | | |

| Coding Scheme: | Same as Field MODIFIER_ | _1 | |
|----------------------------|-------------------------------|---------------------|-----------------------------|
| Beginning Position: | 26 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 7: | MODIFIER_3 | | |
| Description: | Identifies special circumsta | nces related to the | performance of the service. |
| Coding Scheme: | Same as Field MODIFIER_ | _1 | |
| Beginning Position: | 28 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 8: | MODIFIER_4 | | |
| Description: | Identifies special circumsta | nces related to the | performance of the service. |
| Coding Scheme: | Same as Field MODIFIER_ | _1 | |
| Beginning Position: | 30 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 9: | UNIT_MEASUREMENT | _CODE | |
| Description: | Code specifying the units in | which a value is | being expressed. |
| Coding Scheme: | DA Days | | |
| | F2 International unit UN Unit | | |
| Beginning Position: | 32 | Data Source: | Claim |
| Length: | 2 | Type: | Alphanumeric |
| Field 10: | UNITS_OF_SERVICE | 1 ypc. | Tipianomerie |
| Description: | Numeric value of quantity | | |
| Beginning Position: | 34 | Data Source: | Claim |
| Length: | 7 | Type: | Numeric |
| Field 11: | UNIT_RATE | | |
| Description: | Rate per unit | | |
| Beginning Position: | 41 | Data Source: | Claim |
| Length: | 12 | Type: | Numeric |
| Field 12: | CHRGS_LINE_ITEM | | |
| Description: | Total amount of the charge | | |
| Beginning Position: | 53 | Data Source: | Assigned |
| Length: | 14 | Type: | Numeric |
| Field 13: | CHRGS_NON_COV | • • | |
| Description: | Total non-covered amount of | of the charge | |
| Beginning Position: | 67 | Data Source: | Assigned |
| Length: | 14 | Type: | Numeric |
| | | ~ * | |

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

| Field 1: | THCIC_ID | | | | | |
|----------------------------|--|--|--|--|--|--|
| Description: | | | | | | |
| Beginning Position: | 1 Data Source: Assigned | | | | | |
| Length: | 6 Type: Alphanumeric | | | | | |
| Field 2 | PROVIDER_NAME | | | | | |
| Description: | Hospital name provided by the hospital. | | | | | |
| Beginning Position: | 7 Data Source: Provider | | | | | |
| Length: | 55 Type: Alphanumeric | | | | | |
| Field 3: | FAC_TEACHING_IND | | | | | |
| Description: | Teaching Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Coding Scheme: | A Member, Council of Teaching Hospitals X Other teaching facility | | | | | |
| Beginning Position: | 62 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 4: | FAC_PSYCH_IND | | | | | |
| Description: | Psychiatric Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | 63 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 5: | FAC_REHAB_IND | | | | | |
| Description: | Rehabilitation Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | 64 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 6: | FAC_ACUTE_CARE_IND | | | | | |
| Description: | Acute Care Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 7: | FAC_SNF_IND | | | | | |
| Description: | Skilled Nursing Facility Indicator. Hospital facility type indicator provided by the hospital. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | 66 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 8: | FAC_LONG_TERM_AC_IND | | | | | |
| Description: | Long Term Acute Care Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | 67 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 9: | FAC_OTHER_LTC_IND | | | | | |
| Description: | Other Long Term Care Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Beginning Position: | 68 Data Source: Provider | | | | | |
| Length: | 1 Type: Alphanumeric | | | | | |
| Field 10: | FAC_PEDS_IND | | | | | |
| Description: | Pediatric Facility Indicator. | | | | | |
| Suppression: | Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999'). | | | | | |
| Coding Scheme: | C Member, National Association of Children's Hospitals and Related Institutions (NACHRI) | | | | | |
| | X Facilities that also treat children | | | | | |
| | | | | | | |

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: February, 2022

| Beginning Position: | 69 Data Source: Provider |
|----------------------------|---|
| Length: | 1 Type: Alphanumeric |
| Field 11: | POA_PROVIDER_INDICATOR |
| Description: | Indicator identifying whether facility is required to submit Diagnosis Present on Admission |
| | (POA) codes. 25 TAC §421.9(e) identifies the following facility types as exempt from |
| | reporting POA to the department: Critical Access Hospitals, Inpatient Rehabilitation |
| | Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals |
| | and Long Term Care Hospitals. |
| Coding Scheme: | M Mixed (Facility has sections that would be exempted from reporting POA for those patients) |
| G | R Required |
| | X Exempt ` Invalid |
| Beginning Position: | 70 Data Source: Assigned |
| Length: | 1 Type: Alphanumeric |
| Field 12: | CERT STATUS |
| Description: | Assignment of a code to indicate the certification of data and submission of comments by the |
| Description. | hospital. First available 3 rd quarter 1999. |
| Coding Scheme: | 1 Certified, without comment |
| coung Benefite. | 2 Certified, with comment |
| | 3 Certified, with comment, comment not received by deadline |
| | 4 Hospital elected not to certify |
| | 5 Hospital closed, data not certified |
| | 6 Hospital out of compliance, did not certify data |
| | 7 Data not certified. Hospital affected by natural or man-made disaster (Starting 4Q2016) |
| Beginning Position: | 71 Data Source: Assigned |
| Length: | 1 Type: Alphanumeric |

Texas Department of State Health Services

Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS

BASE DATA #1 FILE

| Number | FIELD NAME (Base Data #1 File) | Position | Length | Field Type |
|--------|--|----------|--------|--------------|
| 1 | RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's). | 1 | 12 | Alphanumeric |
| 2 | DISCHARGE | 13 | 6 | Alphanumeric |
| 3 | THCIC_ID | 19 | 6 | Alphanumeric |
| 4 | TYPE_OF_ADMISSION | 25 | 1 | Alphanumeric |
| 5 | SOURCE_OF_ADMISSION | 26 | 1 | Alphanumeric |
| 6 | SPEC_UNIT_1 | 27 | 1 | Alphanumeric |
| 7 | SPEC_UNIT_2 | 28 | 1 | Alphanumeric |
| 8 | SPEC_UNIT_3 | 29 | 1 | Alphanumeric |
| 9 | SPEC_UNIT_4 | 30 | 1 | Alphanumeric |
| 10 | SPEC_UNIT_5 | 31 | 1 | Alphanumeric |
| 11 | PAT_STATE | 32 | 2 | Alphanumeric |
| 12 | PAT_ZIP | 34 | 5 | Alphanumeric |
| 13 | PAT_COUNTRY | 39 | 2 | Alphanumeric |
| 14 | PAT_COUNTY | 41 | 3 | Alphanumeric |
| 15 | PUBLIC_HEALTH_REGION | 44 | 2 | Alphanumeric |
| 16 | PAT_STATUS | 46 | 2 | Alphanumeric |
| 17 | SEX_CODE | 48 | 1 | Alphanumeric |
| 18 | RACE | 49 | 1 | Alphanumeric |
| 19 | ETHNICITY | 50 | 1 | Alphanumeric |
| 20 | ADMIT_WEEKDAY | 51 | 1 | Alphanumeric |
| 21 | LENGTH_OF_STAY | 52 | 4 | Alphanumeric |
| 22 | PAT_AGE | 56 | 2 | Alphanumeric |
| 23 | FIRST_PAYMENT_SRC | 58 | 2 | Alphanumeric |
| 24 | SECONDARY_PAYMENT_SRC | 60 | 2 | Alphanumeric |
| 25 | TYPE_OF_BILL | 62 | 3 | Alphanumeric |
| 26 | TOTAL_CHARGES | 65 | 12 | Numeric |

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163

| Number | FIELD NAME (Base Data #1 File) | Position | Length | Field Type |
|--------|--------------------------------|----------|--------|--------------|
| 27 | TOTAL_NON_COV_CHARGES | 77 | 12 | Numeric |
| 28 | TOTAL_CHARGES_ACCOMM | 89 | 12 | Numeric |
| 29 | TOTAL_NON_COV_CHARGES_ACCOMM | 101 | 12 | Numeric |
| 30 | TOTAL_CHARGES_ANCIL | 113 | 12 | Numeric |
| 31 | TOTAL_NON_COV_CHARGES_ANCIL | 125 | 12 | Numeric |
| 32 | ADMITTING_DIAGNOSIS | 137 | 7 | Alphanumeric |
| 33 | PRINC_DIAG_CODE | 144 | 7 | Alphanumeric |
| 34 | POA_PRINC_DIAG_CODE | 151 | 1 | Alphanumeric |
| 35 | OTH_DIAG_CODE_1 | 152 | 7 | Alphanumeric |
| 36 | POA_OTH_DIAG_CODE_1 | 159 | 1 | Alphanumeric |
| 37 | OTH_DIAG_CODE_2 | 160 | 7 | Alphanumeric |
| 38 | POA_OTH_DIAG_CODE_2 | 167 | 1 | Alphanumeric |
| 39 | OTH_DIAG_CODE_3 | 168 | 7 | Alphanumeric |
| 40 | POA_OTH_DIAG_CODE_3 | 175 | 1 | Alphanumeric |
| 41 | OTH_DIAG_CODE_4 | 176 | 7 | Alphanumeric |
| 42 | POA_OTH_DIAG_CODE_4 | 183 | 1 | Alphanumeric |
| 43 | OTH_DIAG_CODE_5 | 184 | 7 | Alphanumeric |
| 44 | POA_OTH_DIAG_CODE_5 | 191 | 1 | Alphanumeric |
| 45 | OTH_DIAG_CODE_6 | 192 | 7 | Alphanumeric |
| 46 | POA_OTH_DIAG_CODE_6 | 199 | 1 | Alphanumeric |
| 47 | OTH_DIAG_CODE_7 | 200 | 7 | Alphanumeric |
| 48 | POA_OTH_DIAG_CODE_7 | 207 | 1 | Alphanumeric |
| 49 | OTH_DIAG_CODE_8 | 208 | 7 | Alphanumeric |
| 50 | POA_OTH_DIAG_CODE_8 | 215 | 1 | Alphanumeric |
| 51 | OTH_DIAG_CODE_9 | 216 | 7 | Alphanumeric |
| 52 | POA_OTH_DIAG_CODE_9 | 223 | 1 | Alphanumeric |
| 53 | OTH_DIAG_CODE_10 | 224 | 7 | Alphanumeric |
| 54 | POA_OTH_DIAG_CODE_10 | 231 | 1 | Alphanumeric |
| 55 | OTH_DIAG_CODE_11 | 232 | 7 | Alphanumeric |
| 56 | POA_OTH_DIAG_CODE_11 | 239 | 1 | Alphanumeric |
| 57 | OTH_DIAG_CODE_12 | 240 | 7 | Alphanumeric |
| 58 | POA_OTH_DIAG_CODE_12 | 247 | 1 | Alphanumeric |
| 59 | OTH_DIAG_CODE_13 | 248 | 7 | Alphanumeric |
| 60 | POA_OTH_DIAG_CODE_13 | 255 | 1 | Alphanumeric |
| 61 | OTH_DIAG_CODE_14 | 256 | 7 | Alphanumeric |
| 62 | POA_OTH_DIAG_CODE_14 | 263 | 1 | Alphanumeric |
| 63 | OTH_DIAG_CODE_15 | 264 | 7 | Alphanumeric |
| 64 | POA_OTH_DIAG_CODE_15 | 271 | 1 | Alphanumeric |
| 65 | OTH_DIAG_CODE_16 | 272 | 7 | Alphanumeric |
| 66 | POA_OTH_DIAG_CODE_16 | 279 | 1 | Alphanumeric |

| Number | FIELD NAME (Base Data #1 File) | Position | Length | Field Type |
|--------|--------------------------------|----------|--------|--------------|
| 67 | OTH_DIAG_CODE_17 | 280 | 7 | Alphanumeric |
| 68 | POA_OTH_DIAG_CODE_17 | 287 | 1 | Alphanumeric |
| 69 | OTH_DIAG_CODE_18 | 288 | 7 | Alphanumeric |
| 70 | POA_OTH_DIAG_CODE_18 | 295 | 1 | Alphanumeric |
| 71 | OTH_DIAG_CODE_19 | 296 | 7 | Alphanumeric |
| 72 | POA_OTH_DIAG_CODE_19 | 303 | 1 | Alphanumeric |
| 73 | OTH_DIAG_CODE_20 | 304 | 7 | Alphanumeric |
| 74 | POA_OTH_DIAG_CODE_20 | 311 | 1 | Alphanumeric |
| 75 | OTH_DIAG_CODE_21 | 312 | 7 | Alphanumeric |
| 76 | POA_OTH_DIAG_CODE_21 | 319 | 1 | Alphanumeric |
| 77 | OTH_DIAG_CODE_22 | 320 | 7 | Alphanumeric |
| 78 | POA_OTH_DIAG_CODE_22 | 327 | 1 | Alphanumeric |
| 79 | OTH_DIAG_CODE_23 | 328 | 7 | Alphanumeric |
| 80 | POA_OTH_DIAG_CODE_23 | 335 | 1 | Alphanumeric |
| 81 | OTH_DIAG_CODE_24 | 336 | 7 | Alphanumeric |
| 82 | POA_OTH_DIAG_CODE_24 | 343 | 1 | Alphanumeric |
| 83 | E_CODE_1 | 344 | 7 | Alphanumeric |
| 84 | POA_E_CODE_1 | 351 | 1 | Alphanumeric |
| 85 | E_CODE_2 | 352 | 7 | Alphanumeric |
| 86 | POA_E_CODE_2 | 359 | 1 | Alphanumeric |
| 87 | E_CODE_3 | 360 | 7 | Alphanumeric |
| 88 | POA_E_CODE_3 | 367 | 1 | Alphanumeric |
| 89 | E_CODE_4 | 368 | 7 | Alphanumeric |
| 90 | POA_E_CODE_4 | 375 | 1 | Alphanumeric |
| 91 | E_CODE_5 | 376 | 7 | Alphanumeric |
| 92 | POA_E_CODE_5 | 383 | 1 | Alphanumeric |
| 93 | E_CODE_6 | 384 | 7 | Alphanumeric |
| 94 | POA_E_CODE_6 | 391 | 1 | Alphanumeric |
| 95 | E_CODE_7 | 392 | 7 | Alphanumeric |
| 96 | POA_E_CODE_7 | 399 | 1 | Alphanumeric |
| 97 | E_CODE_8 | 400 | 7 | Alphanumeric |
| 98 | POA_E_CODE_8 | 407 | 1 | Alphanumeric |
| 99 | E_CODE_9 | 408 | 7 | Alphanumeric |
| 100 | POA_E_CODE_9 | 415 | 1 | Alphanumeric |
| 101 | E_CODE_10 | 416 | 7 | Alphanumeric |
| 102 | POA_E_CODE_10 | 423 | 1 | Alphanumeric |
| 103 | PRINC_SURG_PROC_CODE | 424 | 7 | Alphanumeric |
| 104 | PRINC_SURG_PROC_DAY | 431 | 4 | Alphanumeric |
| 105 | OTH_SURG_PROC_CODE_1 | 435 | 7 | Alphanumeric |
| 106 | OTH_SURG_PROC_DAY_1 | 442 | 4 | Alphanumeric |

| Number | FIELD NAME (Base Data #1 File) | Position | Length | Field Type |
|--------|--------------------------------|----------|--------|--------------|
| 107 | OTH_SURG_PROC_CODE_2 | 446 | 7 | Alphanumeric |
| 108 | OTH_SURG_PROC_DAY_2 | 453 | 4 | Alphanumeric |
| 109 | OTH_SURG_PROC_CODE_3 | 457 | 7 | Alphanumeric |
| 110 | OTH_SURG_PROC_DAY_3 | 464 | 4 | Alphanumeric |
| 111 | OTH_SURG_PROC_CODE_4 | 468 | 7 | Alphanumeric |
| 112 | OTH_SURG_PROC_DAY_4 | 475 | 4 | Alphanumeric |
| 113 | OTH_SURG_PROC_CODE_5 | 479 | 7 | Alphanumeric |
| 114 | OTH_SURG_PROC_DAY_5 | 486 | 4 | Alphanumeric |
| 115 | OTH_SURG_PROC_CODE_6 | 490 | 7 | Alphanumeric |
| 116 | OTH_SURG_PROC_DAY_6 | 497 | 4 | Alphanumeric |
| 117 | OTH_SURG_PROC_CODE_7 | 501 | 7 | Alphanumeric |
| 118 | OTH_SURG_PROC_DAY_7 | 508 | 4 | Alphanumeric |
| 119 | OTH_SURG_PROC_CODE_8 | 512 | 7 | Alphanumeric |
| 120 | OTH_SURG_PROC_DAY_8 | 519 | 4 | Alphanumeric |
| 121 | OTH_SURG_PROC_CODE_9 | 523 | 7 | Alphanumeric |
| 122 | OTH_SURG_PROC_DAY_9 | 530 | 4 | Alphanumeric |
| 123 | OTH_SURG_PROC_CODE_10 | 534 | 7 | Alphanumeric |
| 124 | OTH_SURG_PROC_DAY_10 | 541 | 4 | Alphanumeric |
| 125 | OTH_SURG_PROC_CODE_11 | 545 | 7 | Alphanumeric |
| 126 | OTH_SURG_PROC_DAY_11 | 552 | 4 | Alphanumeric |
| 127 | OTH_SURG_PROC_CODE_12 | 556 | 7 | Alphanumeric |
| 128 | OTH_SURG_PROC_DAY_12 | 563 | 4 | Alphanumeric |
| 129 | OTH_SURG_PROC_CODE_13 | 567 | 7 | Alphanumeric |
| 130 | OTH_SURG_PROC_DAY_13 | 574 | 4 | Alphanumeric |
| 131 | OTH_SURG_PROC_CODE_14 | 578 | 7 | Alphanumeric |
| 132 | OTH_SURG_PROC_DAY_14 | 585 | 4 | Alphanumeric |
| 133 | OTH_SURG_PROC_CODE_15 | 589 | 7 | Alphanumeric |
| 134 | OTH_SURG_PROC_DAY_15 | 596 | 4 | Alphanumeric |
| 135 | OTH_SURG_PROC_CODE_16 | 600 | 7 | Alphanumeric |
| 136 | OTH_SURG_PROC_DAY_16 | 607 | 4 | Alphanumeric |
| 137 | OTH_SURG_PROC_CODE_17 | 611 | 7 | Alphanumeric |
| 138 | OTH_SURG_PROC_DAY_17 | 618 | 4 | Alphanumeric |
| 139 | OTH_SURG_PROC_CODE_18 | 622 | 7 | Alphanumeric |
| 140 | OTH_SURG_PROC_DAY_18 | 629 | 4 | Alphanumeric |
| 141 | OTH_SURG_PROC_CODE_19 | 633 | 7 | Alphanumeric |
| 142 | OTH_SURG_PROC_DAY_19 | 640 | 4 | Alphanumeric |
| 143 | OTH_SURG_PROC_CODE_20 | 644 | 7 | Alphanumeric |
| 144 | OTH_SURG_PROC_DAY_20 | 651 | 4 | Alphanumeric |
| 145 | OTH_SURG_PROC_CODE_21 | 655 | 7 | Alphanumeric |
| 146 | OTH_SURG_PROC_DAY_21 | 662 | 4 | Alphanumeric |

| Number | FIELD NAME (Base Data #1 File) | Position | Length | Field Type |
|--------|--------------------------------|----------|--------|--------------|
| 147 | OTH_SURG_PROC_CODE_22 | 666 | 7 | Alphanumeric |
| 148 | OTH_SURG_PROC_DAY_22 | 673 | 4 | Alphanumeric |
| 149 | OTH_SURG_PROC_CODE_23 | 677 | 7 | Alphanumeric |
| 150 | OTH_SURG_PROC_DAY_23 | 684 | 4 | Alphanumeric |
| 151 | OTH_SURG_PROC_CODE_24 | 688 | 7 | Alphanumeric |
| 152 | OTH_SURG_PROC_DAY_24 | 695 | 4 | Alphanumeric |
| 153 | MS_MDC | 699 | 2 | Alphanumeric |
| 154 | MS_DRG | 701 | 3 | Alphanumeric |
| 155 | MS_GROUPER_VERSION_NBR | 704 | 5 | Alphanumeric |
| 156 | MS_GROUPER_ERROR_CODE | 709 | 2 | Alphanumeric |
| 157 | APR_MDC | 711 | 2 | Alphanumeric |
| 158 | APR_DRG | 713 | 4 | Alphanumeric |
| 159 | RISK_MORTALITY | 717 | 1 | Alphanumeric |
| 160 | ILLNESS_SEVERITY | 718 | 1 | Alphanumeric |
| 161 | APR_GROUPER_VERSION_NBR | 719 | 5 | Alphanumeric |
| 162 | APR_GROUPER_ERROR_CODE | 724 | 2 | Alphanumeric |
| 163 | ATTENDING_PHYSICIAN_UNIF_ID | 726 | 10 | Alphanumeric |
| 164 | OPERATING_PHYSICIAN_UNIF_ID | 736 | 10 | Alphanumeric |
| 165 | ENCOUNTER_INDICATOR | 746 | 2 | Alphanumeric |
| 166 | PROVIDER_NAME | 748 | 55 | Alphanumeric |
| 167 | EMERGENCY_DEPT_FLAG | 803 | 1 | Alphanumeric |
| | Record_Length | | 803 | |

BASE DATA #2 FILE

| Number | Field Name(Base Data #2 File) | Position | Length | Field Type |
|--------|--|----------|--------|--------------|
| _ | RECORD_ID Does NOT match the RECORD_ID | _ | | |
| 1 | in THCIC Research Data Files (RDF's). | 1 | 12 | Alphanumeric |
| 2 | PRIVATE_AMOUNT | 13 | 12 | Numeric |
| 3 | SEMI_PRIVATE_AMOUNT | 25 | 12 | Numeric |
| 4 | WARD_AMOUNT | 37 | 12 | Numeric |
| 5 | ICU_AMOUNT | 49 | 12 | Numeric |
| 6 | CCU_AMOUNT | 61 | 12 | Numeric |
| 7 | OTHER_AMOUNT | 73 | 12 | Numeric |
| 8 | PHARM_AMOUNT | 85 | 12 | Numeric |
| 9 | MEDSURG_AMOUNT | 97 | 12 | Numeric |
| 10 | DME_AMOUNT | 109 | 12 | Numeric |
| 11 | USED_DME_AMOUNT | 121 | 12 | Numeric |
| 12 | PT_AMOUNT | 133 | 12 | Numeric |
| 13 | OT_AMOUNT | 145 | 12 | Numeric |
| 14 | SPEECH_AMOUNT | 157 | 12 | Numeric |
| 15 | IT_AMOUNT | 169 | 12 | Numeric |
| 16 | BLOOD_AMOUNT | 181 | 12 | Numeric |
| 17 | BLOOD_ADM_AMOUNT | 193 | 12 | Numeric |
| 18 | OR_AMOUNT | 205 | 12 | Numeric |
| 19 | LITH_AMOUNT | 217 | 12 | Numeric |
| 20 | CARD_AMOUNT | 229 | 12 | Numeric |
| 21 | ANES_AMOUNT | 241 | 12 | Numeric |
| 22 | LAB_AMOUNT | 253 | 12 | Numeric |
| 23 | RAD_AMOUNT | 265 | 12 | Numeric |
| 24 | MRI_AMOUNT | 277 | 12 | Numeric |
| 25 | OP AMOUNT | 289 | 12 | Numeric |
| 26 | ER_AMOUNT | 301 | 12 | Numeric |
| 27 | AMBULANCE AMOUNT | 313 | 12 | Numeric |
| 28 | PRO_FEE_AMOUNT | 325 | 12 | Numeric |
| 29 | ORGAN_AMOUNT | 337 | 12 | Numeric |
| 30 | ESRD_AMOUNT | 349 | 12 | Numeric |
| 31 | CLINIC_AMOUNT | 361 | 12 | Numeric |
| 32 | OCCUR_CODE_1 | 373 | 2 | Alphanumeric |
| 33 | OCCUR DAY 1 | 375 | 4 | Alphanumeric |
| 34 | OCCUR_CODE_2 | 379 | 2 | Alphanumeric |
| 35 | OCCUR_DAY_2 | 381 | 4 | Alphanumeric |
| 36 | OCCUR_CODE_3 | 385 | 2 | Alphanumeric |

| DSHS/THCIC |
|--------------------------|
| WWW.DSHS.TEXAS.GOV/THCIC |

DSHS Document # E25-14163 Last Updated: February, 2022

| Number | Field Name(Base Data #2 File) | Position | Length | Field Type |
|--------|-------------------------------|----------|--------|--------------|
| 37 | OCCUR_DAY_3 | 387 | 4 | Alphanumeric |
| 38 | OCCUR_CODE_4 | 391 | 2 | Alphanumeric |
| 39 | OCCUR_DAY_4 | 393 | 4 | Alphanumeric |
| 40 | OCCUR_CODE_5 | 397 | 2 | Alphanumeric |
| 41 | OCCUR_DAY_5 | 399 | 4 | Alphanumeric |
| 42 | OCCUR_CODE_6 | 403 | 2 | Alphanumeric |
| 43 | OCCUR_DAY_6 | 405 | 4 | Alphanumeric |
| 44 | OCCUR_CODE_7 | 409 | 2 | Alphanumeric |
| 45 | OCCUR_DAY_7 | 411 | 4 | Alphanumeric |
| 46 | OCCUR_CODE_8 | 415 | 2 | Alphanumeric |
| 47 | OCCUR_DAY_8 | 417 | 4 | Alphanumeric |
| 48 | OCCUR_CODE_9 | 421 | 2 | Alphanumeric |
| 49 | OCCUR_DAY_9 | 423 | 4 | Alphanumeric |
| 50 | OCCUR_CODE_10 | 427 | 2 | Alphanumeric |
| 51 | OCCUR_DAY_10 | 429 | 4 | Alphanumeric |
| 52 | OCCUR_CODE_11 | 433 | 2 | Alphanumeric |
| 53 | OCCUR_DAY_11 | 435 | 4 | Alphanumeric |
| 54 | OCCUR_CODE_12 | 439 | 2 | Alphanumeric |
| 55 | OCCUR_DAY_12 | 441 | 4 | Alphanumeric |
| 56 | OCCUR_SPAN_CODE_1 | 445 | 2 | Alphanumeric |
| 57 | OCCUR_SPAN_FROM_1 | 447 | 6 | Alphanumeric |
| 58 | OCCUR_SPAN_THRU_1 | 453 | 6 | Alphanumeric |
| 59 | OCCUR_SPAN_CODE_2 | 459 | 2 | Alphanumeric |
| 60 | OCCUR_SPAN_FROM_2 | 461 | 6 | Alphanumeric |
| 61 | OCCUR_SPAN_THRU_2 | 467 | 6 | Alphanumeric |
| 62 | OCCUR_SPAN_CODE_3 | 473 | 2 | Alphanumeric |
| 63 | OCCUR_SPAN_FROM_3 | 475 | 6 | Alphanumeric |
| 64 | OCCUR_SPAN_THRU_3 | 481 | 6 | Alphanumeric |
| 65 | OCCUR_SPAN_CODE_4 | 487 | 2 | Alphanumeric |
| 66 | OCCUR_SPAN_FROM_4 | 489 | 6 | Alphanumeric |
| 67 | OCCUR_SPAN_THRU_4 | 495 | 6 | Alphanumeric |
| 68 | CONDITION_CODE_1 | 501 | 2 | Alphanumeric |
| 69 | CONDITION_CODE_2 | 503 | 2 | Alphanumeric |
| 70 | CONDITION_CODE_3 | 505 | 2 | Alphanumeric |
| 71 | CONDITION_CODE_4 | 507 | 2 | Alphanumeric |
| 72 | CONDITION_CODE_5 | 509 | 2 | Alphanumeric |
| 73 | CONDITION_CODE_6 | 511 | 2 | Alphanumeric |
| 74 | CONDITION_CODE_7 | 513 | 2 | Alphanumeric |
| 75 | CONDITION_CODE_8 | 515 | 2 | Alphanumeric |
| 76 | VALUE_CODE_1 | 517 | 2 | Alphanumeric |

| Number | Field Name(Base Data #2 File) | Position | Length | Field Type |
|--------|-------------------------------|----------|--------|--------------|
| 77 | VALUE_AMOUNT_1 | 519 | 9 | Numeric |
| 78 | VALUE_CODE_2 | 528 | 2 | Alphanumeric |
| 79 | VALUE_AMOUNT_2 | 530 | 9 | Numeric |
| 80 | VALUE_CODE_3 | 539 | 2 | Alphanumeric |
| 81 | VALUE_AMOUNT_3 | 541 | 9 | Numeric |
| 82 | VALUE_CODE_4 | 550 | 2 | Alphanumeric |
| 83 | VALUE_AMOUNT_4 | 552 | 9 | Numeric |
| 84 | VALUE_CODE_5 | 561 | 2 | Alphanumeric |
| 85 | VALUE_AMOUNT_5 | 563 | 9 | Numeric |
| 86 | VALUE_CODE_6 | 572 | 2 | Alphanumeric |
| 87 | VALUE_AMOUNT_6 | 574 | 9 | Numeric |
| 88 | VALUE_CODE_7 | 583 | 2 | Alphanumeric |
| 89 | VALUE_AMOUNT_7 | 585 | 9 | Numeric |
| 90 | VALUE_CODE_8 | 594 | 2 | Alphanumeric |
| 91 | VALUE_AMOUNT_8 | 596 | 9 | Numeric |
| 92 | VALUE_CODE_9 | 605 | 2 | Alphanumeric |
| 93 | VALUE_AMOUNT_9 | 607 | 9 | Numeric |
| 94 | VALUE_CODE_10 | 616 | 2 | Alphanumeric |
| 95 | VALUE_AMOUNT_10 | 618 | 9 | Numeric |
| 96 | VALUE_CODE_11 | 627 | 2 | Alphanumeric |
| 97 | VALUE_AMOUNT_11 | 629 | 9 | Numeric |
| 98 | VALUE_CODE_12 | 638 | 2 | Alphanumeric |
| 99 | VALUE_AMOUNT_12 | 640 | 9 | Numeric |
| | Record_Length | | 648 | |

CHARGES DATA FILE

| Number | Field Name | Position | Length | Field Type |
|--------|-----------------------|----------|--------|--------------|
| 1 | RECORD_ID | 1 | 12 | Alphanumeric |
| 2 | REVENUE_CODE | 13 | 4 | Alphanumeric |
| 3 | HCPCS_QUALIFIER | 17 | 2 | Alphanumeric |
| 4 | HCPCS_PROCEDURE_CODE | 19 | 5 | Alphanumeric |
| 5 | MODIFIER_1 | 24 | 2 | Alphanumeric |
| 6 | MODIFIER_2 | 26 | 2 | Alphanumeric |
| 7 | MODIFIER_3 | 28 | 2 | Alphanumeric |
| 8 | MODIFIER_4 | 30 | 2 | Alphanumeric |
| 9 | UNIT_MEASUREMENT_CODE | 32 | 2 | Alphanumeric |
| 10 | UNITS_OF_SERVICE | 34 | 7 | Numeric |
| 11 | UNIT_RATE | 41 | 12 | Numeric |
| 12 | CHRGS_LINE_ITEM | 53 | 14 | Numeric |
| 13 | CHRGS_NON_COV | 67 | 14 | Numeric |
| | Record_Length | | 80 | |

FACILITY TYPE INDICATOR FILE

| Number | Field Name | Position | Length | Field Type |
|--------|------------------------|----------|--------|--------------|
| 1 | THCIC_ID | 1 | 6 | Alphanumeric |
| 2 | PROVIDER_NAME | 7 | 55 | Alphanumeric |
| 3 | FAC_TEACHING_IND | 62 | 1 | Alphanumeric |
| 4 | FAC_PSYCH_IND | 63 | 1 | Alphanumeric |
| 5 | FAC_REHAB_IND | 64 | 1 | Alphanumeric |
| 6 | FAC_ACUTE_CARE_IND | 65 | 1 | Alphanumeric |
| 7 | FAC_SNF_IND | 66 | 1 | Alphanumeric |
| 8 | FAC_LONG_TERM_AC_IND | 67 | 1 | Alphanumeric |
| 9 | FAC_OTHER_LTC_IND | 68 | 1 | Alphanumeric |
| 10 | FAC_PEDS_IND | 69 | 1 | Alphanumeric |
| 11 | POA_PROVIDER_INDICATOR | 70 | 1 | Alphanumeric |
| 12 | CERT_STATUS | 71 | 1 | Alphanumeric |
| | Record_Length | | 71 | |

DSHS Document # E25-14163 Last Updated: February, 2022

- Page 66 -