FieldError at /visualizar-vaga/alt0x20001/encaminhamento Cannot resolve keyword '2' into field. Choices are: bairro, candidato ativo, candidato online, celular, conseguiu vaga, data nascimento, dt_aquisicao, dt_inclusao, email, escolaridade, escolaridade_id, id, nome, sexo, vaga, vaga_id Request Method: GET Request URL: http://localhost:8000/visualizar-vaga/alt0x20001/encaminhamento Django Version: 3.2.12 Exception Type: FieldError Exception Value: Cannot resolve keyword '2' into field. Choices are: bairro, candidato_ativo, candidato_online, celular, conseguiu_vaga, data_nascimento, dt_aquisicao, dt_inclusao, email, escolaridade, escolaridade_id, id, nome, sexo, vaga, vaga_id $\textbf{Exception Location: } / home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py, line 1540, in names_to_pathages/django/db/models/sql/query.py, line 1540, line 1$ Python Executable: /home/eduardo/projects/balcao_de_emprego/venv/bin/python Python Version: 3.6.9 Python Path: ['/home/eduardo/projects/casadotrabalhador', //lown/coadroup.scc./ //usr/lib/python36.zip', //usr/lib/python3.6', //usr/lib/python3.6/ib-dynload', //home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages'] Server time: Fri, 09 Sep 2022 16:22:41 -0300 Traceback Switch to copy-and-paste view $/home/eduardo/projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py, \ line \ 47, \ in inner \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ line \ 47, \ line \ 100 projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/core/handlers/exception.py \ lin$ response = get_response(request) ▶ Local vars response = wrapped_callback(request, *callback_args, **callback_kwargs) ► Local vars

 $/home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/core/handlers/base.py, line~181, in_get_responses.pdf.$ /home/eduardo/projects/casadotrabalhador/vagas/views.py, line 441, in encaminhamento 441. candidato=Candidato.objects.get(id) ▶ Local vars /home/eduardo/projects/balcao de emprego/venv/lib/python3.6/site-packages/django/db/models/manager.py, line 85, in manager method return getattr(self.get_queryset(), name)(*args, **kwargs) 85. ► Local vars /home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/query.py, line 424, in get d24. clone = self._chain() if self.query.combinator else self.filter(*args, **kwargs) /home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/query.py, line 941, in filter 941. return self._filter_or_exclude(False, args, kwargs) ▶ Local vars $/home/eduardo/projects/balcao_de_emprego/venv/lib/python 3.6/site-packages/django/db/models/query.py, line~961, in _filter_or_exclude and the packages of th$ 961. clone._filter_or_exclude_inplace(negate, args, kwargs) ► Local vars /home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/query.py, line 968, in _filter_or_exclude_inplace 968. self._query.add_q(Q(*args, **kwargs)) ▶ Local vars $/home/eduardo/projects/balcao\ de\ emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py,\ line\ 1393,\ in\ add\ q$

1393. clause, _ = self._add_q(q_object, self.used_aliases) $/home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py, line 1415, in _add_q - and - an$

1415. split_subq=split_subq, check_filterable=check_filterable,

me/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py, line 1286, in build_filter

1286. lookups, parts, reffed_expression = self.solve_lookup_type(arg)

► Local vars

 $/home/eduardo/projects/balcao_de_emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py, line 1112, in solve_lookup_type$

1112. __, field, __, lookup_parts = self.names_to_path(lookup_splitted, self.get_meta())

► Local vars

/home/eduardo/projects/balcao de emprego/venv/lib/python3.6/site-packages/django/db/models/sql/query.py, line 1540, in names to path

1540. "Choices are: %s" % (name, ", ".join(available)))

▶ Local vars

Request information

USER AnonymousUser GET No GET data POST No POST data FILES No FILES data COOKIES No cookie data

META CLUTTER IM MODULE 'xim COLORTERM 'truecolor' CONTENT LENGTH CONTENT_TYPE 'text/plain' DBUS_SESSION_BUS_ADDRESS 'unix:path=/run/user/1000/bus' DEFAULTS PATH

'/usr/share/gconf/ubuntu.default.path' 'ubuntu'

DESKTOP_SESSION DISPLAY ':0' DJANGO_SETTINGS_MODULE 'balcao_de_emprego.settings' GATEWAY INTERFACE

'CGI/1.1'

GDMSESSION 'ubuntu' GJS DEBUG OUTPUT 'stderr GJS_DEBUG_TOPICS 'JS ERROR;JS LOG' GNOME DESKTOP SESSION ID 'this-is-deprecated'

GNOME_SHELL_SESSION_MODE 'ubuntu'

GNOME TERMINAL SCREEN '/org/gnome/Terminal/screen/07b72331_23a1_4120_af64_57f333a46096

GNOME_TERMINAL_SERVICE GPG AGENT INFO '/run/user/1000/gnupg/S.gpg-agent:0:1

```
GTK IM MODULE
                            'ibus'
                             'gail:atk-bridge
GTK_MODULES
HOME
                             '/home/eduardo
HTTP_ACCEPT
                             text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_ENCODING
HTTP_ACCEPT_LANGUAGE
                             'gzip, deflate
'pt-BR,en,*'
HTTP CONNECTION
                             'Keep-Alive'
HTTP_HOST
                             'localhost:8000
HTTP_USER_AGENT
                            ('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/602.1 (KHTML, like Gecko) ' 'wkhtmltopdf Version/9.0 Safari/602.1')
IM_CONFIG_PHASE
                            'pt_BR.UTF-8'
LANG
LANGUAGE
                             'pt BR:pt:en'
LESSCL0SE
                             '/usr/bin/lesspipe %s %s'
LESSOPEN
                            '| /usr/bin/lesspipe %s
LOGNAME
                            "rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:mi=00:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01'/usr/share/gconf/ubuntu.mandatory.path'
LS COLORS
MANDATORY_PATH
OLDPWD
                            '/home/eduardo/projects'
PATH
                             '/home/eduardo/projects/balcao de emprego/venv/bin:/home/eduardo/.local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:/snap,
                            \\\'\sualizar-vaga/alt0x20001/encaminhamento'
("(venv) \\\\\)\s(git branch 2> /dev/null | sed -e '/^[^*]/d' -e 's/* "
"\\(.*\\)/[branch: \\1]/')\\[\x1b(B\x1b[m\\] \\n> ")
PATH_INFO
PS1
PWD
                            '/home/eduardo/projects/casadotrabalhador'
QT4 IM MODULE
                             'xim
QT_ACCESSIBILITY
OT TM MODULE
                            'ibus
QUERY_STRING
REMOTE ADDR
                            '127.0.0.1'
REMOTE_HOST
REQUEST METHOD
                            'GFT
RUN_MAIN
                             'true
SCRIPT_NAME
SERVER_NAME
                             'localhost
SERVER_PORT
                             '8000
                             'HTTP/1.1'
SERVER PROTOCOL
SERVER_SOFTWARE
                             'WSGIServer/0.2'
SESSION MANAGER
                             local/eduardo-Inspiron:@/tmp/.ICE-unix/1510.unix/eduardo-Inspiron:/tmp/.ICE-unix/1510
SHELL
                             '/bin/bash'
SHLVL
                             11
SSH_AGENT_PID
                            1632
                            '/run/user/1000/kevring/ssh
SSH AUTH SOCK
                             'xterm-256color
TERM
TEXTDOMATN
                             'im-confia'
TEXTDOMAINDIR
                             '/usr/share/locale/
T7
                             'America/Sao_Paulo
USER
                             'eduardo
USERNAME
                             'eduardo
VIRTUAL ENV
                             '/home/eduardo/projects/balcao de emprego/venv
VTE_VERSION
                             5202
WINDOWPATH
                            '1'
XAUTHORITY
                             '/run/user/1000/gdm/Xauthority
XDG CONFIG DIRS
                             '/etc/xda/xda-ubuntu:/etc/xda
                             'ubuntu:GNOME
XDG_CURRENT_DESKTOR
XDG_DATA_DIRS
XDG_MENU_PREFIX
                            '/usr/share/ubuntu:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop
                             'qnome-
XDG_RUNTIME_DIR
                             '/run/user/1000
XDG SEAT
                             'seat0'
XDG_SESSION_DESKTOP
                             'ubuntu'
XDG SESSION ID
                             '1'
XDG_SESSION_TYPE
                             'x11'
XDG VTNR
                             '1'
XMODIFIERS
                             '/home/eduardo/projects/balcao de emprego/venv/bin/python
 __
_WSREP_START_POSITION
wsgi.errors
                            <_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
wsgi.file_wrappe
                            <class 'wsgiref.util.FileWrapper'>
wsgi.input
                            <django.core.handlers.wsgi.LimitedStream object at 0x7f81e29b20f0>
wsgi.multiprocess
                            False
wsgi.multithread
                            True
                            False
wsgi.run once
wsgi.url_scheme
wsgi.version
                            (1. 0)
```

Settings Using settings module balcao_de_emprego.settings

```
Setting
ABSOLUTE_URL_OVERRIDES
ADMTNS
ALLOWED_HOSTS
                                          ['localhost', '192.168.1.109', 'casadotrabalhador.pmnf.rj.gov.br']
APPEND SLASH
AUTHENTICATION_BACKENDS
                                         ['django.contrib.auth.backends.ModelBackend']
AUTH PASSWORD VALIDATORS
                                          'auth.User'
AUTH USER MODEL
BASE_DIR
                                          PosixPath('/home/eduardo/projects/casadotrabalhador')
CACHES
                                          {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                          600
CSRF COOKIE AGE
                                         31449600
CSRF_COOKIE_DOMAIN
                                          None
CSRF COOKIE HTTPONLY
                                         False
CSRF_COOKIE_NAME
                                          'csrftoken
CSRF_COOKIE_PATH
CSRF_COOKIE_SAMESITE
                                          1/1
                                          'Lax
CSRF_COOKIE_SECURE
                                          False
CSRF FAILURE VIEW
                                          'diango.views.csrf.csrf failure'
CSRF_HEADER_NAME
                                          'HTTP_X_CSRFTOKEN
CSRF TRUSTED ORIGINS
                                          []
CSRF_USE_SESSIONS
                                                        {'ATOMIC_REQUESTS': False,
'AUTOCOMMIT': True,
'CONN_MAX_AGE': 0,
'ENGINE': 'diagraph to the
DATABASES
                                          {'default':
                                                           'ENGINE': 'django.db.backends.mysql',
'HOST': '127.0.0.1',
                                                          'PORT': '',
'TEST': {'CHARSET': None,
'COLLATION': None,
'MIGRATE': True,
'MIRROR': None,
'NAME': None},
                                                          'TIME ZONE': None
                                                                  : 'balcao_emprego'}}
DATABASE_ROUTERS
DATA_UPLOAD_MAX_MEMORY_SIZE
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                          2621446
                                          1000
```

```
DATETIME FORMAT
                                                       'N i. Y. P'
DATETIME_INPUT_FORMATS
                                                       'N j, Y'
['%Y-%m-%d',
'%m/%d/%Y',
'%m/%d/%y',
'%b %d %Y',
'%b %d, %Y',
'%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
'%B %d, %Y',
'%B %d, %Y',
'%B %d, %Y',
'%d %B, %Y',
I'rue
DATE FORMAT
                                                         'N j, Y'
DATE_INPUT_FORMATS
DEBUG
DEBUG_PROPAGATE_EXCEPTIONS
                                                        False
DECIMAL_SEPARATOR
DEFAULT AUTO FIELD
                                                        'diango.db.models.BigAutoField
DEFAULT_CHARSET
                                                         utf-8
DEFAULT EXCEPTION REPORTER
                                                        'diango.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                                        'django.core.files.storage.FileSystemStorage'
                                                        ('Secretaria Municipal de Turismo e Marketing '<turismo@sme.novafriburgo.rj.gov.br>')
DEFAULT_FROM_EMAIL
DEFAULT_HASHING_ALGORITHM
                                                        'sha256'
DEFAULT_INDEX_TABLESPACE
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
                                                       []
EMAIL_BACKEND
                                                         django.core.mail.backends.smtp.EmailBackend
EMAIL_HOST
                                                        'smtp.gmail.com'
EMAIL_HOST_PASSWORD
                                                        'eduardo.pmnf@gmail.com
EMAIL HOST USER
EMAIL_PORT
EMAIL_SSL_CERTFILE
                                                       587
                                                       None
EMAIL_SSL_KEYFILE
                                                        ****************
EMAIL SUBJECT PREFIX
                                                       '[Django] '
EMAIL_TIMEOUT
                                                       None
EMATE LISE LOCALITIME
                                                       False
EMAIL_USE_SSL
                                                       False
EMAIL USE TLS
                                                        True
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE UPLOAD HANDLERS
                                                       ['django.core.files.uploadhandler.MemoryFileUploadHandler'
'django.core.files.uploadhandler.TemporaryFileUploadHandl
FILE_UPLOAD_MAX_MEMORY_SIZE
                                                        2621440
FILE_UPLOAD_PERMISSIONS
                                                       420
FTLE UPLOAD TEMP DTR
                                                       None
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                                       []
FORCE_SCRIPT_NAME
FORMAT MODULE PATH
                                                       None
FORM_RENDERER
                                                        'django.forms.renderers.DjangoTemplates
TGNORABLE 404 URLS
                                                        []
INSTALLED_APPS
                                                        ['rest_framework.authtoken',
                                                          rest_ramework.authtoken',
'rest_framework',
'widget_tweaks',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
                                                           'django.contrib.messages',
'django.contrib.staticfiles',
                                                          'bootstrap5',
                                                          'vagas',
'api']
INTERNAL IPS
                                                        []
                                                       JWT AUTH
                                                          JWI_FUBLIL_REY: .

JWT_RESPONSE PAYLOAD HANDLER': 'rest_framework_jwt.utils.jwt_response_payload_handler',

JWT_SECRET_KEY': '****************************

JWT_VERIFY': True,

JWT_VERIFY_EXPIRATION': True}
                                                       'JWT VERIFY EXPIRATION': True;
[('af', 'Afrikaans'),
  ('ar', 'Arabic'),
  ('ar', 'Asturian'),
  ('ast', 'Asturian'),
  ('az', 'Azerbaijani'),
  ('bg', 'Bulgarian'),
  ('be', 'Belarusian'),
  ('be', 'Bengali').
LANGUAGES
                                                            'bn'
                                                                      'Bengali'),
'Breton'),
                                                                      'Bosnian')
                                                            'bs'
                                                            'ca'
                                                                      'Catalan'),
                                                                     'Czech'),
'Welsh'),
'Danish'),
                                                            cs'
                                                            'cy',
'da',
                                                           (da', 'Danish'),
(de', 'Danish'),
(de', 'German'),
(de', 'German'),
('ed', 'Greek'),
('en', 'English'),
('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mx', 'Wenzuelan Spanish'),
('es-ve', 'Yenezuelan Spanish'),
('et', 'Estonian'),
('et', 'Estonian'),
('fi', 'Fersian'),
('fi', 'Fernch'),
                                                                      'French'),
'Frisian'),
                                                                    'Irish'),
'Scottish Gaelic'),
                                                            'gd',
                                                                      'Galician'),
                                                                      'Hebrew'),
'Hindi'),
'Croatian')
                                                            'hi'
                                                         ('hi', Croatan',
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('ia', 'Interlingua'),
```

```
('id',
('ig',
('io',
('is',
                                                                     'Indonesian'),
'Igbo'),
'Ido'),
'Icelandic'),
                                                                        'Italian'),
'Japanese'),
                                                                        'Georgian'),
'Kabvle').
                                                                       'Kazakh'),
'Khmer'),
'Kannada'),
                                                                        'Korean'
                                                                       'Korean ,,
'Kyrgyz'),
'Luxembourgish'),
                                                              'ky'
'lb'
                                                                       'Lithuanian'),
'Latvian').
                                                             'mk'
'ml'
'mn'
                                                                        'Macedonian'),
'Malayalam'),
'Mongolian'),
'Marathi'),
                                                                        'Burmese'),
'Norwegian Bokmål'),
'Nepali'),
                                                        ('my', 'Burmese'),
('ne', 'Nerwegian Bokmål'),
('ne', 'Nepali'),
('ne', 'Nepali'),
('nn', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pl', 'Polish'),
('ro', 'Romanian'),
('ro', 'Romanian'),
('sk', 'Slovak'),
('sl', 'Slovak'),
('sl', 'Slovak'),
('sl', 'Slovak'),
('sl', 'Slovak'),
('sr', 'Serbian'),
('sr', 'Serbian'),
('sr', 'Serbian'),
('sr', 'Serbian'),
('sr', 'Serbian'),
('sr', 'Swedish'),
('ts', 'Tamil'),
('tt', 'Talugu'),
('td', 'Tajik'),
('tt', 'Turkian'),
('tt', 'Turkian'),
('tt', 'Turkian'),
('udm', 'Udmurt'),
('ud', 'Ukrainian'),
('ur', 'Ujetnamese'),
('zh-hans', 'Simplified Chinese'),
['he', 'ar', 'ar-dz', 'fa', 'ur']
['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES_BIDI
LANGUAGE_CODE
                                                           pt-br'
LANGUAGE COOKIE AGE
                                                         None
LANGUAGE_COOKIE_DOMAIN
                                                         None
LANGUAGE COOKIE HTTPONLY
                                                         False
LANGUAGE_COOKIE_NAME
                                                           'django_language
LANGUAGE COOKIE PATH
LANGUAGE_COOKIE_SAMESITE
                                                         None
LANGUAGE_COOKIE_SECURE
LOCALE_PATHS
                                                         False
                                                         []
LOGGING
LOGGING CONFIG
                                                           logging.config.dictConfiq
LOGIN_REDIRECT_URL
                                                          '/login
LOGIN URL
LOGOUT_REDIRECT_URL
                                                          '/login'
MANAGERS
                                                         []
MEDIA_ROOT
MEDIA URL
                                                          '/'
MESSAGE_STORAGE
                                                           django.contrib.messages.storage.fallback.FallbackStorage
                                                         ojanyo. Lunit in. messades. storage. Tatturk. Tattuakstorage ['dajango. middleware. Security. SecurityMiddleware', django. contrib. sessions. middleware. SessionMiddleware', django. middleware. common. CommonMiddleware', django. middleware. csrf. CsrfViewMiddleware', django. contrib. auth. middleware. AuthenticationMiddleware', django. contrib. messages. middleware. MessageMiddleware', 'django. middleware. clickjacking. XFrameOptionsMiddleware']
MTDDI EWARE
MIGRATION_MODULES
                                                         {}
MONTH_DAY_FORMAT
                                                          'F j'
NUMBER GROUPING
                                                          ·***************
PASSWORD_HASHERS
PASSWORD RESET TIMEOUT
PASSWORD_RESET_TIMEOUT_DAYS
                                                          . ****************
PREPEND WWW
                                                         False
                                                          '/home/eduardo/projects/casadotrabalhador/balcao_de_emprego'
'*******************
PROJECT_ROOT
RECAPTCHA_PRIVATE_KEY
RECAPTCHA_PUBLIC_KEY
                                                          ****************
                                                        REST FRAMEWORK
ROOT_URLCONF
                                                          'balcao de emprego.urls
SECRET_KEY
SECURE BROWSER XSS FILTER
                                                         False
SECURE_CONTENT_TYPE_NOSNIFF
SECURE HSTS INCLUDE SUBDOMAINS
                                                         False
SECURE_HSTS_PRELOAD
                                                          False
SECURE HSTS SECONDS
SECURE_PROXY_SSL_HEADER
SECURE_REDIRECT_EXEMPT
SECURE_REFERRER_POLICY
                                                          []
                                                           'same-origin'
SECURE SSL HOST
                                                         None
SECURE_SSL_REDIRECT
                                                         False
SERVER_EMAIL
                                                          'root@localhost'
SESSION_CACHE_ALIAS
                                                           'default
SESSION_COOKIE_AGE
SESSION COOKIE DOMAIN
                                                         1209600
                                                         None
SESSION_COOKIE_HTTPONLY
SESSION COOKIE NAME
                                                          'sessionid
SESSION_COOKIE_PATH
SESSION COOKIE SAMESITE
                                                          'Lax'
SESSION_COOKIE_SECURE
                                                          False
SESSION ENGINE
                                                          'django.contrib.sessions.backends.db
SESSION_EXPIRE_AT_BROWSER_CLOSE
                                                         False
SESSION_FILE_PATH
SESSION_SAVE_EVERY_REQUEST
                                                         None
                                                         False
                                                          'django.contrib.sessions.serializers.JSONSerializer'
SESSION_SERIALIZER
SETTINGS_MODULE
                                                          'balcao_de_emprego.settings
SHORT DATETIME FORMAT
                                                          'm/d/Y P
SHORT_DATE_FORMAT
SIGNING BACKEND
                                                          'django.core.signing.TimestampSigner'
```

```
SILENCED SYSTEM CHECKS
                                                            []
STATICFILES_DIRS
                                                            ['django.contrib.staticfiles.finders.FileSystemFinder',
'django.contrib.staticfiles.finders.AppDirectoriesFinder']
'django.contrib.staticfiles.storage.StaticFilesStorage'
STATICFILES_FINDERS
STATICFILES_STORAGE
STATIC_ROOT
STATIC_URL
                                                             '/home/eduardo/projects/casadotrabalhador/balcao_de_emprego/static'
'/static/'
                                                           '/static/'
[{'APP_DIRS': True,
'BACKEND': 'django.template.backends.django.DjangoTemplates',
'DIRS': [],
'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
'django.template.context_processors.request',
'django.contrib.auth.context_processors.auth',
'django.contrib.messages.context_processors.messages']}}]
TEMPLATES
TEST_NON_SERIALIZED_APPS
TEST_RUNNER
THOUSAND_SEPARATOR
                                                              'django.test.runner.DiscoverRunner'
                                                             ','
'P'
TIME_FORMAT
TIME_INPUT_FORMATS
TIME_ZONE
                                                            '%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
'America/Sao_Paulo'
USE_I18N
USE_L10N
                                                            True
True
USE_THOUSAND_SEPARATOR
USE_TZ
                                                             False
                                                             True
USE_TZ
USE_X_FORWARDED_HOST
USE_X_FORWARDED_PORT
WSGI_APPLICATION
X_FRAME_OPTIONS
                                                             False
                                                             False
                                                             'balcao_de_emprego.wsgi.application'
YEAR_MONTH_FORMAT
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.