Staff API Reference

Every route in `Routes/StaffRoute.js` with its request payload and success response, plus the HRA status check, the location URL fields on centres, branches, doctors and bookings, and the wallet changes made in this release. Payloads and responses are taken from the controller code. Values shown are examples.

Basics & auth

BASE URL `{BASE_URL}/api/staff`

AUTH HEADER `Authorization: Bearer <token>`

TOKEN FROM `POST /api/staff/login-staff`

BODY FORMAT `application/json` unless marked multipart

- **The staff member is always taken from the token.** No staff endpoint takes a `staffId` in the URL, body or query. Other IDs (bookingId, doctorId, familyMemberId...) go in the request body.
- **Auth errors (401):** `Authentication token missing`, `Token has been revoked. Please log in again.`, `Malformed token`, `Invalid or expired token`. A non-staff token gets 403.
- **Errors** come back as `{ "message": "..." }` (some also have `success: false` or `isSuccessfull: false`) with status 400, 402, 404, 409 or 500.
- **409 is new in this release:** returned when the wallet changed while a booking or redemption was being processed, or for a duplicate credit. Show the message and let the user retry.

Several GET endpoints read their input from the JSON body

For example `GET /single-booking` expects `{ "bookingId" }` in the body. Mobile HTTP clients (Dio, OkHttp, axios on React Native) can send a body with GET. Browser `fetch()` cannot. These endpoints are marked "GET with body" below.

Changes in this release

AREA	WHAT CHANGED	ENDPOINTS
Wallet engine	New `Utils/wallet.js`. Every credit and debit updates the category, `wallet_balance`, `totalAmount` and the transaction history in one atomic update. Debits fail with 409 if the category no longer has enough balance.	All booking, cancel, coin and admin credit endpoints
Cancel booking	Already Cancelled or Completed bookings can't be cancelled again. The full booking price is refunded to the matching category (tests / doctors / packages) with a "Booking Cancellation" history entry. Response adds `refundedAmount`, `refundedTo`.	`PUT /cancel-booking`
Coins	Redeemed coins go to the **Doctors** wallet (1 coin = ₹1) with a "Coins Redemption" history entry. Coins can't be redeemed twice. Steps must be a whole number 1–100,000 per request.	`/addsteps`, `/steps`, `/redeemcoins`
Bookings	Wallet deduction now happens atomically after the online payment is verified. New 409 response if the balance changed meanwhile.	`/create-bookings`, `/package-bookings`, `/consultationbooking`, `/process-payment`
Doctor rating	New `rating` field on doctors (0-5, one decimal, default 0), set by the admin on create/update. Returned in doctor details in booking responses and `/getonlinebookingdoctors`.	`/api/admin/create-doctor`, `/update-doctors`, `/update-doctor`, `/single-booking`, `/mybookings`, `/getonlinebookingdoctors`
Add to Calendar	Booking responses include a `calendar` object with IST start and end times, display text and a Google Calendar link.	See Add to Calendar (IST)
Location URL	Centres, branches and doctors have a `locationUrl` (Google Maps link). It is copied onto Center Visit and Offline bookings and returned in booking responses.	See Location URL fields
Admin wallet protection	Admin profile edit and Excel import can no longer change wallet fields. Admin credits reject the same credit within 10 seconds (409). Admin package bookings pay from the packages wallet.	`/api/admin/editstaff`, `/addamount`, `/add-amount-to-all`
Wallet data	All staff wallets were reset to ₹0. Old balances and history are archived in the `wallet_log_archives` collection.	`GET /wallet`

HRA status check

Use `GET /hra-submission-status` to check whether the staff member has already taken the HRA (Health Risk Assessment) in the last 30 days, before showing the test.

REQUEST

```
GET /api/staff/hra-submission-status
Authorization: Bearer <token>
(no body)
```

RESPONSE · NEVER TAKEN

```
{
  "success": true,
  "message": "No HRA submission found. Staff can take the HRA test.",
  "data": {
    "hasTakenInLast30Days": false,
    "canTakeHra": true,
    "lastSubmission": null,
    "nextEligibleDate": null,
    "daysRemaining": 0
  }
}
```

RESPONSE · TAKEN 10 DAYS AGO

```
{
  "success": true,
  "message": "HRA already taken in the last 30 days. Next test available in 20 day(s).",
  "data": {
    "hasTakenInLast30Days": true,
    "canTakeHra": false,
    "nextEligibleDate": "2026-10-29T06:30:00.000Z",
    "daysRemaining": 20,
    "lastSubmission": {
      "submissionId": "6702f1...",
      "submittedAt": "2026-09-29T06:30:00.000Z",
      "totalPoints": "68/100",
      "riskLevel": "Moderate",
      "riskMessage": "...",
      "categoryPoints": { "Lifestyle": 18, "Diet": 12 },
      "prescribedForCategories": { "Diet": "..." }
    }
  }
}
```

- **Show the test** when `data.canTakeHra` is `true`. Otherwise show `daysRemaining` / `nextEligibleDate` and the last result.
- `totalPoints` is a string out of 100 (male) or 120 (female), based on the staff member's gender.
- Submit answers with `POST /submit-hra-answers`. The question list comes from `GET /allhracat`.

Location URL fields

`locationUrl` is a Google Maps share link. Use it for the "View Directions" button. It is set by admins on centres, branches and doctors, and copied onto bookings when the visit is in person.

WHERE	KEY NAME	WHEN IT HAS A VALUE
Diagnostic centre	`diagnostic.locationUrl`	When the admin set it
Centre branch	`diagnostic.branches[].locationUrl`	When the admin set it
Doctor (clinic)	`doctor.locationUrl`	When the admin set it
Diagnostic / package booking	`booking.locationUrl` and top-level `locationUrl`	`serviceType: "Center Visit"` only, otherwise `null`
Doctor consultation booking	`booking.locationUrl` and top-level `locationUrl`	`type: "Offline"` only, otherwise `null`

Validation (admin create / update)

- Must be `https://` on `maps.app.goo.gl`, `maps.google.com`, `goo.gl/maps`… or `google.com/maps`….
- Empty string, `null`, `"null"` or `"undefined"` clears it (stored as `null`).
- Invalid link → `400 { "message": "locationUrl must be a Google Maps link (e.g. https://maps.app.goo.gl/...)" }`
- On update, leaving `locationUrl` out keeps the current value.

Admin endpoints that accept `locationUrl` (doctor endpoints also accept `rating`)

POST `/api/admin/create-diagnostics`

Creates a diagnostic centre with its branches (main create).

Auth	Bearer token (admin)
Content type	multipart/form-data

REQUEST

```
form-data
  name, email, password, phone, address, country, state, city, pincode,
  centerType, methodology, pathologyAccredited, gstNumber, centerStrength,
  visitType, network, description,
  locationUrl: https://maps.app.goo.gl/abc
  branches: JSON string, e.g.
    [{"branchName":"Indiranagar","address":"...","city":"Bengaluru",
      "pincode":"560038","locationUrl":"https://maps.app.goo.gl/xyz",
      "contactPersons":[]}]
  contactPersons, tests, packages, scans,
  homeCollectionSlots, centerVisitSlots: JSON strings
  image: up to 2 image files
```

SUCCESS RESPONSE · 201

```
{
  "message": "Diagnostic center created successfully",
  "diagnostic": {
    "_id": "dg01...",
    "name": "Diagnostic Centre",
    "locationUrl": "https://maps.app.goo.gl/abc",
    "branches": [
      {
        "_id": "br01...",
        "branchName": "Indiranagar",
        "locationUrl": "https://maps.app.goo.gl/xyz"
      }
    ]
  }
}
```

- The centre's locationUrl and each branch's locationUrl are validated before anything is saved.

POST

/api/admin/create-diagnostic

Older JSON create for a diagnostic centre.

Auth	Bearer token (admin)
Content type	application/json

REQUEST

```
{
  "name": "Diagnostic Centre",
  "email": "...",
  "password": "...",
  "phone": "...",
  "address": "...",
  "country": "India",
  "state": "Karnataka",
  "city": "Bengaluru",
  "pincode": "560001",
  "centerType": "Lab",
  "gstNumber": "...",
  "centerStrength": 20,
  "contactPersons": [],
  "tests": [],
  "packages": [],
  "locationUrl": "https://maps.app.goo.gl/abc"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "...",
  "diagnostic": {
    "_id": "dg01...",
    "locationUrl": "https://maps.app.goo.gl/abc"
  }
}
```

PUT

/api/admin/update-diagnostic

Updates any centre fields, including locationUrl.

Auth	Bearer token (admin)
Content type	application/json

REQUEST

```
{
  "diagnosticId": "dg01...",
  "locationUrl": "https://maps.app.goo.gl/new"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "...",
  "diagnostic": {
    "_id": "dg01...",
    "locationUrl": "https://maps.app.goo.gl/new"
  }
}
```

POST

/api/admin/add-branch

Adds a branch to a centre.

Auth	Bearer token (admin)
Content type	application/json

REQUEST

```
{
  "diagnosticId": "dg01...",
  "branchName": "Indiranagar",
  "email": "...",
  "phone": "...",
  "address": "100 Ft Road",
  "country": "India",
  "state": "Karnataka",
  "city": "Bengaluru",
  "pincode": "560038",
  "contactPersons": [
    {
      "name": "Contact Name",
      "designation": "Manager",
      "gender": "Male",
      "contactEmail": "...",
      "contactNumber": "..."
    }
  ],
  "locationUrl": "https://maps.app.goo.gl/xyz"
}
```

SUCCESS RESPONSE · 201

```
{
  "message": "Branch added successfully",
  "branch": {
    "_id": "br01...",
    "branchName": "Indiranagar",
    "locationUrl": "https://maps.app.goo.gl/xyz"
  }
}
```

PUT

/api/admin/update-branch

Updates a branch. Fields left out keep their value.

Auth	Bearer token (admin)
Content type	application/json

REQUEST

```
{
  "branchId": "br01...",
  "branchName": "Indiranagar",
  "locationUrl": "https://maps.app.goo.gl/xyz2"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Branch updated successfully",
  "branch": {
    "_id": "br01...",
    "locationUrl": "https://maps.app.goo.gl/xyz2"
  }
}
```

POST

/api/admin/create-doctor

Creates a doctor. locationUrl is the clinic's Maps link.

Auth	Bearer token (admin)
Content type	multipart/form-data

REQUEST

```
form-data
  name, email, password, specialization, qualification, experience,
  description, consultation_fee, address, category, consultation_type,
  onlineSlots, offlineSlots: JSON strings
  locationUrl: https://maps.app.goo.gl/clinic
  rating: 4.5   (0-5, optional, default 0)
  image: <1 file>   documents: <up to 5 files>
```

SUCCESS RESPONSE · 201

```
{
  "message": "Doctor created successfully",
  "doctor": {
    "_id": "dr01...",
    "name": "Dr. Doctor Name",
    "address": "...",
    "experience": "10 years",
    "rating": 4.5,
    "locationUrl": "https://maps.app.goo.gl/clinic"
  }
}
```

PUT

/api/admin/update-doctors

Updates a doctor (by doctorId).

Auth	Bearer token (admin)
Content type	multipart/form-data

REQUEST

```
form-data
  doctorId: dr01...
  locationUrl: https://maps.app.goo.gl/clinic2
  rating: 4.2   (optional)
  (any other doctor field, image, documents)
```

SUCCESS RESPONSE · 200

```
{
  "message": "Doctor updated successfully",
  "doctor": {
    "_id": "dr01...",
    "rating": 4.2,
    "locationUrl": "https://maps.app.goo.gl/clinic2"
  }
}
```

PUT **/api/admin/update-doctor**

Updates a doctor (by id).

Auth	Bearer token (admin)
Content type	multipart/form-data

REQUEST

```
form-data
  id: dr01...
  locationUrl: https://maps.app.goo.gl/clinic2
  rating: 4.2   (optional)
  (any other doctor field, image)
```

SUCCESS RESPONSE · 200

```
{
  "message": "Doctor details updated successfully",
  "doctor": {
    "_id": "dr01...",
    "rating": 4.2,
    "locationUrl": "https://maps.app.goo.gl/clinic2"
  }
}
```

Add to Calendar (IST)

Every booking response now has a `calendar` object. All times are Indian Standard Time (Asia/Kolkata, UTC+05:30). Each slot is 30 minutes.

FIELD

```
"calendar": {
  "start": "2026-10-12T10:00:00+05:30",
  "end": "2026-10-12T10:30:00+05:30",
  "timezone": "Asia/Kolkata",
  "displayDate": "12 Oct 2026",
  "displayTime": "10:00 AM - 10:30 AM IST",
  "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Doctor%20consultation%20-
%20Dr.%20Doctor%20Name&dates=20261012T100000/20261012T103000&ctz=Asia%2FKolkata&details=
...&location=https%3A%2F%2Fmaps.app.goo.gl%2Fclinic"
}
```

HOW TO USE IT

- **"Add to Calendar" button:** open `googleCalendarUrl`. Google Calendar opens with the title, IST time, booking ID and location filled in.

- **Other calendars (Apple, Outlook, device):** use `start` and end. They carry the +05:30 offset, so no conversion is needed.
- **Showing the slot on screen:** use `displayDate` and `displayTime`.
- **Title:** "Doctor consultation - Dr. {name}", "Health package - {package} at {centre}" or "Diagnostic test - {centre}".
- **Location:** the `locationUrl` (Center Visit / Offline) or the meeting link (online consultation).
- `calendar` is `null` when a booking has no date or time slot.

Returned by: `POST /create-bookings`, `POST /package-bookings`, `POST /consultationbooking`, `PUT /reschedulebooking`, `PUT /diagreschedule`, `PUT /packagereschedule`, `GET /mybookings` (each booking) and `GET /single-booking`.

Staff endpoints

Auth & account

POST `/api/staff/login-staff` — NO AUTH

Log in with email or phone number. Returns the token used by every other endpoint.

Auth	None
Content type	application/json

REQUEST

```
{
  "email": "staff@example.com",
  "contact_number": "(or) 9876543210",
  "password": "secret123",
  "acceptTermsAndConditions": true
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Login successful",
  "token": "eyJhbGciOi...",
  "staff": {
    "_id": "66f1...",
    "name": "Staff Name",
    "email": "staff@example.com",
    "contact_number": "9876543210",
    "role": "Staff",
    "gender": "Female",
    "age": 32,
    "profileImage": "uploads/...",
    "department": "HR",
    "employeeId": "EMP0042",
    "wallet_balance": 3000,
    "termsAndConditionsAccepted": true,
    "termsAcceptedAt": "2026-10-01T09:00:00.000Z",
    "companyId": "65aa..."
  },
  "companyInfo": {
    "companyId": "65aa...",
    "companyName": "Company Name"
  }
}
```

- Send either email or contact_number.

POST

/api/staff/logout

Revokes the current token.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Logout successful"
}
```

POST

/api/staff/save-fcm-token

Saves the device's Firebase push token.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "fcmToken": "dGhpcyBpcyBh..."
}
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "FCM token saved successfully",
  "staff": "{ ...staff }"
}
```

POST

/api/staff/verify-email

Checks that the email belongs to the logged-in staff member.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "email": "staff@example.com"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Email verified successfully",
  "staffId": "66f1..."
}
```

POST

/api/staff/reset-password

Sets a new password for the logged-in staff member.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "newPassword": "newSecret1",
  "confirmPassword": "newSecret1"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Password reset successfully (no hashing used)"
}
```

PUT

/api/staff/changepassword

Changes the password after checking the current one.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "currentPassword": "secret123",
  "newPassword": "newSecret1"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Password updated successfully"
}
```

POST

/api/staff/forgot-password

Sets a new password by email.

NO AUTH

Auth	None
Content type	application/json

REQUEST

```
{
  "email": "staff@example.com",
  "newPassword": "newSecret1"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Password updated successfully"
}
```

POST

/api/staff/deleteaccount

Requests account deletion. Sends a confirmation email.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "email": "staff@example.com",
  "reason": "Leaving the company"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Account deletion request processed. Please check your email to
confirm.",
  "token": "a1b2c3..."
}
```

GET

/api/staff/confirm-delete-account/:token

Link opened from the confirmation email. Deletes the account.

NO AUTH

Auth	None
Content type	None
URL params	`:token from the email`

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Your account has been successfully deleted."
}
```

DELETE

/api/staff/deleteaccount

Deletes the logged-in staff account immediately (no email step).

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Staff deleted successfully."
}
```

Profile

GET `/api/staff/getprofile`

Profile with wallet balance, family, bookings and wallet history.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Staff fetched successfully",
  "staff": {
    "_id": "66f1...",
    "name": "Staff Name",
    "email": "...",
    "contact_number": "...",
    "address": "...",
    "role": "Staff",
    "profileImage": "...",
    "wallet_balance": 3000,
    "family_members": [],
    "doctorAppointments": [],
    "myBookings": [],
    "wallet_logs": [],
    "createdAt": "...",
    "updatedAt": "..."
  }
}
```

GET **/api/staff/staffprofile**

Profile with health details.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200


```
{
  "message": "Staff profile fetched successfully",
  "staff": {
    "_id": "66f1...",
    "userId": "...",
    "employeeId": "EMP0042",
    "name": "Staff Name",
    "email": "...",
    "contact_number": "...",
    "role": "Staff",
    "profileImage": null,
    "age": 32,
    "gender": "Female",
    "department": "HR",
    "height": 162,
    "weight": 58,
    "BP": "120/80",
    "BMI": 22.1,
    "eyeCheckupResults": null,
    "eyeSight": "6/6",
    "createdAt": "...",
    "updatedAt": "..."
  }
}
```

PUT

/api/staff/editprofile

Updates profile fields. Send only the fields to change.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "employeeId": "EMP0042",
  "name": "Staff Name",
  "email": "staff@example.com",
  "contact_number": "9876543210",
  "role": "Staff",
  "age": 32,
  "gender": "Female",
  "department": "HR",
  "height": 162,
  "weight": 58,
  "BP": "120/80",
  "BMI": 22.1,
  "eyeCheckupResults": "Normal",
  "eyeSight": "6/6"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Staff profile updated successfully",
  "staff": "{ ...updated staff }"
}
```

POST /api/staff/uploadProfileImage

Uploads a profile photo.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  profileImage: <image file>
```

SUCCESS RESPONSE · 200

```
{
  "message": "Profile image uploaded successfully",
  "staff": {
    "name": "...",
    "email": "...",
    "contact_number": "...",
    "address": "...",
    "role": "Staff",
    "profileImage": "uploads/profile/abc.jpg",
    "createdAt": "...",
    "updatedAt": "..."
  }
}
```

PUT /api/staff/updateProfileImage

Replaces the profile photo. Without a file the existing one is kept.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  profileImage: <image file>
```

SUCCESS RESPONSE · 200

```
{
  "message": "Profile image updated successfully",
  "staff": {
    "name": "...",
    "profileImage": "uploads/profile/new.jpg"
  }
}
```

Family members

POST `/api/staff/create-family`

Adds a family member.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "fullName": "Family Member Name",
  "mobileNumber": "9876500000",
  "age": 35,
  "gender": "Male",
  "DOB": "1991-04-12",
  "height": 175,
  "weight": 72,
  "eyeSight": "6/6",
  "BMI": 23.5,
  "BP": "120/80",
  "sugar": "Normal",
  "relation": "Spouse",
  "description": ""
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Family member added successfully",
  "family_member": {
    "_id": "fm01...",
    "fullName": "Family Member Name",
    "relation": "Spouse"
  },
  "staff": {
    "name": "...",
    "family_members": [
      "..."
    ]
  }
}
```

GET **/api/staff/get-singlefamilymem**

One family member.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "familyMemberId": "fm01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Family member fetched successfully",
  "family_member": {
    "_id": "fm01...",
    "fullName": "Family Member Name"
  }
}
```

GET **/api/staff/getallfamily**

All family members.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "All family members fetched successfully",
  "family_members": [
    {
      "_id": "fm01...",
      "fullName": "Family Member Name",
      "relation": "Spouse"
    }
  ]
}
```

PUT

/api/staff/updatefamily

Updates a family member. Same fields as create.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "familyMemberId": "fm01...",
  "fullName": "Family Member Name",
  "age": 36
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Family member updated successfully",
  "family_member": {
    "_id": "fm01...",
    "age": 36
  }
}
```

DELETE

/api/staff/removefamily

Removes a family member.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "familyMemberId": "fm01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Family member removed successfully"
}
```

Addresses

POST **/api/staff/create-address**

Adds an address. Each addressType (Home, Office, any name) can exist only once.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "street": "12 MG Road",
  "city": "Bengaluru",
  "state": "Karnataka",
  "country": "India",
  "postalCode": "560001",
  "addressType": "Home"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Address added successfully",
  "address": {
    "street": "12 MG Road",
    "city": "Bengaluru",
    "state": "Karnataka",
    "country": "India",
    "postalCode": "560001",
    "addressType": "Home"
  },
  "addresses": [
    "..."
  ]
}
```

- Only one address per type: one Home, one Office, and so on (custom names allowed). The check ignores letter case, so "home" and "Home" are the same.
- 400 if the type already exists: "Home address already exists. Please update the existing one."
- addressType defaults to "Home" when not sent.

GET

/api/staff/getaddresses

All saved addresses. Use an address _id as addressId for Home Collection bookings.

Auth	Bearer token (staff)
Content type	None

REQUEST

No body

SUCCESS RESPONSE · 200


```
{
  "message": "Addresses fetched successfully",
  "addresses": [
    {
      "_id": "ad01...",
      "street": "12 MG Road",
      "city": "Bengaluru",
      "state": "Karnataka",
      "country": "India",
      "postalCode": "560001",
      "addressType": "Home"
    }
  ]
}
```

PUT

/api/staff/update-address

Updates an address. Fields left out keep their value.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "addressId": "ad01...",
  "street": "14 MG Road",
  "postalCode": "560001",
  "addressType": "Home"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Address updated successfully",
  "updatedAddress": {
    "_id": "ad01...",
    "street": "14 MG Road"
  }
}
```

- Changing addressType to a type another address already uses (e.g. a second Home) returns 400 "Home address already exists. Please update the existing one." The check ignores letter case.

DELETE

/api/staff/remove-address

Removes an address.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "addressId": "ad01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Address removed successfully",
  "removedAddress": {
    "_id": "ad01..."
  },
  "remainingAddresses": []
}
```

Wallet & coins

GET **/api/staff/wallet** CHANGED

Wallet balance per category and full transaction history (newest first).

Auth	Bearer token (staff)
Content type	None

REQUEST

No body

SUCCESS RESPONSE · 200


```
{
  "message": "Wallet balance and transaction history fetched successfully",
  "wallet_balance": 2600,
  "total_credit": 3000,
  "total_debit": 400,
  "forTests": 1000,
  "forDoctors": 600,
  "forPackages": 1000,
  "totalAmount": 2600,
  "transaction_history": [
    {
      "type": "debit",
      "forTests": 0,
      "forDoctors": 400,
      "forPackages": 0,
      "totalAmount": 400,
      "from": "Doctor Consultation",
      "to": "-",
      "date": "2026-10-09T05:00:00.000Z",
      "time_ago": "2 hours ago",
      "description": "Debited to -"
    },
    {
      "type": "credit",
      "forTests": 1000,
      "forDoctors": 1000,
      "forPackages": 1000,
      "totalAmount": 3000,
      "from": "Admin",
      "to": "-",
      "date": "...",
      "time_ago": "1 day ago",
      "description": "Credited by Admin"
    }
  ]
}
```

- wallet_balance = forTests + forDoctors + forPackages, and totalAmount now always equals wallet_balance.
- History "from" values: Admin, Admin (All Staff), Diagnostics Booking, Package Booking, Package Booking (Admin), Doctor Consultation, Doctor Consultation (Admin), Doctor Appointment, Booking Cancellation, Coins Redemption, Bulk Package Booking.

POST **/api/staff/wallet-request**

Asks the admin for wallet money. Only one pending request at a time.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "forTests": 500,
  "forDoctors": 0,
  "forPackages": 0,
  "reason": "Annual health check"
}
```

SUCCESS RESPONSE · 201

```
{
  "success": true,
  "message": "Wallet amount request sent to admin successfully",
  "data": {
    "_id": "wr01...",
    "status": "pending",
    "forTests": 500,
    "forDoctors": 0,
    "forPackages": 0
  }
}
```

- 400 if a pending request exists. There is no admin approve endpoint yet: the admin credits through Add Amount.

/api/staff/addsteps

POST

Adds steps to today's total and recalculates available coins (100 coins per 10,000 steps).

CHANGED

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "steps": 4200
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Steps recorded successfully",
  "steps": [
    {
      "date": "2026-10-09T00:00:00.000Z",
      "day": "Friday",
      "stepsCount": 8400
    }
  ],
  "totalCoins": 84
}
```

- New: steps must be a whole number from 1 to 100,000, otherwise 400.
- totalCoins here means coins available to redeem (earned minus already redeemed).

GET **/api/staff/steps**

Step history with coins per day.

CHANGED

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200


```
{
  "staffId": "66f1...",
  "name": "Staff Name",
  "stepsSummary": [
    {
      "date": "Today",
      "day": "Friday",
      "stepsCount": 8400,
      "coinsEarned": 84
    }
  ],
  "totalSteps": 52000,
  "totalCoins": 520,
  "availableCoins": 84,
  "redeemedCoins": 436,
  "todayTotalSteps": 8400,
  "todayTotalCoins": 84,
  "yesterdayTotalSteps": 10000,
  "yesterdayTotalCoins": 100
}
```


- New fields: availableCoins (can redeem now) and redeemedCoins. totalCoins in this response is all coins ever earned.

POST **/api/staff/redeemcoins** CHANGED

Moves all available coins into the Doctors wallet (1 coin = ₹1).

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Coins redeemed successfully",
  "wallet_balance": 2684,
  "forDoctors": 684,
  "redeemedCoins": 84
}
```

- New: coins go to forDoctors and appear in history as "Coins Redemption".
- 400 "No coins available for redemption" · 409 if a second redeem runs at the same time.

Cart & diagnostics booking

POST `/api/staff/addcart`

Adds a test or scan to the cart, or changes its quantity.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "userId": "66f1...",
  "itemId": "tst01...",
  "action": "inc"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Cart updated successfully",
  "cart": {
    "userId": "66f1...",
    "items": [
      {
        "itemId": "tst01...",
        "type": "test",
        "title": "CBC",
        "quantity": 1,
        "price": 400,
        "offerPrice": 350,
        "totalPayable": 350,
        "totalPrice": 350
      }
    ]
  }
}
```

- action: "inc" or "dec".
- userId is the logged-in staff member's _id.

GET **/api/staff/mycart**

Cart items and total.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "userId": "66f1..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Cart fetched successfully",
  "items": [
    {
      "itemId": "tst01...",
      "title": "CBC",
      "quantity": 1,
      "totalPrice": 350
    }
  ],
  "grandTotal": 350
}
```

- Empty cart: { message: "Cart is empty", items: [], grandTotal: 0 }

DELETE

/api/staff/deletecart

Removes an item from the cart.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "userId": "66f1...",
  "itemId": "tst01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Item removed from cart",
  "items": [],
  "grandTotal": 0
}
```

GET

/api/staff/diagnosticslots

Available slots of a diagnostic centre for a date.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json
Query	`?date=2026-10-12&type=Center Visit`

REQUEST BODY (SENT WITH GET)

```
{
  "diagnosticId": "dg01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Center visit slots fetched successfully",
  "slots": [
    {
      "date": "2026-10-12",
      "timeSlot": "09:00 AM",
      "isBooked": false,
      "type": "Center Visit"
    }
  ]
}
```

- type: "Home Collection" or "Center Visit". Without type, both lists are combined.
- 404 if no free slots on that date.

/api/staff/create-bookings

POST

Checks out the cart into a diagnostics booking. Paid from the Tests wallet, the rest online.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "familyMemberId": "fm01... (optional)",
  "diagnosticId": "dg01...",
  "serviceType": "Center Visit",
  "date": "2026-10-12",
  "timeSlot": "09:00 AM",
  "transactionId": "pay_Nx... (only if wallet is not enough)",
  "addressId": "ad01... (Home Collection only)"
}
```

SUCCESS RESPONSE · 201


```
{
  "message": "Booking created successfully with items stored.",
  "isSuccessfull": true,
  "diagnosticBookingId": "DiagBookingId_0123",
  "walletUsed": 350,
  "onlinePaymentUsed": 0,
  "walletBalance": 2250,
  "forTestsBalance": 650,
  "locationUrl": "https://maps.app.goo.gl/abc",
  "calendar": {
    "start": "2026-10-12T09:00:00+05:30",
    "end": "2026-10-12T09:30:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "12 Oct 2026",
    "displayTime": "09:00 AM - 09:30 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Diagnostic%20test%20-
%20Diagnostic%20Centre&dates=...&ctz=Asia%2FKolkata&..."
  },
  "booking": {
    "_id": "bk01...",
    "status": "Confirmed",
    "items": [
      "..."
    ],
    "totalPrice": 350,
    "payableAmount": 350,
    "locationUrl": "https://maps.app.goo.gl/abc"
  },
  "itemsCount": 1
}
```


- serviceType: "Home Collection" (addressId required) or "Center Visit". date: YYYY-MM-DD, DD/MM/YYYY or MM/DD/YYYY.
- 402 when the Tests wallet doesn't cover the total and no transactionId is sent: response has walletAvailable and requiredOnline.
- New: 409 if the Tests wallet changed while booking.
- The cart is emptied after success.

Packages, tests & scans

GET `/api/staff/stafftestpackages`

Packages for the staff member's age and gender, plus their assigned tests and scans.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "Staff packages, tests, and scans fetched successfully.",
  "myPackages": [
    {
      "packageId": "pk01...",
      "name": "Full Body Checkup",
      "price": 2500,
      "offerPrice": 1999,
      "includedTests": [
        "..."
      ]
    }
  ],
  "myTests": [],
  "myScans": []
}
```

GET `/api/staff/singlestafftestpackages`

One package with its tests expanded.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "packageId": "pk01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "✅ Single package fetched successfully.",
  "package": {
    "_id": "pk01...",
    "name": "Full Body Checkup",
    "includedTests": [
      "..."
    ]
  }
}
```

POST `/api/staff/addpackages`

Adds a package of a diagnostic centre to the staff member.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "diagnosticId": "dg01...",
  "packageId": "pk01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Package added to staff successfully",
  "staff": "{ ...staff }"
}
```

GET /api/staff/getpackage-test

Staff member's packages and tests.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Staff packages and tests fetched successfully",
  "data": "{ ...staff with myPackages, myTests }"
}
```

GET /api/staff/getscans

Scans (X-ray etc.) available to the staff member.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "Staff scans fetched successfully",
  "data": [
    {
      "_id": "xr01...",
      "title": "Chest X-Ray",
      "price": 600
    }
  ]
}
```

GET

/api/staff/gettests

Tests available to the staff member.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Filtered staff tests fetched successfully",
  "data": [
    {
      "_id": "tst01...",
      "name": "CBC",
      "price": 400
    }
  ]
}
```

/api/staff/package-bookings

POST

Books a health package. Paid from the Packages wallet, the rest online.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "familyMemberId": "fm01... (optional)",
  "diagnosticId": "dg01...",
  "packageId": "pk01...",
  "serviceType": "Center Visit",
  "date": "2026-10-12",
  "timeSlot": "08:00 AM",
  "transactionId": "pay_Nx... (only if wallet is not enough)",
  "addressId": "ad01... (Home Collection only)"
}
```

SUCCESS RESPONSE · 201

```
{
  "message": "Package booking created successfully.",
  "isSuccessfull": true,
  "walletUsed": 1000,
  "onlinePaymentUsed": 999,
  "remainingWalletBalance": 1600,
  "forPackagesBalance": 0,
  "packageBookingId": "PackageBookingId_0045",
  "diagnosticBookingId": "DiagBookingId_0124",
  "locationUrl": "https://maps.app.goo.gl/abc",
  "calendar": {
    "start": "2026-10-12T08:00:00+05:30",
    "end": "2026-10-12T08:30:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "12 Oct 2026",
    "displayTime": "08:00 AM - 08:30 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Health%20package%20-
%20Full%20Body%20Checkup&dates=...&ctz=Asia%2FKolkata&..."
  },
  "booking": {
    "_id": "bk02...",
    "status": "Confirmed",
    "totalPrice": 1999
  },
  "diagnosticIncluded": true,
  "diagnosticName": "Diagnostic Centre"
}
```

- 402 with walletAvailable / requiredOnline if the wallet doesn't cover it and no transactionId is sent.

- New: 409 if the Packages wallet changed while booking.

GET **/api/staff/recent-package-booking**

The most recent package booking.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Recent package booking retrieved successfully",
  "package": {
    "_id": "pk01...",
    "name": "Full Body Checkup"
  }
}
```

Doctor consultations

GET `/api/staff/doctor-slots`

A doctor's slots for a date.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json
Query	`?date=2026-10-12&type=Online`

REQUEST BODY (SENT WITH GET)

```
{
  "doctorId": "dr01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "date": "2026-10-12",
  "slots": [
    {
      "day": "Monday",
      "date": "2026-10-12",
      "timeSlot": "10:00 AM",
      "isBooked": false
    }
  ]
}
```

- type: "Online" or "Offline".

POST

/api/staff/consultationbooking

Books a doctor consultation. Paid from the Doctors wallet, the rest online.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "doctorId": "dr01...",
  "day": "Monday",
  "date": "2026-10-12",
  "timeSlot": "10:00 AM",
  "familyMemberId": "fm01... (optional)",
  "type": "Offline",
  "transactionId": "pay_Nx... (only if wallet is not enough)"
}
```

SUCCESS RESPONSE · 201


```
{
  "success": true,
  "message": "Doctor consultation booked successfully.",
  "isSuccessfull": true,
  "doctorConsultationBookingId": "DoctorBookingId_0201",
  "walletUsed": 400,
  "onlinePaymentUsed": 0,
  "remainingForDoctorsBalance": 200,
  "walletBalance": 2200,
  "locationUrl": "https://maps.app.goo.gl/clinic",
  "calendar": {
    "start": "2026-10-12T10:00:00+05:30",
    "end": "2026-10-12T10:30:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "12 Oct 2026",
    "displayTime": "10:00 AM - 10:30 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Doctor%20consultation%20-
%20Dr.%20Doctor%20Name&dates=...&ctz=Asia%2FKolkata&..."
  },
  "booking": {
    "_id": "bk03...",
    "type": "Offline",
    "date": "2026-10-12",
    "bookedSlot": {
      "day": "Monday",
      "date": "2026-10-12",
      "timeSlot": "10:00 AM"
    },
    "locationUrl": "https://maps.app.goo.gl/clinic"
  },
  "meetingLink": null
}
```


- type: "Online" or "Offline". locationUrl is the clinic link for Offline, null for Online.
- 402 with walletAvailable / requiredOnline when the wallet isn't enough and no transactionId is sent.
- New: 409 if the Doctors wallet changed while booking.

GET **/api/staff/getonlinebookingdoctors** CHANGED

Doctors that offer online consultations, with their slots.

Auth	Bearer token (staff)
Content type	None

REQUEST

No body

SUCCESS RESPONSE · 200


```
{
  "message": "3 doctor(s) found with online consultations.",
  "doctors": [
    {
      "_id": "dr01...",
      "name": "Dr. Doctor Name",
      "image": "uploads/...",
      "specialization": "General Physician",
      "experience": "10 years",
      "rating": 4.5,
      "bookingSlot": {
        "timeSlot": "10:00",
        "date": "12-10-2026"
      }
    }
  ]
}
```

GET

/api/staff/recent-doctor-booking

The most recent doctor booking.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Recent doctor booking retrieved successfully",
  "staff": {
    "name": "Staff Name",
    "email": "...",
    "contact_number": "..."
  },
  "booking": {
    "_id": "bk03...",
    "doctorId": "{ ...doctor }"
  }
}
```

GET

/api/staff/getdoctorappointment

Doctor bookings of the staff member, optionally filtered by status.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "status": "Confirmed (optional)"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Doctor appointments fetched successfully",
  "staff": {
    "staffId": "66f1...",
    "name": "...",
    "wallet_balance": 2200
  },
  "appointments": [
    {
      "_id": "bk03...",
      "doctor": "{ ... }",
      "date": "2026-10-12",
      "timeSlot": "10:00 AM",
      "status": "Confirmed"
    }
  ]
}
```

GET

/api/staff/getPrescription

Doctor appointments with their prescriptions.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "status": "Completed (optional)"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Appointments and prescriptions fetched successfully",
  "appointments": [
    {
      "bookingId": "bk03...",
      "doctorPrescriptions": [
        "uploads/..."
      ]
    }
  ]
}
```

POST

/api/staff/bookappoint

Older appointment flow: creates an appointment to be paid with /process-payment.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "doctorId": "dr01...",
  "patient_name": "Staff Name",
  "patient_relation": "Self",
  "appointment_date": "2026-10-12",
  "appointment_time": "10:00 AM",
  "age": 32,
  "gender": "Female",
  "visit": "First"
}
```

SUCCESS RESPONSE · 201

```
{
  "message": "Appointment booked successfully",
  "appointment": {
    "appointmentId": "ap01...",
    "doctor_details": "{ ... }",
    "patient_name": "Staff Name",
    "status": "Pending",
    "subtotal": 400,
    "total": 400,
    "appointment_date": "2026-10-12",
    "appointment_time": "10:00 AM"
  }
}
```

GET

/api/staff/getappoint

One appointment from the older flow.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "appointmentId": "ap01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Appointment details retrieved successfully",
  "appointment": {
    "appointmentId": "ap01...",
    "staff_name": "Staff Name",
    "status": "Pending",
    "total": 400
  }
}
```

POST **/api/staff/process-payment**

Pays an older-flow appointment from the Doctors wallet.

CHANGED

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "appointmentId": "ap01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Payment successful and appointment confirmed",
  "appointment": {
    "doctor_name": "Dr. Doctor Name",
    "doctor_specialization": "General Physician",
    "appointment_date": "2026-10-12",
    "patient_name": "Staff Name",
    "status": "Confirmed",
    "subtotal": 400,
    "total": 400,
    "wallet_balance": 1800
  }
}
```

- Changed: now checks and deducts the Doctors wallet (before: the whole wallet) and writes a proper "Doctor Appointment" history entry.
- 400 "Insufficient wallet balance".

My bookings

GET **/api/staff/mybookings**

All bookings (diagnostics, packages, doctors), newest date + time first.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200


```
{
  "success": true,
  "bookings": [
    {
      "_id": "bk01...",
      "serviceType": "Center Visit",
      "date": "2026-10-12",
      "timeSlot": "09:00 AM",
      "status": "Confirmed",
      "locationUrl": "https://maps.app.goo.gl/abc",
      "calendar": {
        "start": "2026-10-12T09:00:00+05:30",
        "end": "2026-10-12T09:30:00+05:30",
        "timezone": "Asia/Kolkata",
        "displayDate": "12 Oct 2026",
        "displayTime": "09:00 AM - 09:30 AM IST",
        "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Diagnostic%20test%20-
%20Diagnostic%20Centre&dates=...&ctz=Asia%2FKolkata&..."
      },
      "items": [
        "..."
      ]
    }
  ],
  "totalBookings": 1,
  "sortedBy": "date + timeSlot (latest first)"
}
```

GET **/api/staff/single-booking**

Full details of one booking.

CHANGED LOCATIONURL GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "bookingId": "bk01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "booking": {
    "_id": "bk01...",
    "status": "Confirmed",
    "totalPrice": 350,
    "locationUrl": "https://maps.app.goo.gl/abc",
    "doctor": "null for test bookings; for doctor bookings: { doctorId, name, email,
image, specialization, qualification, experience, address, rating }",
    "calendar": {
      "start": "2026-10-12T09:00:00+05:30",
      "end": "2026-10-12T09:30:00+05:30",
      "timezone": "Asia/Kolkata",
      "displayDate": "12 Oct 2026",
      "displayTime": "09:00 AM - 09:30 AM IST",
      "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Diagnostic%20test%20-
%20Diagnostic%20Centre&dates=...&ctz=Asia%2FKolkata&..."
    },
    "address": null
  }
}
```

GET

/api/staff/getalldiagbookings

Diagnostic bookings, optionally filtered by status.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "status": "Confirmed (optional)"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Bookings fetched successfully",
  "bookings": [
    {
      "bookingId": "bk01...",
      "diagnostic_name": "Diagnostic Centre",
      "status": "Confirmed"
    }
  ]
}
```

PUT **/api/staff/cancel-booking**

Cancels a booking and refunds the full booking price to the matching wallet category.

CHANGED

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "status": "Cancelled",
  "bookingId": "bk01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Booking successfully cancelled and wallet updated.",
  "booking": {
    "_id": "bk01...",
    "status": "Cancelled",
    "totalPrice": 350
  },
  "refundedAmount": 350,
  "refundedTo": "forTests",
  "wallet_balance": 2950
}
```

- status must be "Cancelled".
- New: 400 "Booking is already Cancelled and cannot be cancelled." (also for Completed).
- refundedTo: forDoctors (doctor booking), forPackages (package booking) or forTests (other bookings). A "Booking Cancellation" credit is added to the wallet history.

PUT **/api/staff/reschedulebooking**

Moves a doctor consultation to another slot.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "bookingId": "bk03...",
  "newDay": "Tuesday",
  "newDate": "2026-10-13",
  "newTimeSlot": "11:00 AM"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Booking rescheduled successfully",
  "isSuccessfull": true,
  "locationUrl": "https://maps.app.goo.gl/clinic",
  "calendar": {
    "start": "2026-10-13T11:00:00+05:30",
    "end": "2026-10-13T11:30:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "13 Oct 2026",
    "displayTime": "11:00 AM - 11:30 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Doctor%20consultation%20-
%20Dr.%20Doctor%20Name&dates=...&ctz=Asia%2FKolkata&..."
  },
  "booking": {
    "_id": "bk03...",
    "date": "2026-10-13"
  }
}
```

PUT

/api/staff/diagreschedule

Moves a diagnostic booking to another slot.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "bookingId": "bk01...",
  "newDate": "2026-10-14",
  "newTimeSlot": "09:30 AM"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Booking rescheduled successfully",
  "isSuccessfull": true,
  "locationUrl": "https://maps.app.goo.gl/abc",
  "calendar": {
    "start": "2026-10-14T09:30:00+05:30",
    "end": "2026-10-14T10:00:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "14 Oct 2026",
    "displayTime": "09:30 AM - 10:00 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Diagnostic%20test%20-
%20Diagnostic%20Centre&dates=...&ctz=Asia%2FKolkata&..."
  },
  "booking": {
    "_id": "bk01...",
    "date": "2026-10-14"
  }
}
```

PUT **/api/staff/packagereschedule**

Moves a package booking to another slot.

CHANGED LOCATIONURL

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "bookingId": "bk02...",
  "newDate": "2026-10-15",
  "newTimeSlot": "08:00 AM"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Package booking rescheduled successfully",
  "isSuccessfull": true,
  "locationUrl": "https://maps.app.goo.gl/abc",
  "calendar": {
    "start": "2026-10-15T08:00:00+05:30",
    "end": "2026-10-15T08:30:00+05:30",
    "timezone": "Asia/Kolkata",
    "displayDate": "15 Oct 2026",
    "displayTime": "08:00 AM - 08:30 AM IST",
    "googleCalendarUrl": "https://calendar.google.com/calendar/render?
action=TEMPLATE&text=Health%20package%20at%20Diagnostic%20Centre&dates=...&ctz=Asia%
2FKolkata&..."
  },
  "booking": {
    "_id": "bk02..."
  }
}
```

GET

/api/staff/download-report

Downloads the booking as a PDF.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "bookingId": "bk01..."
}
```

SUCCESS RESPONSE · 200

```
200 application/pdf
Content-Disposition: attachment; filename=booking_report_<bookingId>.pdf
<binary PDF>
```

HRA (health risk assessment)

GET `/api/staff/hra-submission-status`

Checks whether the staff member took the HRA in the last 30 days. Call before showing the test.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200


```
{
  "success": true,
  "message": "Staff can take the HRA test.",
  "data": {
    "hasTakenInLast30Days": false,
    "canTakeHra": true,
    "nextEligibleDate": "2026-09-30T06:30:00.000Z",
    "daysRemaining": 0,
    "lastSubmission": {
      "submissionId": "hs01...",
      "submittedAt": "2026-08-31T06:30:00.000Z",
      "totalPoints": "68/100",
      "riskLevel": "Moderate",
      "riskMessage": "...",
      "categoryPoints": {
        "Lifestyle": 18
      },
      "prescribedForCategories": {
        "Lifestyle": "..."
      }
    }
  }
}
```


- Full examples in the HRA status check section above.

POST

/api/staff/submit-hra-answers

Submits HRA answers and returns the score and risk level.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "answers": [
    {
      "questionId": "q01...",
      "selectedOption": "opt01..."
    },
    {
      "questionId": "q02...",
      "selectedOption": "opt07..."
    }
  ]
}
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "🎯 Hurrah! You scored 68/100.",
  "data": {
    "totalPoints": "68/100",
    "riskLevel": "Moderate",
    "riskMessage": "...",
    "categoryPoints": {
      "Lifestyle": 18,
      "Diet": 12
    },
    "prescribedForCategories": {
      "Diet": "..."
    },
    "submissionId": "hs02...",
    "gender": "female"
  }
}
```

- selectedOption is the option's _id from the question.
- 400 "❗ Answers are required." when answers is empty.
- Check /hra-submission-status before showing the test.

GET

/api/staff/allhracat

HRA categories and their questions for the staff member.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "HRAs fetched successfully",
  "hras": [
    {
      "_id": "hra01...",
      "hraName": "Lifestyle",
      "questions": [
        {
          "_id": "q01...",
          "question": "...",
          "options": [
            {
              "_id": "opt01...",
              "text": "...",
              "point": 2
            }
          ]
        }
      ]
    }
  ]
}
```

POST

/api/staff/submit-hra

Older HRA submit endpoint.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "answers": [
    {
      "questionId": "q01...",
      "selectedOption": "opt01..."
    }
  ]
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Answers submitted successfully",
  "totalPoints": "68/100",
  "data": [
    {
      "questionId": "q01...",
      "selectedOption": "opt01..."
    }
  ]
}
```

- Prefer /submit-hra-answers.

POST **/api/staff/submit-questionanswer**

Answers a single standalone question.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "questionId": "sq01...",
  "answer": "Yes"
}
```

SUCCESS RESPONSE · 201

```
{
  "message": "Answer submitted successfully",
  "data": {
    "_id": "sq01...",
    "answers": [
      "..."
    ]
  }
}
```

Notifications

GET **/api/staff/notifications**

All notifications, newest first, with the unread count for the badge.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "unreadCount": 2,
  "notifications": [
    {
      "_id": "nt01...",
      "title": "Diagnostics Booking Confirmed",
      "message": "Your diagnostic booking for 2026-10-12 at 09:00 AM has been
confirmed.",
      "timestamp": "...",
      "bookingId": "bk01...",
      "isRead": false
    }
  ]
}
```

POST

/api/staff/notifications/mark-read

Marks one notification as read, or all when the body is empty.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "notificationId": "nt01... (omit to mark all)"
}
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "Notification marked as read",
  "unreadCount": 1
}
```

- 400 invalid notificationId · 404 notification not found.

Doctor chat

POST **/api/staff/sendchat**

Sends a chat message to a doctor, optionally with a file.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  doctorId: dr01...
  message: Hello doctor
  senderType: staff
  file: <optional file>
```

SUCCESS RESPONSE · 201

```
{
  "success": true,
  "chat": {
    "_id": "ch01...",
    "message": "Hello doctor",
    "timestamp": "2026-10-09T05:00:00.000Z",
    "consultationType": "Online",
    "doctorStatus": "Online",
    "sender": "Staff Name",
    "receiver": "Dr. Doctor Name",
    "senderId": "66f1...",
    "receiverId": "dr01..."
  }
}
```

GET `/api/staff/getchat`

Chat history with a doctor.

GET WITH BODY

Auth	Bearer token (staff)
Content type	application/json

REQUEST BODY (SENT WITH GET)

```
{
  "doctorId": "dr01..."
}
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "messages": [
    {
      "message": "Hello doctor",
      "sender": "Staff Name",
      "timestamp": "..."
    }
  ]
}
```

Documents & uploads

PUT `/api/staff/userupload`

Uploads a personal medical document to the staff profile.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  file: <pdf / image>
```

SUCCESS RESPONSE · 200

```
{
  "message": "File uploaded successfully by staff",
  "filePath": "uploads/userMedicalFiles/abc.pdf",
  "staff": "{ ...staff }"
}
```

PUT

/api/staff/upload-booking-report

Uploads a lab report to a diagnostic booking.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  bookingId: bk01...
  report: <file>
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "Report uploaded by staff successfully",
  "booking": {
    "_id": "bk01...",
    "receivedDiagReports": [
      "uploads/..."
    ]
  }
}
```

PUT

/api/staff/upload-diagnostic-prescription

Uploads a prescription to a diagnostic booking.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  bookingId: bk01...
  prescription: <file>
```

SUCCESS RESPONSE · 200

```
{
  "success": true,
  "message": "Prescription uploaded by staff successfully",
  "booking": {
    "_id": "bk01...",
    "receivedDiagPrescriptions": [
      "uploads/..."
    ]
  }
}
```

PUT

/api/staff/upload-doctor-report

Uploads a report to a doctor booking.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  appointmentId: bk03...
  report: <file>
```

SUCCESS RESPONSE · 200

```
{
  "message": "Doctor report uploaded successfully by staff",
  "reportPath": "uploads/...",
  "booking": {
    "_id": "bk03..."
  }
}
```

PUT

/api/staff/upload-doctor-prescription

Uploads a prescription to a doctor booking.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  appointmentId: bk03...
  prescription: <file>
```

SUCCESS RESPONSE · 200

```
{
  "message": "Doctor prescription uploaded successfully by staff",
  "prescriptionPath": "uploads/...",
  "booking": {
    "_id": "bk03..."
  }
}
```

Support & issues

POST `/api/staff/support-ticket`

Creates a support ticket, optionally with a file.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  reason: Payment issue
  description: Amount deducted twice
  file: <optional file>
```

SUCCESS RESPONSE · 201

```
{
  "message": "Support ticket created successfully.",
  "ticket": {
    "_id": "tk01...",
    "reason": "Payment issue",
    "status": "Open"
  }
}
```

POST

/api/staff/submitissue

Reports an issue, optionally with a file.

Auth	Bearer token (staff)
Content type	multipart/form-data

REQUEST

```
form-data
  reason: App crash
  description: Crashes on booking screen
  file: <optional file>
```

SUCCESS RESPONSE · 200

```
{
  "message": "Issue submitted successfully",
  "issue": {
    "_id": "is01...",
    "reason": "App crash",
    "status": "Pending"
  }
}
```

GET

/api/staff/getissues

Issues reported by the staff member.

Auth	Bearer token (staff)
Content type	None

REQUEST

```
No body
```

SUCCESS RESPONSE · 200

```
{
  "message": "Issues fetched successfully",
  "issues": [
    {
      "_id": "is01...",
      "reason": "App crash",
      "status": "Pending"
    }
  ]
}
```

PUT

/api/staff/updateissue

Updates an issue's status or response.

Auth	Bearer token (staff)
Content type	application/json

REQUEST

```
{
  "issueId": "is01...",
  "response": "Resolved after update",
  "status": "Resolved"
}
```

SUCCESS RESPONSE · 200

```
{
  "message": "Issue updated successfully",
  "updatedIssue": {
    "_id": "is01...",
    "status": "Resolved"
  }
}
```