

[2]
✓ 1m

```
from flask import Flask
import sqlite3

app = Flask(__name__)

# Create Database
def create_db():
    conn = sqlite3.connect("event.db")
    c = conn.cursor()

    c.execute("""
        CREATE TABLE IF NOT EXISTS events(
            id INTEGER PRIMARY KEY AUTOINCREMENT,
            name TEXT,
            date TEXT
        )
    """)

    c.execute("""
        CREATE TABLE IF NOT EXISTS registrations(
            id INTEGER PRIMARY KEY AUTOINCREMENT,
            user_name TEXT,
            event_name TEXT
        )
    """)

    conn.commit()
    conn.close()

create_db()

@app.route("/")
def home():
    return "Event Registration System"

@app.route("/events")
def events():
    conn = sqlite3.connect("event.db")
    c = conn.cursor()

    c.execute("SELECT * FROM events")
    data = c.fetchall()

    conn.close()
    return str(data)

@app.route("/add_event")
def add_event():
    conn = sqlite3.connect("event.db")
    c = conn.cursor()

    c.execute(
```



[2]

✓ 1m



```
c.execute(
    "INSERT INTO events(name,date) VALUES(?,?)",
    ("Python Workshop", "2026-08-01")
)

conn.commit()
conn.close()

return "Event Added"

@app.route("/register")
def register():
    conn = sqlite3.connect("event.db")
    c = conn.cursor()

    c.execute(
        "INSERT INTO registrations(user_name,event_name) VALUES(?,?)",
        ("Deepali", "Python Workshop")
    )

    conn.commit()
    conn.close()

    return "Registration Successful"

@app.route("/registrations")
def registrations():
    conn = sqlite3.connect("event.db")
    c = conn.cursor()

    c.execute("SELECT * FROM registrations")
    data = c.fetchall()

    conn.close()
    return str(data)

if __name__ == "__main__":
    app.run(debug=True)
```



```
* Serving Flask app '__main__'
* Debug mode: on
INFO:werkzeug:WARNING: This is a development server. Do not use it in a
* Running on http://127.0.0.1:5000
INFO:werkzeug:Press CTRL+C to quit
INFO:werkzeug: * Restarting with watchdog (inotify)
```

[4]
✓ 0s

```
import sqlite3

conn = sqlite3.connect("event.db")
c = conn.cursor()

c.execute(
    "INSERT INTO events(name,date) VALUES(?,?)",
    ("Python Workshop", "2026-08-01")
)

c.execute(
    "INSERT INTO registrations(user_name,event_name) VALUES(?,?)",
    ("Deepali", "Python Workshop")
)

conn.commit()
conn.close()

print("Data Added Successfully")
```

▼ Data Added Successfully

[5]
✓ 0s

```
conn = sqlite3.connect("event.db")
c = conn.cursor()

c.execute("SELECT * FROM events")
print(c.fetchall())

c.execute("SELECT * FROM registrations")
print(c.fetchall())

conn.close()

... [(1, 'Python Workshop', '2026-08-01')]
    [(1, 'Deepali', 'Python Workshop')]
```