

[5]
✓ Os

```
from flask import Flask
import sqlite3

app = Flask(__name__)

# Create Database
conn = sqlite3.connect("jobboard.db")
c = conn.cursor()

c.execute("""
CREATE TABLE IF NOT EXISTS jobs(
id INTEGER PRIMARY KEY AUTOINCREMENT,
job_title TEXT,
company TEXT
)
""")

c.execute("""
CREATE TABLE IF NOT EXISTS candidates(
id INTEGER PRIMARY KEY AUTOINCREMENT,
candidate_name TEXT,
resume TEXT
)
""")

c.execute("""
CREATE TABLE IF NOT EXISTS applications(
id INTEGER PRIMARY KEY AUTOINCREMENT,
candidate_name TEXT,
job_title TEXT,
status TEXT
)
""")

conn.commit()
conn.close()

@app.route("/")
def home():
    return "Job Board Platform"

@app.route("/add_job")
def add_job():
    conn = sqlite3.connect("jobboard.db")
    c = conn.cursor()

    c.execute(
        "INSERT INTO jobs(job_title,company) VALUES(?,?)",
        ("Python Developer","Tech Company")
    )
```

[5]
✓ Os

```
conn.commit()
conn.close()
```

```
return "Candidate Added"
```



```
@app.route("/apply_job")
```

```
def apply_job():
```

```
    conn = sqlite3.connect("jobboard.db")
    c = conn.cursor()
```



```
    c.execute(
```

```
        "INSERT INTO applications(candidate_name,job_title,status) VALUES
        ('Deepali','Python Developer','Applied')
    )
```



```
    conn.commit()
    conn.close()
```



```
    return "Application Submitted"
```



```
@app.route("/jobs")
```

```
def jobs():
```

```
    conn = sqlite3.connect("jobboard.db")
    c = conn.cursor()
```

```
    c.execute("SELECT * FROM jobs")
    data = c.fetchall()
```

```
    conn.close()
    return str(data)
```

```
if __name__ == "__main__":
    app.run(debug=True)
```



```
* Serving Flask app '__main__'
* Debug mode: on
INFO:werkzeug:WARNING: This is a development server. Do not use it in a
* Running on http://127.0.0.1:5000
INFO:werkzeug:Press CTRL+C to quit
INFO:werkzeug: * Restarting with watchdog (inotify)
```

[7]
✓ Os

import sqlite3

conn = sqlite3.connect("jobboard.db")

c = conn.cursor()

c.execute(

"INSERT INTO jobs(job_title,company) VALUES(?,?)",

("Python Developer","Tech Company")

)

c.execute(

"INSERT INTO candidates(candidate_name,resume) VALUES(?,?)"

("Deepali","Python and Flask Developer")

)

c.execute(

"INSERT INTO applications(candidate_name,job_title,

("Deepali","Python Developer","Applied")

)

conn.commit()

c.execute("SELECT * FROM jobs")

print("Jobs:", c.fetchall())

c.execute("SELECT * FROM candidates")

print("Candidates:", c.fetchall())

c.execute("SELECT * FROM applications")

print("Applications:", c.fetchall())

conn.close()



```
... Jobs: [(1, 'Python Developer', 'Tech Company')]
Candidates: [(1, 'Deepali', 'Python and Flask Developer')]
Applications: [(1, 'Deepali', 'Python Developer', 'Applied')]
```