HorizonTechX_RestaurantManagementSyst...

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM
Disk

[1]
56s

```python
from flask import Flask
import sqlite3

app = Flask(__name__)

# Create Database
conn = sqlite3.connect("restaurant.db")
c = conn.cursor()

c.execute("""
CREATE TABLE IF NOT EXISTS menu(
id INTEGER PRIMARY KEY AUTOINCREMENT,
item_name TEXT,
price INTEGER
)
""")

c.execute("""
CREATE TABLE IF NOT EXISTS orders(
id INTEGER PRIMARY KEY AUTOINCREMENT,
customer_name TEXT,
item_name TEXT
)
""")

c.execute("""
CREATE TABLE IF NOT EXISTS reservations(
id INTEGER PRIMARY KEY AUTOINCREMENT,
customer_name TEXT,
table_number INTEGER
)
""")

conn.commit()
conn.close()

@app.route("/")
def home():
    return "Restaurant Management System"

@app.route("/add_menu")
def add_menu():
    conn = sqlite3.connect("restaurant.db")
    c = conn.cursor()

    c.execute(
            "INSERT INTO menu(item_name,price) VALUES(?,?)",
                    ("Pizza", 250)
                        )
```

[1]
56s

```python
        conn.commit()
        conn.close()

        return "Menu Item Added"

    @app.route("/place_order")
    def place_order():
        conn = sqlite3.connect("restaurant.db")
        c = conn.cursor()

        c.execute(
                "INSERT INTO orders(customer_name,item_name) VALUES(?,?)",
                        ("Deepali", "Pizza")
                            )

        conn.commit()
        conn.close()

        return "Order Placed"

    @app.route("/reserve_table")
    def reserve_table():
        conn = sqlite3.connect("restaurant.db")
        c = conn.cursor()

        c.execute(
                "INSERT INTO reservations(customer_name,table_number) VALUE
                        ("Deepali", 5)
                            )

        conn.commit()
        conn.close()

        return "Table Reserved"

    @app.route("/menu")
    def menu():
        conn = sqlite3.connect("restaurant.db")
        c = conn.cursor()

        c.execute("SELECT * FROM menu")
        data = c.fetchall()

        conn.close()
        return str(data)

    if __name__ == "__main__":
        app.run(debug=True)
```

```
 * Serving Flask app '__main__'
 * Debug mode: on
INFO:werkzeug:WARNING: This is a development server. Do not use it in a
 * Running on http://127.0.0.1:5000
INFO:werkzeug:Press CTRL+C to quit
INFO:werkzeug: * Restarting with watchdog (inotify)
```

[4]
0s

```python
import sqlite3

conn = sqlite3.connect("restaurant.db")
c = conn.cursor()

c.execute("INSERT INTO menu(item_name,price) VALUES(?,?)",
          ("Pizza",250))

c.execute("INSERT INTO orders(customer_name,item_name) VALUES(?,?)",
                    ("Deepali","Pizza"))

c.execute("INSERT INTO reservations(customer_name,table_number) VALUES(
                              ("Deepali",5))

conn.commit()

c.execute("SELECT * FROM menu")
print(c.fetchall())

c.execute("SELECT * FROM orders")
print(c.fetchall())

c.execute("SELECT * FROM reservations")
print(c.fetchall())

conn.close()
```

```
[(1, 'Pizza', 250)]
[(1, 'Deepali', 'Pizza')]
[(1, 'Deepali', 5)]
```