

Experiment 5

Dynamic Product Filter with Dropdown using JavaScript DOM Manipulation

CODE:

HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Dynamic Product Filter</title>
  <style>
    /* General Styles */
    body {
      font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, "Helvetica Neue", Arial, sans-serif;
      background-color: #f4f7f9;
      color: #333;
      margin: 0;
      padding: 20px;
    }

    .container {
      max-width: 1200px;
      margin: 0 auto;
      padding: 20px;
      background-color: #fff;
      box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
      border-radius: 8px;
    }

    h1 {
      text-align: center;
      color: #2c3e50;
      margin-bottom: 20px;
    }

    /* Filter Section */
    .filter-section {
      display: flex;
      justify-content: flex-end;
      margin-bottom: 25px;
      align-items: center;
    }

    .filter-label {
      font-weight: 600;
      margin-right: 10px;
      color: #555;
    }

    .filter-dropdown {
      padding: 8px 12px;
      border: 1px solid #ccc;
      border-radius: 6px;
      font-size: 1rem;
      cursor: pointer;
      background-color: #f9f9f9;
    }
```

```

        transition: all 0.3s ease;
    }

    .filter-dropdown:hover {
        border-color: #999;
    }

    .filter-dropdown:focus {
        outline: none;
        border-color: #007bff;
        box-shadow: 0 0 3px rgba(0, 123, 255, 0.25);
    }

    /* Product Grid */
    .product-grid {
        display: grid;
        grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
        gap: 20px;
    }

    .product-card {
        background-color: #fff;
        border: 1px solid #eee;
        border-radius: 8px;
        box-shadow: 0 2px 5px rgba(0, 0, 0, 0.05);
        padding: 20px;
        text-align: center;
        transition: transform 0.3s ease, box-shadow 0.3s ease;
    }

    .product-card:hover {
        transform: translateY(-5px);
        box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
    }

    .product-name {
        font-size: 1.2rem;
        font-weight: 600;
        margin-top: 0;
        color: #2c3e50;
    }

    .product-category {
        font-style: italic;
        color: #7f8c8d;
        margin-bottom: 10px;
    }

    .product-price {
        font-size: 1.5rem;
        font-weight: 700;
        color: #e74c3c;
    }
</style>
</head>
<body>

    <div class="container">
        <h1>Our Products</h1>

        <div class="filter-section">
            <span class="filter-label">Filter by Category:</span>
            <select id="categoryFilter" class="filter-dropdown">
                <option value="all">All</option>

```

```

        <option value="electronics">Electronics</option>
        <option value="books">Books</option>
        <option value="clothing">Clothing</option>
        <option value="home">Home</option>
    </select>
</div>

<div id="productGrid" class="product-grid">
    </div>

</div>

<script>
    // Product Data Array
    const products = [
        { id: 1, name: 'Wireless Headphones', category: 'electronics', price: 129.99 },
        { id: 2, name: 'The Art of Programming', category: 'books', price: 34.50 },
        { id: 3, name: 'Designer T-Shirt', category: 'clothing', price: 45.00 },
        { id: 4, name: 'Smart Coffee Maker', category: 'home', price: 89.99 },
        { id: 5, name: 'Bluetooth Speaker', category: 'electronics', price: 75.00 },
        { id: 6, name: 'Dune: The Classic', category: 'books', price: 22.00 },
        { id: 7, name: 'Woolen Sweater', category: 'clothing', price: 65.00 },
        { id: 8, name: 'Robot Vacuum Cleaner', category: 'home', price: 299.99 },
        { id: 9, name: 'Gaming Mouse', category: 'electronics', price: 59.99 },
        { id: 10, name: 'The Lord of the Rings', category: 'books', price: 55.00 },
    ];

    // Get DOM elements
    const productGrid = document.getElementById('productGrid');
    const categoryFilter = document.getElementById('categoryFilter');

    // Function to render products based on a given list
    function renderProducts(filteredProducts) {
        // Clear the current grid
        productGrid.innerHTML = '';

        // Loop through the filtered products and create HTML for each
        if (filteredProducts.length === 0) {
            productGrid.innerHTML = '<p style="text-align: center; font-size: 1.2rem; color: #888;">No products found for this category.</p>';
        } else {
            filteredProducts.forEach(product => {
                const productCard = document.createElement('div');
                productCard.className = 'product-card';
                productCard.innerHTML = `
                    <h3 class="product-name">${product.name}</h3>
                    <p class="product-category">${product.category.charAt(0).toUpperCase() +
product.category.slice(1)}</p>
                    <p class="product-price">$$${product.price.toFixed(2)}</p>
                `;
                productGrid.appendChild(productCard);
            });
        }
    }

    // Function to handle the filter change
    function filterProducts() {
        const selectedCategory = categoryFilter.value;
        let filteredProducts = [];

        if (selectedCategory === 'all') {
            filteredProducts = products; // Show all products
        } else {
            // Filter products based on the selected category
            filteredProducts = products.filter(product => product.category === selectedCategory);
        }
    }

```

```

    }

    renderProducts(filteredProducts);
  }

  // Add event listener to the dropdown
  categoryFilter.addEventListener('change', filterProducts);

  // Initial render of all products when the page loads
  document.addEventListener('DOMContentLoaded', () => {
    renderProducts(products);
  });
</script>

</body>
</html>

```

OUTPUTS

EXPERIMENT 5




Figure 1: OUTPUT OF EXPERIMENT 5