

Faculty Name :- Amol Shinde (Genosis plus)

Group members name

- 1.Rohit Patil
- 2.Piyush Singh
- 3.Siddhi Pawar
- 4.Manal Patil
5. Vishwesh Dhepe
6. Sahil Gaikwad

Parameters

No parameters

Request body required application/x-www-form-urlencoded ▼

title * required string	string123456
content * required string	fjwevfnefnadnsdsgdnajnddas

Execute Clear

Responses

```
Curl
curl -X 'POST' \
'http://127.0.0.1:8000/blogs/create' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'title=string123456&content=fjwevfnefnadnsdsgdnajnddas'
```

Request URL
`http://127.0.0.1:8000/blogs/create`

Server response

Code **Details**

200

Response body

```
{
  "id": 1,
  "title": "string123456",
  "content": "fjwevfnefnadnsdsgdnajnddas",
  "created_at": "2023-10-26T14:30:00Z",
  "updated_at": "2023-10-26T14:30:00Z"
}
```

put

PUT

/blogs/{blog_id} Blog Update

CancelReset

Parameters

Name	Description
blog_id ^{required}	
integer	4
(path)	

Request body ^{required}

application/json

Edit Value | Schema

```
{
  "title": "rohit",
  "content": "crud ops"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8000/blogs/4' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "rohit",
    "content": "crud ops"
  }'
```

Request URL

http://127.0.0.1:8000/blogs/4

Server response

post

POST

/todos Create Todo

CancelReset

Parameters

No parameters

Request body ^{required}

application/json

Edit Value | Schema

```
{
  "id": 5,
  "title": "piyush",
  "completed": false
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/todos' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 5,
    "title": "piyush",
    "completed": false
  }'
```

Request URL

http://127.0.0.1:8000/todos

Server response

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  http://127.0.0.1:8000/todos/ \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 6,
    "title": "cooking",
    "completed": false
  }'
```

Request URL

http://127.0.0.1:8000/todos

Server response

Code	Details
200	Response body <pre>{ "message": "Todo created successfully", "data": { "id": 6, "title": "cooking", "completed": false } }</pre> Download Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 content-length: 91 content-type: application/json date: Thu, 18 Jun 2026 05:06:41 GMT server: uvicorn vary: Origin</pre>

Get

GET /todos Get All Todos

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/todos' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/todos
```

Server response

CodeDetails

200

Response body

```
[
  {
    "id": 5,
    "title": "piyush",
    "completed": false
  },
  {
    "id": 6,
    "title": "cooking",
    "completed": false
  }
]
```

Response headers

```
content-length: 90
content-type: application/json
date: Thu, 18 Jun 2026 05:06:57 GMT
server: uvicorn
```

Responses

CodeDescription

Links

Put

todo_id * required5integer(path)

Request body requiredapplication/json

Edit ValueSchema

```
{
  "id": 5,
  "title": "cycling",
  "completed": false
}
```

ExecuteClear

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8000/todos/5' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 5,
    "title": "cycling",
    "completed": false
  }'
```

Request URL

```
http://127.0.0.1:8000/todos/5
```

Server response

CodeDetails

200

Response body

```
{
  "message": "Todo updated successfully",
  "data": {
    "id": 5,
    "title": "cycling",
    "completed": false
  }
}
```

Delete

DELETE

/todos/{todo_id} Delete Todo

Parameters

Cancel

Name	Description
todo_id * required	
integer	6
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/todos/6' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/todos/6
```

Server response

Code	Details
200	Response body <pre>{ "message": "Todo deleted successfully", "data": { "id": 6, "title": "cooking", "completed": false } }</pre> Download Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000</pre>