HDOC - 74th day

ENUMERATIONS IN C

Name – Piyush Negi **Sap_id -** 590042185

Problem Statement

Program 1: Create an enumeration for months and print how many days each month has. Accept a month name as input. For FEB, display "28 or 29 days".

Program 2: Define an enumeration with SUCCESS, FAILURE, and TIMEOUT. Accept a status value and print the corresponding operation message.

Algorithm

Program 1:

1) Start.

2) Define an enum Month containing JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV and DEC.

3) Read the month name as a string.

4) Compare the input with the month names and assign the corresponding enum value.

5)Use a switch statement to display 28 or 29 days for FEB, 30 days for APR, JUN, SEP and NOV, and 31 days for the remaining months.

6) Display Invalid month for any other value.

7) Stop.

Program 2:

1) Start.

2) Define an enum Status containing SUCCESS, FAILURE and TIMEOUT.

3) Read the status name as a string.

4) Compare the input with SUCCESS, FAILURE and TIMEOUT and assign the corresponding enum value.

5) Use a switch statement to print Operation Successful, Operation Failed, or Operation Timed Out according to the selected status.


6) Display Invalid status for any other value.


7) Stop.

Test Case Table


S. No.	Input	Expected Output	Actual Output	Result
1	FEB	28 or 29 days	28 or 29 days	Pass
2	JAN	31 days	31 days	Pass
3	MAR	31 days	31 days	Pass
4	APR	30 days	30 days	Pass
5	FAILURE	Operation Failed	Operation Failed	Pass
6	SUCCESS	Operation Successful	Operation Successful	Pass

C Program - Program 1





C Program - Program 2




Compilation and Execution

Program 1 compilation command: gcc hdoc74a.c -o hdoc74a

Program 1 execution command: ./hdoc74a

Execution Screenshots:



Program 2 compilation command: gcc hdoc74b.c -o hdoc74b

Program 2 execution command: ./hdoc74b

Execution Screenshot:

