

Corresponding CMD Results:

```
12:08:47 INFO Server      :: Apache Jena Fuseki 5.0.0
12:08:48 INFO Config      :: FUSEKI_HOME=D:\apache-jena-fuseki-5.0.0\apache-jena-
fuseki-5.0.0\
12:08:48 INFO Config      :: FUSEKI_BASE=D:\apache-jena-fuseki-5.0.0\apache-jena-fuseki-
5.0.0\run
12:08:48 INFO Config      :: Shiro file: file:///D:\apache-jena-fuseki-5.0.0\apache-jena-
fuseki-5.0.0\run\shiro.ini
12:08:48 INFO Config      :: Template file: templates/config-mem
12:08:49 INFO Server      :: Database: in-memory
12:08:49 INFO Server      :: Path = /ds
12:08:49 INFO Server      :: Memory: 1.2 GiB
12:08:49 INFO Server      :: Java: 22.0.1
12:08:49 INFO Server      :: OS: Windows 11 10.0 amd64
12:08:49 INFO Server      :: PID: 2532
12:08:49 INFO Server      :: Started 2024/07/10 12:08:49 IST on port 3030
12:10:00 INFO Fuseki      :: [4] POST http://localhost:3030/ds/data
12:10:00 INFO Fuseki      :: [4] Filename: hlo.ttl, Content-Type=application/octet-stream,
Charset=null => Turtle : Count=99 Triples=99 Quads=0
12:10:00 INFO Fuseki      :: [4] 200 OK (80 ms)
12:10:07 INFO Fuseki      :: [7] POST http://localhost:3030/ds/sparql
12:10:07 INFO Fuseki      :: [7] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label} OPTIONAL {
?class rdfs:comment ?description} } LIMIT 25
12:10:07 INFO Fuseki      :: [7] 200 OK (54 ms)
12:16:58 INFO Fuseki      :: [8] POST http://localhost:3030/ds/sparql
12:16:58 INFO Fuseki      :: [8] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label} OPTIONAL {
?class rdfs:comment ?description} } LIMIT 25 OFFSET 0
```

12:16:58 INFO Fuseki :: [8] 200 OK (15 ms)

12:19:03 INFO Fuseki :: [9] POST http://localhost:3030/ds/sparql

12:19:03 INFO Fuseki :: [9] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 25

12:19:03 INFO Fuseki :: [9] 200 OK (11 ms)

12:19:06 INFO Fuseki :: [10] POST http://localhost:3030/ds/sparql

12:19:06 INFO Fuseki :: [10] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 25

12:19:06 INFO Fuseki :: [10] 200 OK (9 ms)

12:19:07 INFO Fuseki :: [11] POST http://localhost:3030/ds/sparql

12:19:07 INFO Fuseki :: [11] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 25

12:19:07 INFO Fuseki :: [11] 200 OK (9 ms)

12:19:07 INFO Fuseki :: [12] POST http://localhost:3030/ds/sparql

12:19:07 INFO Fuseki :: [12] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 25

12:19:07 INFO Fuseki :: [12] 200 OK (10 ms)

12:19:07 INFO Fuseki :: [13] POST http://localhost:3030/ds/sparql

12:19:07 INFO Fuseki :: [13] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 25

12:19:07 INFO Fuseki :: [13] 200 OK (9 ms)

12:19:24 INFO Fuseki :: [14] POST http://localhost:3030/ds/sparql

12:19:24 INFO Fuseki :: [14] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label

?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 25 OFFSET 20

12:19:24 INFO Fuseki :: [14] 200 OK (11 ms)

12:21:27 INFO Fuseki :: [15] POST http://localhost:3030/ds/sparql

12:21:27 INFO Fuseki :: [15] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } } LIMIT 10 OFFSET 10

12:21:27 INFO Fuseki :: [15] 200 OK (10 ms)

12:22:42 INFO Fuseki :: [16] POST http://localhost:3030/ds/sparql

12:22:42 INFO Fuseki :: [16] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description WHERE { ?class a owl:Class. OPTIONAL { ?class rdfs:label ?label } OPTIONAL {
?class rdfs:comment ?description } FILTER(CONTAINS(LCASE(STR(?label)), "example")) }
LIMIT 25 OFFSET 0

12:22:42 INFO Fuseki :: [16] 200 OK (42 ms)

12:23:29 INFO Fuseki :: [17] POST http://localhost:3030/ds/sparql

12:23:29 INFO Fuseki :: [17] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description FROM <http://example.org/graph> WHERE { ?class a owl:Class. OPTIONAL {
?class rdfs:label ?label } OPTIONAL { ?class rdfs:comment ?description } } LIMIT 25 OFFSET 0

12:23:29 INFO Fuseki :: [17] 200 OK (18 ms)

12:23:31 INFO Fuseki :: [18] POST http://localhost:3030/ds/sparql

12:23:31 INFO Fuseki :: [18] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description FROM <http://example.org/graph> WHERE { ?class a owl:Class. OPTIONAL {
?class rdfs:label ?label } OPTIONAL { ?class rdfs:comment ?description } } LIMIT 25 OFFSET 0

12:23:31 INFO Fuseki :: [18] 200 OK (6 ms)

12:23:36 INFO Fuseki :: [19] POST http://localhost:3030/ds/sparql

12:23:36 INFO Fuseki :: [19] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description FROM <http://example.org/graph> WHERE { ?class a owl:Class. OPTIONAL {
?class rdfs:label ?label } OPTIONAL { ?class rdfs:comment ?description } } LIMIT 25 OFFSET 0

12:23:36 INFO Fuseki :: [19] 200 OK (7 ms)

12:23:42 INFO Fuseki :: [20] POST http://localhost:3030/ds/sparql

```
12:23:42 INFO Fuseki      :: [20] Query = PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#> SELECT DISTINCT ?class ?label
?description FROM <http://example.org/graph> WHERE { ?class a owl:Class. OPTIONAL {
?class rdfs:label ?label } OPTIONAL { ?class rdfs:comment ?description } } LIMIT 25 OFFSET 0

12:23:42 INFO Fuseki      :: [20] 200 OK (8 ms)
```